

HERD BEHAVIOR AND AGGREGATE FLUCTUATIONS IN FINANCIAL MARKETS

RAMA CONT

Centre de Mathématiques Appliquées, École Polytechnique

JEAN-PHILIPPE BOUCHAUD

SPEC, Centre d'Études de Saclay

We present a simple model of a stock market where a random communication structure between agents generically gives rise to heavy tails in the distribution of stock price variations in the form of an exponentially truncated power law, similar to distributions observed in recent empirical studies of high-frequency market data. Our model provides a link between two well-known market phenomena: the heavy tails observed in the distribution of stock market returns on one hand and herding behavior in financial markets on the other hand. In particular, our study suggests a relation between the excess kurtosis observed in asset returns, the market order flow, and the tendency of market participants to imitate each other.

Keywords: Heavy Tails, Financial Markets, Herd Behavior, Market Organization, Intermittency, Random Graphs, Percolation

1. INTRODUCTION

Empirical studies of the fluctuations in the price of various financial assets have shown that distributions of stock returns and stock price changes have fat tails that deviate from the Gaussian distribution [Mandelbrot (1963, 1997), Pagan (1996), Campbell et al. (1997), Cont et al. (1997), Guillaume et al. (1997), Pictet et al. (1997)] especially for intraday timescales [Cont et al. (1997)]. These fat tails, characterized by a significant excess kurtosis, persist even after accounting for heteroskedasticity in the data [Bollerslev et al. (1992)]. The heavy tails observed in these distributions correspond to large fluctuations in prices, “bursts” of volatility that are difficult to explain only in terms of variations in fundamental economic variables [Shiller (1989)].

The fact that significant fluctuations in prices are not necessarily related to the arrival of information [Cutler (1989)] or to variations in fundamental economic variables [Shiller (1989)] leads us to think that the high variability present in stock

R. Cont gratefully acknowledges an AMX fellowship from Ecole Polytechnique and thanks Science & Finance for their hospitality. We thank Masanao Aoki, Alan Kirman, Dietrich Stauffer, and two anonymous referees for helpful remarks and Yann Braouezec for numerous bibliographical indications. Address correspondence to: Rama Cont, Centre de Mathématiques Appliquées, École Polytechnique, F-91128 Palaiseau, France; e-mail: Rama.Cont@polytechnique.fr.

market returns may correspond to collective phenomena such as crowd effects or “herd” behavior.

Although herding in financial markets is by now relatively well documented empirically, there have been few theoretical studies on the implications of herding and imitation for the statistical properties of market demand and price fluctuations. In particular, some questions that one would like to have answered are: **How does the presence of herding modify the distribution of returns? What are the implications of herding for relations between market variables such as order flow and price variability?** These are some of the questions that have motivated our study.

The aim of the present study is to examine, in the framework of a simple model, how the existence of herd behavior among market participants may generically lead to large fluctuations in the aggregate excess demand, described by a heavy-tailed non-Gaussian distribution. Furthermore, we explore how empirically measurable quantities such as the excess kurtosis of returns and the average order flow may be related to each other in the context of our model. Our approach provides a quantitative link between the two issues discussed earlier: the *heavy tails* observed in the distribution of stock market returns on the one hand and the *herd* behavior observed in financial markets on the other hand.

The article is divided into four additional sections. Section 2 reviews well-known empirical facts about the heavy-tailed nature of the distribution of stock returns and various models proposed to account for it. Section 3 presents previous empirical and theoretical work on herding and imitation in financial markets in relation to the present study. Section 4 discusses the statistical properties of excess demand resulting from the aggregation of a large number of random individual demands in a market. Section 5 defines our model and presents analytical results. Section 6 interprets the results in economic terms, compares them to empirical data and discusses possible extensions. Details of calculations are given in the appendices.

2. THE HEAVY-TAILED NATURE OF ASSET RETURN DISTRIBUTIONS

It is by now well known that the distribution of returns of almost all financial assets—stocks, indexes, and futures—exhibits a slow asymptotic decay that deviates from a normal distribution. This is quantitatively reflected in the excess kurtosis, defined as

$$\kappa = \frac{\mu_4}{\sigma^4} - 3, \quad (1)$$

where μ_4 is the fourth central moment and σ is the standard deviation of the returns. The excess kurtosis κ should be zero for a normal distribution but ranges between 2 and 50 for daily returns [Campbell et al. (1997), Pagan (1996)] and is even higher for intraday data. Studies of the distribution of returns reveal the presence of heavy tails, fatter than those of a normal distribution but thinner than a stable Pareto–Lévy distribution [Cont (1998)]. In some cases the tail has been

represented by an exponential form [Cont et al. (1997)] and in other cases by a power law with tail index between 3 and 4 [Pagan (1996)].

2.1. Statistical Mechanisms for Generating Heavy Tails

Many statistical mechanisms have been put forth to account for the heavy tails observed in the distribution of asset returns. Well-known examples are Mandelbrot's stable-Paretian hypothesis [Mandelbrot (1963)], the mixture-of-distributions hypothesis [Clark (1973)], and models based on conditional heteroskedasticity [Engle (1995)].

It is well known that in the presence of heteroskedasticity, the unconditional distribution of returns will have heavy tails. In most models based on heteroskedasticity, the process of return is assumed to be conditionally Gaussian: The shocks are "locally" Gaussian and the non-Gaussian character of the unconditional distribution is an effect of aggregation. It is obtained by superposing a large number of local Gaussian shocks. In this description, sudden movements in prices are interpreted as corresponding to a high value of conditional variance.

On one hand, it has been shown that although conditional heteroskedasticity does lead to fat tails in unconditional distributions, ARCH-type models cannot fully account for the kurtosis of returns [Hsieh (1991), Bollerslev et al. (1992)]. On the other hand, from a theoretical point of view, there is no a priori reason to postulate that returns are conditionally normal: although conditional normality is convenient for parameter estimation of the resulting model, nonnormal conditional distributions possess the same qualitative features as for volatility clustering while accounting better for heavy tails. Gallant and Tauchen (1989) report significant evidence of both conditional heteroskedasticity and conditional nonnormality in the daily NYSE value-weighted index. Similarly, Engle and Gonzalez-Rivera (1991) show that when a GARCH(1,1) model is used for the conditional variance of stock returns the conditional distribution has considerable kurtosis, especially for small-firm stocks. Indeed, several authors have proposed GARCH-type models with nonnormal conditional distributions [Bollerslev et al. (1992)].

Stable distributions [Mandelbrot (1963)] offer an elegant alternative to heteroskedasticity for generating fat tails, with the advantage that they have a natural interpretation in terms of aggregation of a large number of individual contributions of agents to market fluctuations: Indeed, stable distributions may be obtained as limit distributions of sums of independent or weakly dependent random variables, a property that is not shared by alternative models. Unfortunately, the infinite variance property of these distributions is not observed in empirical data: sample variances do not increase indefinitely with sample size but appear to stabilize at a certain value for large enough data sets. We discuss stable distributions in more detail in Section 4.

A third approach, first advocated by Clark (1973), is to model stock returns by a subordinated process, typically subordinated Brownian motion. This amounts to stipulating that through a "stochastic time change" one can transform the

complicated dynamics of the price process into Brownian motion or some other simple process. It can be shown that, depending on the choice of the subordinator, one can obtain a wide range of distributions for the increments, all of which possess heavy tails, that is, positive excess kurtosis. As a matter of fact, even stable distributions may be obtained as a subordinated Brownian motion. In the original approach of Clark (1973), the subordinator was taken to be trading volume. Other choices that have been proposed are the number of trades [Geman and Ané (1996)] or other local measures of market activity. However, none of these choices for the subordinator leads to a normal distribution for the increments of the time-changed process, indicating that large fluctuations in price may not be completely explained by large fluctuations in trading volume or number of trades.

In short, although heteroskedasticity and time deformation partly explain the kurtosis of asset returns, they do not explain it quantitatively: Even after accounting for these effects, one is left with an important residual kurtosis in the resulting transformed time series. Moreover, these approaches consider the market as a “black box” and are not based on any microeconomic representation of the market phenomenon generating the data that they attempt to describe.

2.2. Heavy Tails as Emergent Phenomena

The failure of purely statistical explanations to account for the presence of heavy tails in the distribution of asset returns suggests the existence of a more fundamental market mechanism, common to all speculative markets, that generates such heavy tails.

Recent works by Bak et al. (1997), Lux (1998), and others have tried to explain the heavy-tailed nature of return distributions as an emergent property in a market where fundamentalist traders interact with noise traders. Bak et al. (1997) consider several types of trading rules and study the resulting statistical properties for the time series of asset prices in each case. Computer simulations of their model do seem to yield fat-tailed distributions for asset returns, which at least qualitatively resemble empirical distributions of stock returns, showing that the appearance of fat-tailed distributions can be regarded as an emergent property in large markets. However, the model has two drawbacks: First, it is a fairly complicated model with many ingredients and parameters and it is difficult to see how each ingredient of the model affects the results obtained, which in turn diminishes its explanatory power. Second, the complexity of the model does not allow explicit calculations to be performed, preventing the model parameters from being compared with empirical values.

We present here an alternative approach, which, by modeling the communication structure between market agents as a *random graph*, proposes a simple mechanism accounting for some nontrivial statistical properties of stock price fluctuations. Although much more rudimentary and containing fewer ingredients than the model proposed by Bak et al. (1997), our model allows for analytic calculations to be performed, thus enabling us to interpret in economic terms the role of each of

the parameters introduced. The basic intuition behind our approach is simple: Interaction of market participants through imitation can lead to large fluctuations in aggregate demand, leading to heavy tails in the distribution of returns.

3. HERD BEHAVIOR IN FINANCIAL MARKETS

In the popular literature, “crowd effects” often have been associated with large fluctuations in market prices of financial assets. Although well known to market participants, they have been considered only recently in the econometrics literature. On the theoretical side, a number of recent studies have considered mimetic behavior as a possible explanation for the excessive volatility observed in financial markets [Bannerjee (1993), Orléan (1995), Shiller (1989), Topol (1991)].

3.1. Empirical Evidence

The existence of herd behavior in speculative markets has been documented by a certain number of studies: Scharfstein and Stein (1990) discuss evidence of herding in the behavior of fund managers, Grinblatt et al. (1995) report herding in mutual fund behavior, and Trueman (1994) and Welch (1996) show evidence for herding in the forecasts made by financial analysts. See also Golec (1997).

3.2. Theoretical Studies

On the theoretical side, several studies have shown that, in a market with noise traders, herd behavior is not necessarily “irrational” in the sense that it may be compatible with optimizing behavior of the agents [Shleifer and Summers (1994)]. Other motivations may be invoked for explaining imitation in markets, such as “group pressure” [Bikhchandani et al. (1992), Lux (1998), Scharfstein and Stein (1990)].

Various models of herd behavior have been considered in the literature, the best-known approach being that of Bannerjee (1992, 1993) and Bikhchandani et al. (1992). In these models, individuals attempt to infer a parameter from noisy observations and decisions of other agents, typically through a Bayesian procedure, giving rise to “information cascades” [Bikhchandani et al. (1992)]. An important feature of these models is the sequential character of the dynamics: Individuals make their decisions one at a time, taking into account the decisions of the individuals preceding them. The model therefore assumes a natural way of ordering the agents. This assumption seems unrealistic in the case of financial markets: Orders from various market participants enter the market simultaneously and it is the interplay between different orders that determines aggregate market variables.¹

Nonsequential herding has been studied in a Bayesian setting by Orléan (1995) in a framework inspired by the Ising model. Orléan considers a model of identical agents making binary decisions in which any two agents have the same tendency to imitate each other, and studies the resulting Bayesian equilibria. In terms of

aggregate variables, this model leads either to a Gaussian distribution when the imitation is weak or to a bimodal distribution with nonzero modes, which Orléan interprets as corresponding to collective market phenomena such as crashes or panics. In neither case does one obtain a heavy-tailed unimodal distribution centered at zero, such as those observed for stock returns.²

The approach proposed in this paper is different from both approaches described above. Our model is different from those of Bannerjee (1992) and Bikhchandani et al. (1992) in that herding is not sequential. The unrealistic nature of the results of Orléan (1995) arises from the fact that all agents are assumed to imitate each other to the same degree. We avoid this problem by considering the random formation of groups of agent who imitate each other but such that different groups of agents make independent decisions, which allows for a heterogeneous market structure. More specifically, our approach considers the interactions between agents as resulting from a random communication structure, as explained in the next section.

4. AGGREGATION OF RANDOM INDIVIDUAL DEMANDS

Consider a stock market with N agents, labeled by an integer $1 \leq i \leq N$, trading in a single asset, whose price at time t will be denoted $x(t)$. During each time period, an agent may choose either to buy the stock, to sell it, or not to trade. The demand for stock of agent i is represented by a random variable ϕ_i , which can take the values 0, -1 , or $+1$: A positive value of ϕ_i represents a “bull” an agent willing to buy stock; a negative value represents a “bear,” eager to sell stock; and $\phi_i = 0$ means that agent i does not trade during a given period. The random character of individual demands may be due either to heterogeneous preferences or to random resources of the agents, or both. For example, random utility models studied in the literature on discrete-choice theory of product differentiation lead to random individual demands, the distribution of which depends on the distribution specified for the random utility functions of agents [Anderson et al. (1993)]. Alternatively, the random nature of individual demand may result from the application by the agents of simple decision rules, each group of agents using a certain rule. However, to focus on the effect of herding, we do not explicitly model the decision process leading to the individual demands; rather, we model the result of the decision process as a random variable ϕ_i . In contrast with many binary choice models in the microeconomics literature, we allow for an agent to be inactive, that is, not to trade during a given time period t . This, as we shall see, is important for deriving our results.

Let us consider for simplification that, during each time period, an agent may either trade one unit of the asset or remain inactive. The demand of the agent i is then represented by $\phi_i \in \{-1, 0, +1\}$, with $\phi_i = -1$ representing a sell order. The aggregate excess demand for the asset at time t is therefore simply

$$D(t) = \sum_{i=1}^N \phi_i(t), \quad (2)$$

given the algebraic nature of ϕ_i . The marginal distribution of agent i 's individual demand is assumed to be symmetric:

$$P(\phi_i = +1) = P(\phi_i = -1) = a, \quad P(\phi_i = 0) = 1 - 2a, \quad (3)$$

such that the average aggregate excess demand is zero; that is, the market is considered to fluctuate around equilibrium. A value of $a < 1/2$ allows for a finite fraction of agents not to trade during a given period.

We are concerned here with obtaining a result that could then be compared with actual market data, and the short-term excess demand is not an easily observable quantity. Also, most of the studies on the statistical properties of financial time series have been done on returns, log returns, or price changes. We therefore need to relate the aggregate excess demand in a given period to the return or price change during that period. The aggregate excess demand has an impact on the price of the stock, causing it to rise if the excess demand is positive and to fall if it is negative. A common specification, which is compatible with standard *tatonnement* ideas, is to assume a proportionality between price change (or return) and excess demand:

$$\Delta x = x(t+1) - x(t) = \frac{1}{\lambda} \sum_{i=1}^N \phi_i(t), \quad (4)$$

where λ is the *market depth*: It is the excess demand needed to move the price by one unit; it measures the sensitivity of price to fluctuations in excess demand. Equation (4) emphasizes the price impact of the order flow as opposed to other possible causes for price fluctuations. Although in the long run, economic factors other than short-term excess demand may influence the evolution of the asset price, resulting in mean reversion or more complex types of behavior, we focus here on the short-run behavior of prices, for example, on intraday timescales in the case of stock markets, and so, this approximation seems reasonable.

The linear nature of this relation also may be questioned. Results reported by Farmer (1998) and others, based on the study of the price impact of blocks of orders of different sizes sent to the market, seem to indicate a linear relationship for small price changes with nonlinearity arising when the size of blocks is increased [see also Kempf and Korn (1997)]. Nevertheless, if the one-period return Δx is a nonlinear but smooth function $h(D)$ of the excess demand, then a linearization of the inverse demand function h (a first-order Taylor-series expansion in D) shows that equation (4) may still hold for small fluctuations of the aggregate excess demand with $h'(0) = 1/\lambda$.

To evaluate the distribution of stock returns from equation (4), we need to know the *joint* distribution of the individual demands $[\phi_i(t)]_{1 \leq i \leq N}$. Let us begin by considering the simplest case in which individual demands ϕ_i of different agents are independent and identically distributed random variables. We refer to this hypothesis as the “independent agents” hypothesis. In this case the joint distribution of the individual demands is simply the product of individual distributions, and

the price variation Δx is a sum of N i.i.d.r.v.'s with finite variance. When the number of terms in equation (4) is large, the central limit theorem applied to the sum in equation (4) tells us that the distribution of Δx is well approximated by a Gaussian distribution. Of course, this result still holds as long as the distribution of individual demands has finite variance.

This can be seen as a rationale for the frequent use of the normal distribution as a model for the distribution of stock returns. Indeed, if the variation of market price is seen as the sum of a large number of independent or weakly dependent random effects, then it is plausible that a Gaussian description will be a good one.

Unfortunately, empirical evidence tells us otherwise: The distributions both of asset returns [Pagan (1996), Campbell et al. (1997)] and of asset price changes [Mandelbrot (1963, 1997), Cont (1997), Cont et al. (1997)] have been shown repeatedly to deviate significantly from the Gaussian distribution, exhibiting fat tails and excess kurtosis.

However, the independent-agent model is also capable of generating aggregate distributions with heavy tails. Indeed, if one relaxes the assumption that the individual demands ϕ_i have a finite variance, then under the hypothesis of independence (or weak dependence) of individual demands, the aggregate demand—and therefore the price change if we assume equation (4)—will have a stable (Pareto–Lévy) distribution. This is a possible interpretation for the stable-Pareto model proposed by Mandelbrot (1963) for the heavy tails observed in the distribution of the increments of various market prices. The infinite variance of ϕ_i then reflects the heterogeneity of the market, for example, in terms of broad distribution of wealth of the participants as proposed by Levy and Solomon (1997).

Mandelbrot's stable-Paretian hypothesis has been criticized for several reasons, one of them being that it predicts an infinite variance for stock returns, which implies in practice that the sample variance will increase indefinitely with sample size, a property that is not observed in empirical data.

More precisely, a careful study of the tails of the distribution—both conditional and unconditional—of increments for various financial assets shows that they have heavy tails with a finite variance [Pagan (1996), Cont et al. (1997), Bouchaud and Potters (1997)]. Many distributions verify these conditions, and various parametric families of distributions have been proposed and tested against market data [Campbell et al. (1997)]. A particular one proposed by the authors and others [Cont et al. (1997)] is the family of exponentially truncated stable distributions, a parametric family of infinitely divisible distributions with finite variance, which include stable Lévy distributions as a limiting case. For such models, the tails of the density have the asymptotic form of an exponentially truncated power law:

$$p(\Delta x) \underset{|\Delta x| \rightarrow \infty}{\sim} \frac{C}{|\Delta x|^{1+\mu}} \exp\left(-\frac{\Delta x}{\Delta x_0}\right) \quad (5)$$

The estimated exponent, μ ,³ is found to be close to 1.5 ($\mu \simeq 1.4$ – 1.6) for a wide variety of stocks and market indexes [Bouchaud and Potters (1997)]. This

asymptotic form allows for heavy tails (excess kurtosis) without implying infinite variance.

However, it is known that the central limit theorem also holds for certain sequences of dependent variables: Under various types of *mixing* conditions [Billingsley (1975)], which are mathematical formulations of the notion of “weak” dependence, aggregate variables will still be normally distributed. Therefore, the non-Gaussian and more generally nonstable character of empirical distributions, be it excess demand or the stock returns, not only demonstrates the failure of the ‘independent-agent’ approach, but also shows that such an approach is nowhere close to being a good approximation. The dependence between individual demands is an essential character of the market structure and may not be left out in the aggregation procedure; they cannot be assumed to be weak [in the sense of a mixing condition; Billingsley (1975)] and *do* change the distribution of the resulting aggregate variable.

Indeed, the assumption that the outcomes of decisions of individual agents may be represented as independent random variables is highly unrealistic. Such an assumption ignores an essential ingredient of market organization, namely, the *interaction* and *communication* among agents.

In real markets, agents may form groups of various sizes, which then may share information and act in coordination. In the context of a financial market, groups of traders may align their decisions and act in unison to buy or sell; a different interpretation of a group may be an investment fund corresponding to the wealth of several investors but managed by a single fund manager.

To capture such effects, we need to introduce an additional ingredient, namely, the communication structure between agents. One solution would be to specify a fixed trading-group structure and then proceed to study the resulting aggregate fluctuations. Such an approach has two major drawbacks. First, a realistic market structure may require specifying a complicated structure of clusters and rendering the resulting model analytically intractable. More important, the resulting pattern of aggregate fluctuations will crucially depend on the specification of the market structure.

An alternative approach, suggested by Kirman (1983 and 1996), is to consider the market communication structure itself as stochastic. One way of generating a random market structure is to assume that market participants meet randomly and trades take place when an agent willing to buy meets an agent willing to sell. This procedure, called “random matching” by some authors [Ioannides (1990)], has been considered previously in the context of the formation of trading groups by Ioannides (1990) and in the context of a stock market model by Bak et al. (1997).

Another way is to consider that market participants form groups or “clusters” through a random matching process, but that no trading takes place inside a given group. Instead, members of a given group adopt a common market strategy (e.g., they decide to buy or sell or not to trade) and different groups may trade with each other through a centralized market process. The trading takes place among the groups, not among group members. In the context of a financial market, clusters

may represent, for example, a group of investors participating in a mutual fund. This is the line that we follow in this paper.

5. PRESENTATION OF THE MODEL

More precisely, let us suppose that agents group together in coalitions or *clusters* and that, once a coalition has formed, all of its members coordinate their individual demands so that all individuals in a given cluster have the same belief regarding future movements of the asset price. Using the framework described in the preceding section, we consider that all agents belonging to a given cluster will have the same demand ϕ_i for the stock. In the context of a stock market, these clusters may correspond, for example, to mutual funds (e.g., portfolios managed by the same fund manager) or to herding among security analysts as in Trueman (1994) and Welch (1996). The right-hand side of equation (3) therefore can be rewritten as a sum over clusters:

$$\Delta x = \frac{1}{\lambda} \sum_{\alpha=1}^k W_{\alpha} \phi_{\alpha}(t) = \frac{1}{\lambda} \sum_{\alpha=1}^{n_c} X_{\alpha}, \quad (6)$$

where W_{α} is the size of cluster α , $\phi_{\alpha}(t)$, is the (common) individual demand of agents belonging to the cluster α , n_c is the number of clusters (coalitions), and $X_{\alpha} = \phi_{\alpha} W_{\alpha}$.

One may consider that coalitions are formed through binary links between agents, a link between two agents meaning that they undertake the same action on the market, that is, they both buy or sell stock. For any pair of agents i and j , let p_{ij} be the probability that i and j are linked together. Again, to simplify, we assume that $p_{ij} = p$ is independent of i and j : all links are equally probable. Then $(N - 1)p$ denotes the average number of agents a given agent is linked to. Because we are interested in studying the $N \rightarrow \infty$ limit, p should be chosen in such a way that $(N - 1)p$ has a finite limit. A natural choice is $p_{ij} = c/N$, any other choice verifying the above condition being asymptotically equivalent to this one. The distribution of coalition sizes in the market thus is specified completely by a single parameter, c , which represents the willingness of agents to align their actions. It can be interpreted as a coordination number, measuring the degree of clustering among agents.

Such a structure is known as a *random graph* in the mathematical literature Erdős and Renyi (1960), Bollobas (1985). In terms of random-graph theory, we consider agents as vertices of a random graph of size N , and the coalitions as connected components of the graph. Such an approach to communication in markets using random graphs was first suggested in the economics literature by Kirman (1983) to study the properties of the core of a large economy. Random graphs also have been used in the context of multilateral matching in search equilibrium models by Ioannides (1990). A good review of the applications of random-graph theory in economic modeling is given by Ioannides (1996).

The properties of large random graphs in the $N \rightarrow \infty$ limit were first studied by Erdős and Renyi (1960). An extensive review of mathematical results on random graphs is given by Bollobas (1985). The main results of the combinatorial approach are given in Appendix A. One can show [Bollobas (1985)] that for $c = 1$ the probability density for the cluster size distribution decreases asymptotically as a power law:

$$P(W) \underset{W \rightarrow \infty}{\sim} \frac{A}{W^{5/2}},$$

whereas for values of c close to and smaller than 1 ($0 < 1 - c \ll 1$), the cluster size distribution is cut off by an exponential tail:

$$P(W) \underset{W \rightarrow \infty}{\sim} \frac{A}{W^{5/2}} \exp\left[-\frac{(1-c)W}{W_0}\right]. \quad (7)$$

For $c = 1$, the distribution has an infinite variance, whereas for $c < 1$ the variance becomes finite because of the exponential tail. In this case the average size of a coalition is of order $1/(1-c)$ and the average number of clusters is then of order $N(1-c/2)$.

Setting the coordination parameter c close to 1 means that each agent tends to establish a link with one other agent, which can be regarded as a reasonable assumption. This does not rule out the formation of large coalitions through successive binary links between agents but prevents a single agent from forming multiple links, as would be the case in a centralized communication structure in which one agent (the “auctioneer”) is linked to all of the others. As argued by Kirman (1983), the presence of a Walrasian auctioneer corresponds to such “star-like,” centralized communication structures. We are thus excluding such a situation by construction: We are interested in a market in which information is distributed and not centralized, which corresponds more closely to the situations encountered in real markets. More precisely, the local structure of the market may be characterized by the following result [Bollobas (1985)]: In the limit $N \rightarrow \infty$, the number v_i of neighbors of a given agent i is a Poisson random variable with parameter c :

$$P(v_i = v) = e^{-c} \frac{c^v}{v!}. \quad (8)$$

A Walrasian auctioneer w would be connected to every other agent: $v_w = N - 1$. The probability for having a Walrasian auctioneer therefore is given by $NP(v_w = N - 1)$, which goes to zero when $N \rightarrow \infty$.

There are two different ways to represent a market as a collection of agents clustered into small groups. The first is to consider the groups as “trading groups,” that is, groups of market agents trading among themselves, with little or no trade among different trading groups. Each trading group acts as a minimarket with its own price, supply, and demand. This approach, which is the one adopted by Ioannides (1990), can be used to model price, dispersion for example. When applied to a financial market, the connected components of the random graph then

represent groups of traders who buy and sell between themselves but have very few transactions with other groups of traders.

As pointed out earlier, our approach is different: Here, the trading takes place not among members of a given group but between different clusters. A given market cluster is characterized by its size W_α and its “nature,” that is, whether the members are buyers or sellers. This is specified by a variable $\phi_\alpha \in \{-1, 0, 1\}$. It is reasonable to assume that W_α and ϕ_α are independent random variables: The size of a group does not influence its decision whether to buy or sell. The variable $X_\alpha = \phi_\alpha W_\alpha$ then is distributed symmetrically with a mass of $1 - 2a$ at the origin. Let

$$F(u) = P(X_\alpha \leq u | X_\alpha \neq 0). \quad (9)$$

Then, the distribution of X_α is given by

$$G(u) = P(X_\alpha \leq u) = (1 - 2a)H(u) + 2aF(u), \quad (10)$$

where H is a unit step function at 0 (Heaviside function). We shall assume that F has a continuous density, f , which decays asymptotically as in (7):

$$f(u) \underset{|u| \rightarrow \infty}{\sim} \frac{A}{|u|^{5/2}} e^{-\frac{(c-1)|u|}{w_0}}. \quad (11)$$

The expression for the price variation Δx therefore reduces to a sum of n_c i.i.d.r.v.'s X_α , $\alpha = 1 \dots n_c$ with heavy-tailed distributions as in (7):

$$\Delta x = \frac{1}{\lambda} \sum_{\alpha=1}^{n_c} X_\alpha.$$

Since the probability density of X_α has a finite mass $1 - 2a$ at zero, only a fraction $2a$ of the terms in the sum (6) are nonzero; the number of nonzero terms in the sum is of order $2a\bar{n}_c \sim 2aN(1 - c/2) = n_{\text{order}}(1 - c/2)$, where $n_{\text{order}} = 2aN$ is the average number of market participants who actively trade in the market during a given period. For example, n_{order} can be thought of as the number of orders received during the time period $[t, t + 1]$ if we assume that different orders correspond to net demands, as defined earlier, of different clusters of agents. For a time period of, say, 15 min on a liquid market such as NYSE, $n_{\text{order}} = 100$ is a typical order of magnitude.

The distribution of the price variation Δx is then given by

$$P(\Delta x = u) = \sum_{k=1}^N P(n_c = k) \sum_{j=0}^k \binom{k}{j} (2a)^j (1 - 2a)^{k-j} f^{\otimes j}(\lambda u), \quad (12)$$

where \otimes denotes a convolution product, n_c being the number of clusters. Equation (12) enables us to calculate the moment-generating functions \mathcal{F} of the

aggregate excess demand D in terms of \tilde{f} (see Appendix C for details):

$$\mathcal{F}(z) \underset{N \rightarrow \infty}{\sim} \exp \left\{ n_{\text{order}} \left(1 - \frac{c}{2} \right) [\tilde{f}(z) - 1] \right\}. \quad (13)$$

The moments of D (and those of Δx) may now be obtained through a Taylor-series expansion of equation (13) (see Appendix D for details). The calculation of the variance and the fourth moment yields

$$\mu_2(D) = n_{\text{order}} \left(1 - \frac{c}{2} \right) \mu_2(X_\alpha), \quad (14)$$

$$\mu_4(D) = n_{\text{order}} \left(1 - \frac{c}{2} \right) \mu_4(X_\alpha) + 3N_{\text{order}}^2 \left(1 - \frac{c}{2} \right)^2 \mu_2(X_\alpha)^2. \quad (15)$$

An interesting quantity is the kurtosis of the asset returns, which, in our model, is equal to the kurtosis of excess demand $\kappa(D)$:

$$\kappa(D) = \frac{\mu_4(X_\alpha)}{n_{\text{order}} \left(1 - \frac{c}{2} \right) \mu_2(X_\alpha)}. \quad (16)$$

The moments $\mu_j(X_\alpha)$ may be obtained by an expansion in $1/N$, where N is the number of agents in the market (see Appendix B). Substituting their expression on the above formula yields the kurtosis $\kappa(D)$ as a function of c and the order flow:

$$\kappa(D) = \frac{2c + 1}{n_{\text{order}} (1 - c/2) A(c) (1 - c)^3}, \quad (17)$$

where $A(c)$ is a normalization constant with a value close to 1, defined in Appendix B, tending to a finite limit as $c \rightarrow 1$. This relation can be interpreted as follows: A reduction in the volume of the order flow results in larger price fluctuations, characterized by a larger excess kurtosis. This result corresponds to the well-known fact that large price fluctuations are more likely to occur in less active markets, characterized by a smaller order flow. It is also consistent with results from various market microstructure models, where a larger order flow enables easier regulation of supply and demand by the market maker. It is interesting that we find the same qualitative feature here although we have not explicitly integrated a market maker in our model. This result should be compared to the observation by Engle et al. (1991) that, even after accounting for heteroskedasticity, the conditional distribution of stock returns for small firms is higher than that of large firms. Small-firm stocks are characterized by a smaller order flow n_{orders} , and so, this observation is compatible with our results.

More important, equation (17) shows that the kurtosis can be very large *even if the number of orders is itself large*, provided c is close to 1. Since $A(1)$ is close to $1/2$, one finds that even for $c = 0.9$ and $n_{\text{order}} = 1,000$, the kurtosis κ is still of order 10, as observed on very active markets on time intervals of tens of minutes. Actually, one can show that, provided $2aN$ is not too large, the asymptotic behavior

of $P(\Delta x)$ is still of the form given by equation (7). This model thus leads naturally to the value of $\mu = 3/2$, close to the value observed on real markets. Of course, the value of c could itself be time dependent. For example, herding tends to be stronger during periods of uncertainty, leading to an increase in the kurtosis. When c reaches 1, a finite fraction of the market simultaneously shares the same opinion and this leads to a crash. An interesting extension of the model would be one in which the time evolution of the market structure is explicitly modeled, and the possible feedback effect of the price moves on the behavior of market participants.

6. SUMMARY AND RESULTS

We have presented a model of a speculative market with N agents who face three alternatives at each time period: to buy a unit of a financial asset, to sell a unit of the asset, or not to trade. We assume that the agents organize into groups by forming independent binary links between each other with probability c/N , where $1 < c < 1$ is a connectivity parameter. The resulting market structure is then described by a random graph with N vertices whose connected components or *clusters* correspond to groups of investors who pool their capital into a single fund or act in unison to buy or sell. Each cluster of agents now decides, independently from other clusters, whether to buy, to sell, or not to trade. To model this, we attribute to each cluster⁴ α a random variable ϕ_α taking values in $\{-1, 0, +1\}$, with ϕ_α independent from ϕ_β if $\alpha \neq \beta$. All agents belonging to the cluster are assumed to make the same decision: buy if $\phi_\alpha = +1$, sell if $\phi_\alpha = -1$, and not trade if $\phi_\alpha = 0$. The variables ϕ_α , where the index α denotes clusters, are independent variables with a symmetric distribution:

$$P(\phi_\alpha = +1) = P(\phi_\alpha = -1) = a, \quad P(\phi_\alpha = 0) = 1 - 2a. \quad (18)$$

As explained earlier, $n_{\text{order}} = 2aN$ represents the average order flow (number of orders per unit time arriving on the market), which should remain finite in the $N \rightarrow \infty$ limit, meaning that only a finite number of agents are allowed to trade at the same time. This leads us to parameterize a as

$$a = \frac{n_{\text{order}}}{2N} + o\left(\frac{1}{N}\right). \quad (19)$$

Denoting $\phi_i(t) \in \{-1, 0, +1\}$ as the demand of agent i , the above statements imply that

ϕ_i and ϕ_j are independent random variables if i and j do not belong to the same cluster;
 $\phi_i = \phi_j$ otherwise.

The variables ϕ_i , $i \in [1, N]$ together with the graph structure defined by the links defines the configuration of the market. Let \mathcal{M} be such a configuration, $L(\mathcal{M})$ be the number of links in \mathcal{M} , $C_-(\mathcal{M})$ be the number of clusters α with $\phi_\alpha = -1$ (clusters of sellers), $C_+(\mathcal{M})$ be the number of clusters α with $\phi_\alpha = +1$ (clusters of

buyers), and $C_0(\mathcal{M})$ be the number of clusters α with $\phi_\alpha = 0$ (nontrading clusters). Then, according to our specifications, such a market configuration is observed with probability

$$P(\mathcal{M}) = \left(\frac{c}{N}\right)^{L(\mathcal{M})} \left(1 - \frac{c}{N}\right)^{\binom{N}{2} - L(\mathcal{M})} \left(1 - \frac{n_{\text{order}}}{N}\right)^{C_0(\mathcal{M})} \left(\frac{n_{\text{order}}}{N}\right)^{C_+(\mathcal{M}) + C_-(\mathcal{M})}.$$

The excess demand $D(t) = \sum \phi_i(t)$ then gives rise to a change $\Delta x(t)$ in the market price, which is assumed to be linearly related to $z(t)$ [equation (4)]. We are interested in the distribution of $\Delta x(t)$ or, equivalently, of $D(t)$ (more precisely, its tail behavior) in the above model, when the number N of investors is large. To study this limit, we assume that $c < 1$ and that the order flow n_{orders} remains finite when $N \rightarrow \infty$. Under these assumptions (see Appendix C),

- (1) The density of price changes Δx displays a heavy, non-Gaussian tail of the form

$$p(u) \underset{|u| \rightarrow \infty}{\sim} \frac{e^{\frac{u}{u_0}}}{u^{5/2}}. \quad (20)$$

- (2) The heaviness of the tails, as measured by the kurtosis of the price change, is inversely proportional to the order flow:

$$\kappa(\Delta x) = \frac{2c + 1}{n_{\text{order}} \left(1 - \frac{c}{2}\right) A(c) (1 - c)^3}. \quad (21)$$

This means that an illiquid market—that is, with a weak order flow—will produce large price fluctuations with higher frequency than a market in which there are more orders flowing in per unit time.

The quantities above are defined for a certain time interval Δt , taken to be unity in the relations above. Changing the time interval would modify, among all of the parameters defining the model, only the order flow n_{orders} , which should be an increasing function of the time interval Δt . Equation (13) then implies that, as the time interval Δt increases, the price changes over Δt become more and more Gaussian, which is indeed consistent with empirical observations [Cont et al. (1997)]. Our model thus enables a crossover between heavy tails at small timescales and Gaussian behavior of price increments at large timescales, the crossover being caused by the increase of number of orders during Δt when Δt is increased. More precisely, this remark together with equation (21) implies a link between the scaling behavior of the kurtosis of price increments on timescale Δt and the manner in which the order flow during Δt should increase with Δt . Recent empirical studies [Cont (1997)] have suggested that the kurtosis of price increments on timescale Δt exhibits a nonlinear (anomalous) scaling behavior,

$$\kappa \sim |\Delta t|^{-\alpha}, \quad (22)$$

with $\alpha \simeq 0.4$. As shown by Cont (1997), this observation is consistent with a power-law decay in the correlation function of squared price changes, a well-documented property of stock returns. In view of equation (21), this would imply that the order

flow during Δt should increase as $|\Delta t|^\alpha$, a prediction that can be tested empirically. Note that a somewhat similar scaling relation for the trading volume as a function of Δt was proposed by Clark (1973), but our assertion is of a different nature since Clark's relation concerned trading volume and not order flow.

7. DISCUSSION

We have exhibited a model of a stock market that, albeit its simplicity, gives rise to a probability distribution with heavy tails and finite variance for aggregate excess demand and stock price variations, similar to empirical distributions of asset returns. Our model illustrates the fact that whereas a naive market model in which agents do not interact with each other would tend to give rise to normally distributed aggregate fluctuations, taking into account interaction between market participants through a rudimentary herding mechanism gives a result that is quantitatively comparable to empirical findings on the distribution of stock market returns.

7.1. Link Between Herd Behavior and Price Intermittency

One of the interesting results of our model is that it predicts a relation between the fatness of the tails of asset returns as measured by their excess kurtosis and the degree of herding among market participants as measured by the parameter c . This relation is given by equation (17).

Although we implicitly assumed that t represents chronological time, we could formulate the model by considering t as market time, leading to a subordinated process in real time as in Clark (1973), with the difference that the underlying process will not be a Gaussian random walk.

7.2. Levels of Randomness

As explained earlier, the structure of the market is described in our model as a random graph. On this random market structure is superimposed another source of randomness, that of the demands of agents of each group. Note that these two sources of randomness are not of the same nature. First, whereas a given herd may rapidly switch from buying to selling on a very short timescale, the structure of herds (i.e. the market structure) is likely to evolve much more slowly in time. Therefore, there is a separation between slow variables (the herd sizes W_i) and fast variables (ϕ_i): if we are interested in dynamics on short timescales, of the order of an hour in a liquid market, we can consider the market structure as essentially static; this is not true, however, in the long run.

7.3. Robustness with Respect to Market Topology

When defining interactions between market participants, one needs a notion of distance between different agents. Contrary to the case of physical systems, such

a notion is not readily available in socioeconomic systems, and the results of a given model may depend heavily on how neighborhood relations are defined. In the above model, we allow agents to choose their “neighbors” randomly, which amounts to using a random graph topology for the market communication structure [Kirman (1983)]. One might wonder how sensitive the results of the model are to this specification. Stauffer and Penna (1998) have simulated variants of our model in which the agents are placed on a d -dimensional lattice and form random links only with their nearest neighbors as defined by the lattice topology. Interestingly, their extensive Monte-Carlo simulations for various lattice sizes and dimensions ($d = 2$ to 7) show that the results of Section 6 remain true and therefore do not crucially depend on the graph structure specified above, which is not obvious *a priori*.

7.4. Extensions

Our model raises several interesting questions. As remarked earlier, the value of c is specified as being less than, and close to 1. Fine-tuning a parameter to a certain value may seem arbitrary unless one can justify such an assumption. An interesting extension of the model would be one in which the time evolution of the market structure is explicitly modeled in such a way that the parameter c remains in the critical region (close to 1). Note, however, that our results are not restricted to a single value of c but to a whole range of values < 1 .

One approach to this problem is via the concept of “self-organized criticality,” introduced by Bak et al. (1987): Certain dynamical systems generically evolve to a state where the parameters converge to the critical values, leading to scaling laws and heavy-tailed distributions for the quantities modeled. This state is reached asymptotically and is an attractor for the dynamics of the system. Bak et al. (1993) present a simple model of an economic system presenting self-organized criticality (see also Lux and Marchesi (1999)).

Note, however, that for the above results to hold, one does not need to adjust c to a critical value: It is sufficient for c to be within a certain range of values. As noted earlier, when c approaches 1 the clusters become larger and larger and a giant coalition appears when $c \geq 1$. In our model the activation of such a cluster would correspond to a market crash (or boom). To be realistic, the dynamics of c should be such that the crash (or boom) is *not* a stable state and the giant cluster disaggregates shortly after it is formed: After a short period of panic, the market resumes normal activity. In mathematical terms, one should specify the dynamics of $c(t)$ such that the value $c = 1$ is “repulsive.” This can be achieved by introducing a feedback effect of prices on the behavior of market participants: A nonlinear coupling between can lead to a control mechanism maintaining c in the critical region.

Yet another interesting dynamical specification compatible with our model is obtained by considering agents with “threshold response.” Threshold models have been considered previously as possible origins for collective phenomena in

economic systems [Granovetter (1983)]. One can introduce heterogeneity by allowing the individual threshold θ_i to be random variables: For example, one may assume the θ_i 's to be i.i.d. with a standard deviation $\sigma(\theta)$. A simple way to introduce interactions among agents is through an aggregate variable: Each agent observes the aggregate excess demand $D(t)$ given by equation (2) or eventually $D(t) + E(t)$, where E is an exogenous variable. Agents then evolve as follows: At each time step, an agent changes its market position $\phi(t)$ ("flips" from long to short or vice versa) if the observed signal $D(t)$ crosses his or her threshold θ_i . Aggregate fluctuations then can occur through cascades or "avalanches" corresponding to the flipping of market positions of groups of agents. This model has been studied in the context of physical systems by Sethna et al. (1997), who have shown that, for a fairly wide range of values of $\sigma(\theta)$, one observes aggregate fluctuations whose distribution has power-law behavior with exponential tails, as in equation (7).

These issues will be addressed in a forthcoming work.

NOTES

1. Bikhchandani et al. (1992) do not consider their model applicable to financial markets, but for another reason: They remark that as the herd grows, the cost of joining it will also grow, discouraging new agents from joining. This aspect, which is not taken into account by their model, is again unavoidable in the sequential character of herd formation.
2. Note, however, that one could also obtain heavy tails in Orléan's approach by placing the system at the critical temperature of the corresponding Ising model.
3. Because of the presence of the exponential, this exponent is *not* the same as the Hill estimator or the one found by fitting a power law to the tails of return distributions. Moreover, it is easy to see that several functional forms can have the same behavior in some ranges of values; we do not claim that the functional form (5) has any canonical feature to it but that it fits the empirical data well.
4. Greek subscripts denote clusters and Roman subscripts denote the agents.

REFERENCES

- Anderson, S.P., A. de Palma & J.F. Thisse (1993) *Discrete Choice Theory of Product Differentiation*. Cambridge, MA: MIT Press.
- Bak, P., C. Tang & K. Wiesenfeld (1987) Self-organized criticality. *Physical Review Letters* 59, 381–387.
- Bak, P., K. Chen, J. Scheinkman & M. Woodford (1993) Aggregate fluctuations from independent sectorial shocks: Self-organized criticality in a model of production and inventory dynamics. *Ricerche Economiche* 47, 3–30.
- Bak, P., M. Paczuski & M. Shubik (1997) Price variations in a stock market with many agents. *Physica A* 246, 430–440.
- Bannerjee, A. (1992) A simple model of herd behavior. *Quarterly Journal of Economics* 107, 797–818.
- Bannerjee, A. (1993) The economics of rumours. *Review of Economic Studies* 60, 309–327.
- Bikhchandani, S., D. Hirshleifer & I. Welch (1992) A theory of fads, fashion, custom and cultural changes as informational cascades. *Journal of Political Economy* 100, 992–1026.
- Billingsley, P. (1975) *Convergence of Probability Measures*. New York: Wiley.
- Bollerslev, T., R.C. Chou & K. Kroner (1992) ARCH modeling in finance. *Journal of Econometrics* 52, 5–59.
- Bollobas, B. (1985) *Random Graphs*. New York: Academic Press.
- Bouchaud, J.P. & M. Potters (1997) *Théorie des Risques Financiers*. Paris: Aléa Saclay.

- Campbell, J., A.H. Lo & C. McKinlay (1997) *The Econometrics of Financial Markets*. Princeton, NJ: Princeton University Press.
- Clark, P.K. (1973) A subordinated stochastic process model with finite variance for speculative prices. *Econometrica* 41, 135–155.
- Cont, R. (1997) Scaling and Correlation in Financial Time Series. Science & Finance working paper.
- Cont, R. (1998) *Statistical Finance: Empirical and Theoretical Study of Price Variations in Financial Markets*, Ph.D. dissertation, Université de Paris XI.
- Cont, R., M. Potters & J.P. Bouchaud (1997) Scaling in stock market data: Stable laws and beyond. In B. Dubrulle, F. Groner & D. Sornette (eds.), *Scale Invariance and Beyond*. Berlin: Springer.
- Cutler, D.M., J.M. Poterba & L. Summers (1989) What moves stock prices? *Journal of Portfolio Management* (Spring), 4–12.
- Engle, R. (1995) *ARCH: Selected Readings*. Oxford: Oxford University Press.
- Engle, R. & A. Gonzalez-Rivera (1991) Semiparametric ARCH models. *Journal of Business and Statistics* 9, 345–360.
- Erdős, P. & A. Rényi (1960) On the evolution of random graphs. *Publications of the Mathematical Institute of the Hungarian Academy of Sciences* 5, 17–61.
- Farmer, D. (1998) Market force, ecology and evolution. <http://xxx.lpthe.jussieu.fr/abs/adap-org/9812005>.
- Feller, W. (1950) *Introduction to Probability Theory and Its Applications*, vol. II, 3rd ed. New York: Wiley.
- Gallant, A.R. & G. Tauchen (1989) Semi nonparametric estimation of conditional constrained heterogeneous processes. *Econometrica* 1091–1120.
- Geman, H. & T. Ané (1996) Stochastic subordination. *RISK* (September).
- Golec, J. (1997) Herding on noise: The case of Johnson Redbook's weekly retail sales data. *Journal of Financial and Quantitative Analysis* 32(3), 367–400.
- Granovetter, M. & R. Soong (1983) Threshold models of diffusion and collective behavior. *Journal of Mathematical Sociology* 9, 165–179.
- Grinblatt, M., S. Titman S. & R. Wermers (1995) Momentum investment strategies, portfolio performance and herding: A study of mutual fund behavior. *American Economic Review* 85, 1088–1104.
- Guillaume, D.M., M.M. Dacorogna, R.R. Davé, U.A. Müller, R.B. Olsen and O.V. Pictet (1997) From the birds eye to the microscope: A survey of new stylized facts of the intra-day foreign exchange markets. *Finance and Stochastics* 1, 95–130.
- Hsieh, D.A. (1991) Chaos and non-linear dynamics: Application to financial markets. *Journal of Finance* 46, 1839–1877.
- Ioannides, Y.M. (1990) Trading uncertainty and market form. *International Economic Review* 31, 619–638.
- Ioannides, Y.M. (1996) Evolution of trading structures. In B.W. Arthur, D. Lane & S.N. Durlauf (eds.), *The Economy as an Evolving Complex System*. Redwood Hill, CA: Addison Wesley.
- Kempf, A. & O. Korn (1997) Market Depth and Order Size. Lehrstuhl für Finanzierung working paper 97-05, Universität Mannheim.
- Kirman, A. (1983) Communication in markets: A suggested approach. *Economics Letters* 12, 1–5.
- Kirman, A. (1996) Interaction and Markets. GREQAM working paper.
- Levy, M. & S. Solomon (1997) New evidence for the power law distribution of wealth. *Physica A* 242, 90–94.
- Lux, T. (1998) The socio-economic dynamics of speculative markets. *Journal of Economic Behavior and Organization* 33, 143–165.
- Lux, T. & M. Marchesi (1999) Scaling and criticality in a stochastic multi-agent model of a financial market. *Nature* 397.
- Mandelbrot, B. (1963) The variation of certain speculative prices. *Journal of Business* 36, 392–417.
- Mandelbrot, B. (1997) *Fractals and Scaling in Finance*. Berlin: Springer.
- Orléan, A. (1995) Bayesian interactions and collective dynamics of opinion. *Journal of Economic Behavior and Organisation* 28, 257–274.

- Pagan, A. (1996) The econometrics of financial markets. *Journal of Empirical Finance* 3, 15–102.
- Pictet, O.V., M. Dacorogna, U.A. Muller, R.B. Olsen & J.R. Ward (1997) Statistical study of foreign exchange rates, empirical evidence of a price change scaling law and intraday analysis. *Journal of Banking and Finance* 14, 1189–1208.
- Scharfstein, D.S. & J.C. Stein (1990) Herd behavior and investment. *American Economic Review* 80, 465–479.
- Sethna, J.P., O. Perkovic & K. Dahmen (1997) Hysteresis, avalanches and Barkhausen noise. In B. Dubrulle, F. Groner & D. Sornette (eds.), *Scale Invariance and Beyond*. Berlin: Springer.
- Shiller R. (1989) *Market Volatility*. Cambridge, MA: MIT Press.
- Shleifer, A. & L.H. Summers, Crowds and Prices: Towards a Theory of Inefficient Markets. Working paper 282, University of Chicago Center for Research in Security Prices.
- Stauffer, D. & T.J.P. Penna, (1998) Crossover in the Cont-Bouchaud percolation model for market fluctuations. *Physica A* 256, 284–290.
- Topol, R. (1991) Bubbles and volatility of stock prices: Effect of mimetic contagion. *Economic Journal* 101, 786–800.
- Trueman, B. (1994) Analysts forecasts and herding behavior. *Review of Financial Studies* 7, 97–124.
- Welch, Ivo (1996) Herding Among Security Analysts. Working paper 8-96, University of California at Los Angeles.

APPENDICES

Unless specified otherwise, $f(N, c) \sim g(N, c)$ means

$$\frac{f(N, c)}{g(N, c)} = 1 + o_{N \rightarrow \infty}(1)$$

uniformly in c on all compact subsets of $]0, 1[$.

APPENDIX A: SOME RESULTS FROM RANDOM GRAPH THEORY

In this appendix, we review some results on asymptotic properties of large random graphs. Proofs for most of the results can be found in Erdős and Renyi (1960) or Bollobas (1985).

Consider N labeled points V_1, V_2, \dots, V_N , called *vertices*. A link (or edge) is defined as an unordered pair $\{i, j\}$. A graph is defined by a set V of vertices and a set E of edges. Any two vertices may either be linked by one edge or not be linked at all. In the language of graph theory, we consider non-oriented graphs without parallel edges. We always denote the number of vertices by N . A *path* is defined as a finite sequence of links such that every two consecutive edges and only these have a common vertex. Vertices along a path can be labeled in two ways, thus enabling us to define the extremities of the path. A graph is said

to be connected if any two vertices V_i, V_j are linked by a path; that is, there exists a path with V_i and V_j as extremities. A *cycle* (or loop) is defined as a path such that the extremities coincide. A graph is called a *tree* if it is connected and if none of its subgraphs is a cycle. A graph is called acyclic if all of its subgraphs are trees.

Consider now a graph built by choosing, for each pair of vertices V_i, V_j , whether to link them or not through a random process, the probability for selecting any given edge being $p > 0$, the decisions for different edges being independent. A graph obtained by such a procedure is termed a *random graph* of type $\mathcal{G}(N, p)$ in the notations of Bollobas (1985). This definition corresponds to random graphs of type $\Gamma_{n,N}^{**}$ in Erdős and Ranyi (1960, p. 20).

In the following, we are specifically interested in the case $p = c/N$. Various graph-theoretical parameters of such graphs are random variables whose distributions only depends on N and c . We are particularly interested in the properties of large random graphs of this type, that is, $\mathcal{G}(N, c/N)$ in the limit $N \rightarrow \infty$.

The following results have been shown by Erdős and Renyi (1960) and Bollobas (1985): If $c < 1$, then in the limit $N \rightarrow \infty$ all points of the random graphs belong to trees except for a finite number U of vertices, which belong to unicyclic components. Moreover, the probability of a vertex belonging to a cyclic component tends to zero as $N^{-1/3}$. For describing the structure of large random graphs for $c < 1$, it is therefore sufficient to account for vertices belonging to trees; cyclic components do not essentially modify the results, except when $c = 1$.

More precisely [Bollobas (1985, Theorem V.22)],

$$\begin{aligned}\overline{U} &\sim \frac{1}{2} \sum_{k=3}^{\infty} (ce^{-c})^k \sum_{j=0}^{k-3} \frac{k^j}{j!}, \\ \sigma^2(U) &\sim \frac{1}{2} \sum_{k=3}^{\infty} k(ce^{-c})^k \sum_{j=0}^{k-3} \frac{k^j}{j!}.\end{aligned}$$

The preceding expressions are valid for $c \neq 1$.

APPENDIX B: DISTRIBUTION OF CLUSTER SIZES IN A LARGE RANDOM GRAPH

Let $p_1(s)$ be the probability for a given vertex to belong to a cluster of size s in the $N \rightarrow \infty$ limit. The moment-generating function Φ_1 of the p_1 is defined by

$$\Phi_1(z) = \sum_{s=1}^{\infty} e^{sz} p_1(s).$$

We now proceed to derive a functional equation verified by Φ_1 in the large N limit when the effects of loops (cycles) are neglected.

Let $p_N^1(s)$ be the corresponding probability in a random graph with N vertices. Adding a new vertex to the graph will modify the pattern of links, the probability of k new links from the new vertex to the old ones being

$$\left(\frac{c}{N}\right)^k \left(1 - \frac{c}{N}\right)^{N-k} \binom{N}{k}.$$

As shown in Appendix A, the probability of creating a cycle tends to zero for large N . The constraint that no new cycles be created by the new links imposes the condition that the k links are made to vertices in k different clusters of sizes. If s_1, s_2, \dots, s_k are the sizes of these clusters, then the new links will create a new cluster of size $s_1 + s_2 + \dots + s_k + 1$:

$$p_{N+1}^1(s) = \sum_{k=1}^N \sum_{s_1, \dots, s_k=1}^N \binom{N}{k} \left(\frac{c}{N}\right)^k \left(1 - \frac{c}{N}\right)^{N-k} \\ \times \delta(s_1 + s_2 + \dots + s_k + 1 - s) p_N^1(s_1) p_N^1(s_2) \dots p_N^1(s_k).$$

Multiplying both sides by e^{sz} and summing over s gives

$$\Phi_1(z, N+1) = e^z \left[1 + \frac{c}{N} + \Phi_1(z, N) \frac{c}{N} \right]^N,$$

which gives, in the large N limit,

$$\Phi_1(z) = e^{z+c(\Phi_1(z)-1)},$$

from which various moments and cumulants may be calculated recursively. The distribution of cluster sizes $p(s)$ is then given by

$$p(s) = A(c) \frac{p_1(s)}{s},$$

where $A(c)$ is a normalizing constant defined such that $\int p(s) ds = 1$.

APPENDIX C: NUMBER OF CLUSTERS IN A LARGE RANDOM GRAPH

Let $n_c(N)$ be the number of clusters (connected components) in a random graph of size N defined as above; n_c is a random variable whose characteristics depend on N and the parameter c . In this section, we show that n_c has an asymptotic normal distribution when $N \rightarrow \infty$ and that for large N , the j th cumulant C_j of n_c is given by

$$C_j \underset{N \rightarrow \infty}{\sim} \frac{(-1)^j N c}{2}.$$

From a well-known generalization of Euler's theorem in graph theory,

$$l(N) - N + n_c(N) = \chi(N),$$

where $\chi(N)$ is the number of independent cycles and $l(N)$ is the number of links. This implies in turn that

$$\overline{n_c(N)} = N \left(1 - \frac{c}{2} \right) + O(1)$$

We retrieve this result later and proceed to calculate higher moments via an approximation. Define the moment-generating function for the variable $n_c(N)$ to be

$$\Phi_N(z, c) = \overline{e^{n_c z}} = \sum_{k=1}^N P_{N,c}(n_c = k) e^{kz}.$$

The j th moment of n_c is then given by

$$\overline{n_c^j} = \frac{\partial^j \Phi_N}{\partial z^j}(0, c).$$

Let us also consider the cumulant generating function Ψ defined by $\Phi(z) = \exp \Psi(z)$. The j th cumulant of the distribution of n_c then can be calculated as

$$C_j(N, c) = \frac{\partial^j \Psi_N}{\partial z^j}(0, c).$$

We now establish an approximate recursion relation between Φ_N and Φ_{N+1} . Take a random graph of size N , the probability of a link between any two vertices being $p = c/N$. To obtain a graph with $N + 1$ vertices, add a new vertex and choose randomly the links between the new vertex and the others. Note that since in a graph of size N the link probability is $p_N = c/N$, our new graph will correspond to a graph of size $N + 1$ with parameter $c' = c(N + 1)/N$ so that the link probability is $c'/(N + 1) = c/N$. We assume that the probability of two links being made to the same cluster is negligible, that is, that no cycles are created by the new links, which is a reasonable approximation given the results in Appendix A. In this case, each k links emanating from the new vertex will diminish the number of clusters by $k - 1$, giving the following recursion relation:

$$\begin{aligned} P_{N+1,c'}(n) &= \left(1 - \frac{c}{N} \right)^N P_{N+1,c'}(n + 1) \\ &+ \sum_{k=1}^N \binom{N}{k} \left(\frac{c}{N} \right)^k \left(1 - \frac{c}{N} \right)^{N-k} P_{N+1,c'}(n + k - 1). \end{aligned}$$

Multiplying each side by e^{nz} and summing over $n = 1 \dots N$ gives

$$\Phi_{N+1}(z, c') = e^z \Phi_N(z, c) \left[1 + \frac{c}{N} (e^{-z} - 1) \right]^N$$

or, in terms of the cumulant-generating function Ψ_N ,

$$\Psi_{N+1}\left[z, c\left(1 + \frac{1}{N}\right)\right] = z + \Psi_N(z, c) + \ln\left[1 + \frac{c}{N}(e^{-z} - 1)\right]^N. \quad (\text{C.1})$$

When $N \rightarrow \infty$, a first-order expansion in $1/N$ gives

$$\begin{aligned} \Phi_{N+1}(z, c) + \frac{c}{N} \partial_2 \Phi_{N+1}(z, c) \\ = e^z \Phi_N(z, c) \exp\left\{c(e^{-z} - 1)\left[1 - \frac{c^2(e^{-z} - 1)^2}{N}\right]\right\} + o\left(\frac{1}{N}\right), \end{aligned} \quad (\text{C.2})$$

where ∂_2 denotes a partial derivative with respect to the second variable. The second term on the left-hand side stems from the expansion in the variable $c' = c(1 + 1/N)$ and reflects the fact that the probability for a link has to be renormalized when going from an N -graph to a $(N + 1)$ -graph.

By taking successive partial derivatives of (C.1) and (C.2) with respect to z , one then can derive the recursion relation for the moments and cumulants of n_c . Let us first retrieve the result given in Appendix A for \bar{n}_c . Define $\gamma(c)$ such that

$$\bar{n}_c = \frac{\partial \phi_N}{\partial z}(0, c) = \gamma_1(c)N + O(1).$$

Substituting in (C.1) yields a simple differential equation for γ_1 :

$$\gamma_1(c) + c\gamma_1'(c) = 1 - c,$$

whose solution is $\gamma_1(c) = (1 - c/2)$, that is,

$$\bar{n}_c = \left(1 - \frac{c}{2}\right)N + O(1), \quad \frac{\bar{n}_c}{N} \rightarrow 1 - \frac{c}{2}.$$

Let us now derive a similar relation for the variance $\sigma^2(N, c) = \text{var}(n_c)$. Let

$$\sigma^2(N, c) = \gamma_2(c)N + O(1).$$

By taking derivatives twice with respect to z in (C.1) and setting $z = 0$, we obtain, up to first order in $1/N$,

$$\gamma_2(c) + c\gamma_2'(c) = c,$$

whence $\gamma_2(c) = c/2$. By calculating the j th derivative in (C.1) with respect to z , we can derive in the same way an asymptotic expression for the j th cumulant of n_c :

$$C_j \underset{N \rightarrow \infty}{\sim} \frac{(-1)^j N c}{2}.$$

Note that the asymptotic forms for cumulants of n_c are identical to those of a random variable Z with the following distribution:

$$P(Z = k) = \frac{\left(\frac{Nc}{2}\right)^{N-k}}{(N-k)!} e^{-\frac{Nc}{2}};$$

that is, $N - Z$ is a Poisson variable with parameter $Nc/2$. Without rescaling, this distribution becomes degenerate in the large N limit. Nevertheless, for finite N , both Φ_N and Ψ_N are analytic functions of z in a neighborhood of zero. Consider now the rescaled variable:

$$Y_N = \frac{n_c - N\left(1 - \frac{c}{2}\right)}{\sqrt{Nc/2}}.$$

Y_N has zero mean and unit variance and its higher cumulants tend to zero:

$$\forall j \geq 3, \quad C_j(Y_N) \xrightarrow{N \rightarrow \infty} 0.$$

The standard normal distribution is the only distribution with zero mean, unit variance, and zero higher cumulants. Under these conditions, we can show [Feller (1950)] that the convergence of the cumulants implies convergence in distribution:

$$\frac{n_c - N\left(1 - \frac{c}{2}\right)}{\sqrt{Nc/2}} \xrightarrow{N \rightarrow \infty} \mathcal{N}(0, 1).$$

APPENDIX D: DISTRIBUTION OF AGGREGATE EXCESS DEMAND

In this appendix, we derive an equation for the generating function of the variable Δx , which represents in our model the one-period return of the asset. The relation between Δx and other variables of the model is given by equation (6):

$$\Delta x = \frac{1}{\lambda} \sum_{\alpha=1}^{n_c} W_{\alpha} \phi_{\alpha} = \frac{1}{\lambda} \sum_{\alpha=1}^{n_c} X_{\alpha},$$

where n_c is the number of clusters or trading group, that is, the number of connected components of the random graph in the context of our model. The number of clusters n_c is itself a random variable, whose cumulants are known in the $N \rightarrow \infty$ limit (see Appendix C). As for the random variables X_{α} , their distribution is given by equation (10):

$$P(\Delta x = x) = \sum_{k=1}^N P(n_c = k) \sum_{j=0}^k \binom{k}{j} (2a)^j (1 - 2a)^{k-j} f^{\otimes j}(\lambda x).$$

To calculate this sum, let us introduce the moment-generating functions for Δx and X'_{α} :

$$\tilde{f}(z) = \sum_s f(s) e^{sz}, \quad \mathcal{F}(z) = \sum_s P(\lambda \Delta x = s) e^{sz}.$$

Multiplying the right-hand side of the preceding equation by $e^{\lambda x z}$ and summing over $s = \lambda x$ yields

$$\begin{aligned}\mathcal{F}(z) &= \sum_{k=1}^N P(n_c = k) [1 - 2a + 2a\tilde{f}(z)]^k \\ &= \Phi(\ln\{1 + 2a[\tilde{f}(z) - 1]\}) \\ &= \exp[\Psi(\ln\{1 + 2a[\tilde{f}(z) - 1]\})]\end{aligned}$$

where $\Psi(z)$ is the cumulant generating function of the number of clusters defined in Appendix C, and Ψ is an analytic function whose series expansion is given by the cumulants of n_c :

$$\Psi(z) = Nz + \frac{Nc}{2} \sum_{j=1}^{\infty} \frac{(-z)^j}{j!} = Nz + \frac{Nc}{2} (e^{-z} - 1).$$

We can evaluate the preceding sum in the large N limit as

$$\begin{aligned}\mathcal{F}(z) &= \exp[\Psi(\ln\{1 + 2a[\tilde{f}(z) - 1]\})] \\ &= \gamma^N \exp\left[\frac{Nc}{2} \left(\frac{1}{\gamma} - 1\right)\right],\end{aligned}$$

where

$$\gamma = \{1 + 2a[\tilde{f}(z) - 1]\}.$$

Recall that $2a$ corresponds to the fraction of agents who are active in the market in a given period. Therefore, $2aN$ is the average number of buy and sell orders sent to the market in one period. We choose $a(N)$ such that in the limit $N \rightarrow \infty$ the number of orders has a finite limit, which we denote by n_{orders} : $2aN \rightarrow n_{\text{orders}}$. More precisely, if we assume that (see Section 6) $2a = n_{\text{orders}}/N + o(1/N)$, then

$$\begin{aligned}\gamma^N &= \exp\{n_{\text{orders}}[\tilde{f}(z) - 1]\} + o\left(\frac{1}{N}\right) \\ \left(\frac{1}{\gamma} - 1\right) &= -\frac{n_{\text{orders}}[\tilde{f}(z) - 1]}{N} + o\left(\frac{1}{N}\right)\end{aligned}$$

in the preceding expression gives

$$\begin{aligned}\mathcal{F}(z) &= \gamma^N \exp\left[\frac{Nc}{2} \left(\frac{1}{\gamma} - 1\right)\right] \\ &= \exp\{n_{\text{orders}}[\tilde{f}(z) - 1]\} \exp\left\{\frac{-Cn_{\text{orders}}}{2} [\tilde{f}(z) - 1]\right\} \\ &= \exp\left\{n_{\text{orders}} \left(1 - \frac{c}{2}\right) [\tilde{f}(z) - 1]\right\} + o\left(\frac{1}{N}\right).\end{aligned}$$

We finally obtain

$$\mathcal{F}(z) \sim \exp \left\{ n_{\text{order}} \left(1 - \frac{c}{2} \right) [\tilde{f}(z) - 1] \right\}.$$

Let us now examine the implication of the above relation for the moments of D and Δx . Expanding both sides in a Taylor series yields

$$\mu_2(D) = N_{\text{order}} \left(1 - \frac{c}{2} \right) \mu_2(X_\alpha),$$

$$\mu_4(D) = N_{\text{order}} \left(1 - \frac{c}{2} \right) \mu_4(X_\alpha) + 3N_{\text{order}}^2 \left(1 - \frac{c}{2} \right)^2 \mu_2(X_\alpha)^2,$$

which implies that the kurtosis $\kappa(D)$ of the aggregate excess demand is given by

$$\kappa(D) = \frac{\mu_4(X_\alpha)}{N_{\text{order}} \left(1 - \frac{c}{2} \right) \mu_2(X_\alpha)}.$$