

NMS Standard Typography and Asset Specification

Concept: NMS Standard — Challenger Direction
Brand: Natural Medicinal Services
Version: 0.9 — concept specification for design development
Author: Manus AI
Date: 16 August 2026

Status notice: NMS Standard is a challenger concept, not final production artwork. The measurements below define the intended system and acceptance criteria for the design phase. Final logo geometry, trademark clearance, regulatory review, print testing, and executive approval remain required.

1. Design Intent

NMS Standard makes **the corporate name itself the primary symbol of authority**. It avoids the generic leaf, medical cross, mortar-and-pestle, and heritage-seal conventions common in natural-health branding. The identity should feel institutional, precise, durable, and ownable, while the palette, botanical imagery, paper choices, and plain-language communication provide warmth.

The system has two distinct typographic layers. The **NMS wordmark and boxed monogram are custom vector artwork** and must never be recreated by typing the letters in an application. **Public Sans** is the operational typeface used for product information, websites, trade documents, Certificates of Analysis, forms, presentations, and office communication.

Public Sans was designed as a strong, neutral, open-source typeface for text, display, interfaces, and data. Its repository provides webfont, OpenType, variable, and source files; it also includes tabular numerals and metrics intended to work well alongside common system fonts. ¹ The family is distributed under the SIL Open Font License 1.1, which permits use, embedding, modification, and redistribution subject to the license terms. ²

2. Typographic Architecture

Layer	Asset or typeface	Purpose	Editing rule
Corporate signature	Custom NMS Standard wordmark	Corporate recognition and authority	Vector artwork only; never typeset

Compact identifier	Custom boxed N–M–S monogram	Small formats, avatars, document stamps, portal icons	Vector artwork only
Corporate descriptor	Public Sans Medium	“Natural Medicinal Services” beneath or beside the wordmark	Live type in master layouts; outlined in supplied logo files
Information typography	Public Sans	Product, dosage, safety, technical, digital, trade, and office content	Live type wherever possible
System fallback	Segoe UI, Arial, sans-serif	Office and digital resilience where Public Sans cannot load	Do not substitute inside logo artwork

2.1 Primary Typeface

Use **Public Sans** as the sole operational type family during the challenger test. The family offers weights from Thin 100 through Black 900, with corresponding italics in the Google Fonts distribution. 3 NMS should deliberately limit routine use to four weights to improve consistency and reduce template errors.

Approved style	Weight	Primary use	Restrictions
Regular	400	Body copy, product descriptions, educational content, long-form technical text	Do not use below approved minimum sizes
Medium	500	Navigation, metadata, botanical names in upright style, quantity, data labels	Avoid using as a substitute for hierarchy
SemiBold	600	Headings, product names, dosage forms, buttons, table headings	Default emphasis weight
Bold	700	Short high-priority labels, critical pack identifiers, compact	Do not use for paragraphs

		monogram development	
Italic	400 or 500	Scientific names, defined editorial emphasis	Never use for warnings or dosage

Public Sans is described by its own repository as Latin-only, despite its broad Latin character support. ¹ Before rollout, the team must test the exact character sets required for English, isiZulu, Sesotho, Setswana, Afrikaans, practitioner terminology, botanical Latin, and any future export markets. If a required glyph is missing, select and document a compatible fallback rather than silently substituting characters.

2.2 Approved Font Stack

CSS

```
font-family: "Public Sans", -apple-system, BlinkMacSystemFont,  
            "Segoe UI", Arial, sans-serif;
```

The fallback stack is appropriate because Public Sans was designed with metrics similar to common system fonts, reducing disruptive reflow if the webfont fails. ¹ The fallback is operational only; it does not authorize recreating the NMS wordmark in Segoe UI or Arial.

2.3 Digital Type Scale

The following values are the default desktop scale. Mobile implementations may reduce display and heading sizes, but body text should not be reduced below 16 px without a tested accessibility reason.

Token	Size / line height	Weight	Tracking	Use
display-xl	56 / 60 px	600	-0.025 em	Campaign statements and major corporate pages
heading-1	40 / 44 px	600	-0.020 em	Page title
heading-2	32 / 38 px	600	-0.015 em	Main section heading
heading-3	24 / 30 px	600	-0.010 em	Content section heading

heading-4	20 / 26 px	600	0	Card or subsection heading
body-lg	18 / 28 px	400	0	Introductory copy and important guidance
body-md	16 / 24 px	400	0	Default website and application body text
body-sm	14 / 20 px	400	0	Secondary interface and technical content
label-md	13 / 18 px	600	+0.060 em	Field labels and compact category labels
label-sm	12 / 16 px	600	+0.080 em	Metadata and short uppercase labels
caption	12 / 18 px	400	0	Captions, footnotes, and source notes
data	14 / 20 px	500	0	Batch, lot, quantity, date, and tabular data
button	15 / 20 px	600	+0.010 em	Digital buttons and actions

2.4 Mobile Type Scale

Token	Size / line height	Weight	Notes
display-mobile	40 / 44 px	600	Use only for short statements
heading-1-mobile	32 / 38 px	600	Mobile page title
heading-2-mobile	26 / 32 px	600	Main section heading
heading-3-mobile	22 / 28 px	600	Subsection heading

body-mobile	16 / 24 px	400	Default body text
label-mobile	13 / 18 px	600	Form and UI labels
caption-mobile	12 / 18 px	400	Supporting text only

2.5 Packaging Type Targets

These are **internal design minima**, not legal or regulatory minima. The final packaging system must comply with applicable product, labelling, and medicine-related requirements, and it must be reviewed at actual size by regulatory and production specialists.

Information level	Preferred range	Weight	Case	Requirement
Consumer brand	12–18 pt equivalent	600	Brand-defined	Must not overpower the product name
Product name	20–32 pt	600–700	Uppercase or title case	Largest selection information on front panel
Dosage form	10–14 pt	600	Sentence or title case	Must remain adjacent to product name
Botanical common name	10–12 pt	500	Title case	Use plain-language form first when appropriate
Scientific name	9–11 pt	400 italic	Scientific convention	Keep plant part explicit nearby
Net quantity	9–11 pt	500	Sentence case	Use tabular numerals where alignment matters
Directions and safety	9 pt minimum target; 10 pt preferred	400–600	Sentence case	Prioritize older-user legibility
Batch / lot / expiry	8 pt minimum target; 9 pt preferred	500	Uppercase label + data	Test thermal, inkjet, or laser overprint

NMS endorsement descriptor	7.5 pt minimum	500–600	Uppercase	Remove descriptor below minimum; retain compact mark
----------------------------	----------------	---------	-----------	--

2.6 Typographic Behavior

Use sentence case for explanations, education, safety guidance, forms, and digital interface copy. Uppercase is reserved for the custom wordmark, very short product identifiers, dosage-form labels, table headers, batch metadata, and compact wayfinding labels. Uppercase text should generally remain under 30 characters.

Do not use artificial condensation, horizontal scaling, faux bold, faux italic, outlined type, gradients, drop shadows, or tightly tracked paragraphs. Headings should normally use no more than two lines. Body columns should target approximately 45–75 characters per line on desktop and 35–55 characters on mobile.

Use tabular numerals for batch records, prices, quantities, dates, dosage tables, and aligned technical data. Scientific names should use proper italics in live text; they should not be simulated with skew transforms.

3. NMS Standard Wordmark Specification

3.1 Construction Principle

The primary wordmark consists of custom-drawn **NMS** letterforms. The letters should share a consistent structural rhythm and stroke logic but should not look like three ordinary glyphs placed next to one another. The design team should refine the joins, counters, terminals, and internal spacing optically.

The concept may retain the boxed three-module structure shown in the challenger deck. The enclosing frame and vertical dividers communicate order, records, label panels, and controlled containers. The frame must remain secondary to the letterforms: it organizes the mark but does not become a certification seal.

3.2 Modular Grid

Define **H** as the cap height of the custom NMS letters. Use the following starting geometry for design development:

Element	Starting specification
---------	------------------------

Overall monogram height	1.00H letters inside a frame approximately 1.28H high
Module width	Approximately 0.82H per letter module
Outer-frame stroke	Approximately 0.055H , optically adjusted
Internal divider stroke	35–45% of outer-frame stroke
Letter stroke	Approximately equal to or slightly heavier than outer frame
Internal side bearing	Minimum 0.16H from letter to module boundary
Divider-to-letter gap	Minimum 0.14H
Corner treatment	Square; no rounding

The values are construction anchors, not a substitute for optical correction. Final masters should be evaluated in black at 8 mm, 12 mm, 24 mm, and 50 mm before color selection.

3.3 Lockups

Lockup	Composition	Primary use
Primary Horizontal	Custom NMS wordmark + “Natural Medicinal Services” descriptor	Corporate website, documents, trade materials, large pack contexts
Wordmark Only	Custom NMS lettering without descriptor	Medium formats and repeated brand environments
Boxed Monogram	N, M, and S inside three structural modules	Portals, social avatars, document stamps, pack endorsement
Compact Endorsement	Boxed monogram + “Quality assured by NMS”	Consumer packaging and product pages
Corporate Endorsement	Wordmark + “Manufacturer and quality owner” or approved descriptor	B2B and technical contexts
Monochrome Mark	One-color wordmark or monogram	COAs, thermal print, embossing, stamps, legal documents

3.4 Descriptor Typography

Set **Natural Medicinal Services** in Public Sans Medium 500, uppercase, with tracking between $+0.16\text{ em}$ and $+0.22\text{ em}$. The descriptor should generally span 82–100% of the NMS wordmark width. It should be optically centered under the wordmark and separated by approximately $0.18H$.

If the descriptor becomes too small to reproduce clearly, remove it and use the Wordmark Only or Boxed Monogram asset. Never enlarge the descriptor disproportionately or reduce tracking until it appears crowded.

3.5 Clear Space

Clear space is measured from the outermost artwork boundary.

Asset	Minimum clear space
Primary horizontal lockup	$0.25H$ on every side
Wordmark only	$0.20H$ on every side
Boxed monogram	$0.25H$ on every side
Compact endorsement	$0.20H$ on every side
Avatar inside a square or circle	Artwork occupies no more than 68% of container width

No product name, legal text, pack edge, image detail, crop, border, or other logo may enter the clear-space area.

3.6 Minimum Sizes

Asset	Digital minimum	Print minimum	Below minimum
Primary horizontal with descriptor	180 px wide	32 mm wide	Switch to wordmark only
Wordmark only	88 px wide	18 mm wide	Switch to boxed monogram

Boxed monogram	48 px wide	12 mm wide	Use micro asset
Micro monogram	24 px wide	8 mm wide	Do not reproduce smaller
Compact endorsement with text	120 px wide	24 mm wide	Use monogram plus live nearby label
Favicon	16 px	Not applicable	Use purpose-built pixel-tested asset

The minimum is conditional on substrate, print process, screen quality, contrast, and viewing distance. Production proofs take precedence if they reveal loss of dividers, counters, or descriptor clarity.

3.7 Approved Logo Colors

Variant	Foreground	Background	Use
Primary	Deep Canopy #0F382B	Warm Bone #F5F2EB	Default brand expression
Inverse	Warm Bone #F5F2EB	Deep Canopy #0F382B	Headers, covers, signage, controlled dark fields
Neutral dark	Carbon #1C1C1C	Warm Bone or uncoated substrate	Technical and legal documents
Single black	100K or printer-approved black	White or light stock	Stamps, forms, low-cost print
Single light	White or Warm Bone equivalent	Approved dark field	Emboss, foil, reverse reproduction

Do not render the core wordmark in Johannesburg Clay or Mineral Teal. Those colors support hierarchy and warmth; they are not the primary logo color.

3.8 Prohibited Logo Treatment

The wordmark must not be typed from Public Sans, stretched, condensed, recolored outside approved variants, placed on visually active photography, enclosed in a new badge, given rounded module corners, outlined, shadowed, beveled, rotated, cropped, separated

into independent letters, or combined with a leaf, cross, mortar and pestle, laboratory flask, or unverified date.

4. Color and Accessibility Specifications

The system uses Warm Bone rather than pure white to reduce sterile pharmacy associations, while Deep Canopy and Carbon carry authority. Mineral Teal is an informational accent; Johannesburg Clay is a restrained signal for heritage, cautions, or exceptions.

Token	Hex	RGB	Primary role
Deep Canopy	#0F382B	15, 56, 43	Corporate fields, wordmark, headings, rules
Warm Bone	#F5F2EB	245, 242, 235	Default background and packaging field
Carbon	#1C1C1C	28, 28, 28	Body text, dosage, warnings, technical data
Mineral Teal	#427A70	66, 122, 112	Navigation, information layers, secondary distinction
Johannesburg Clay	#C26E4B	194, 110, 75	Restriction flags, heritage cues, controlled highlights
Tinted Bone	#EBE6DA	235, 230, 218	Table headers and subtle section fields

WCAG 2.2 specifies a 4.5:1 minimum for normal text and 3:1 for large text at Level AA; logotypes are exempt, but accessible variants remain best practice when a logo functions as an interactive control. 4

Pairing	Calculated ratio	Text decision
Carbon on Warm Bone	15.24:1	Approved for all text sizes
Deep Canopy on Warm Bone	11.59:1	Approved for all text sizes
Warm Bone on Carbon	15.24:1	Approved for all text sizes

Warm Bone on Deep Canopy	11.59:1	Approved for all text sizes
Mineral Teal on Warm Bone	4.42:1	Do not use for normal body text; acceptable only where a tested large-text or non-text rule applies
Johannesburg Clay on Warm Bone	3.34:1	Large bold text, borders, symbols, and highlights only; never body or safety text

Contrast ratios were calculated from the specified sRGB values. Every production implementation must be retested after color conversion, overprint, opacity, substrate, screen treatment, or brand-color adjustment.

5. Supporting Graphic Asset Specifications

NMS Standard deliberately moves botanical expression outside the corporate mark. Supporting assets should add humanity without weakening institutional clarity.

5.1 Structural Grid Assets

Use square-cornered frames, one-pixel or printer-safe rules, and modular information panels. These may suggest labels, records, shelves, containers, or data fields. They must not resemble medicine blister packs, certificates, or government approvals.

Asset	Digital specification	Print specification
Standard rule	1 px	0.25 pt minimum
Emphasis rule	4–8 px	1–2 pt
Monogram divider	Minimum 2 px at normal use	Minimum 0.30 mm after scaling
Panel corner	0 radius	Square corner
Standard spacing module	8 px	2 mm equivalent
Major layout module	24 or 32 px	6 or 8 mm equivalent

5.2 Information Bars

The signature information bar is a horizontal device containing a product name, dosage form, lot, or technical category. It uses Deep Canopy or Carbon as the structural rule, Public

Sans SemiBold for the main identifier, and Public Sans Medium for metadata.

Information bars must remain functional, not decorative. They should contain no more than three information groups and should use clear separators such as middots, vertical rules, or whitespace. Clay may identify an exception or review state, but it must not encode safety status without an explicit word label.

5.3 Iconography

Develop a custom, label-first icon set for **ingredient identity, origin, plant part, manufacturing record, batch/lot, COA, dosage, interactions, storage, safety, information, download, and practitioner access**. Icons should use square geometry and a consistent stroke. Do not use generic leaf, cross, checkmark, shield, flask, snake, or mortar-and-pestle symbols.

Icon property	Specification
Base grid	24 × 24 units
Standard stroke	1.75 units; test at 16 px
Corners	Square or minimally softened; one rule across the set
Fill	Outline by default; solid only for selected states
Label	Required in safety, dosage, interaction, and regulatory contexts
Minimum size	16 px digital; 4.5 mm print
Export	SVG, outlined PDF, PNG at 1 × and 2 ×

5.4 Botanical Imagery

Use accurate botanical illustration or neutral specimen photography showing the relevant plant and plant part. The image must support identification and provenance, not imply cure or potency. Use neutral lighting, limited saturation, and plain backgrounds. Avoid lifestyle wellness scenes, hands holding leaves, overflowing herb bundles, mystical lighting, vintage paper effects, and inaccurate plant imagery.

Each image record should include species/common name, plant part, source or photographer, license, usage rights, crop guidance, color treatment, approval status, and the product or content pages where it is permitted.

5.5 Document and Interface Assets

Asset	Required master	Required outputs
Corporate letterhead	InDesign or approved office master	PDF/X, DOCX template, print PDF
Certificate of Analysis header	Vector + document template	DOCX, PDF, laboratory-system image asset
Technical data sheet	InDesign/Figma master	Accessible PDF and print PDF
Adverse-event form	Accessible form master	Tagged PDF and web form styles
Trade presentation	Approved slide template	HTML/Slides template and PDF example
Email signature	HTML source	Desktop and mobile tested variants
Website header	Figma component	SVG logos, CSS tokens, responsive specs
WhatsApp avatar	Vector master	512 × 512 PNG and 1024 × 1024 PNG
Social avatar	Vector master	400 × 400, 800 × 800, and 1080 × 1080 PNG
Favicon set	Pixel-tested micro mark	16, 32, 48, 180, 192, and 512 px
Packaging endorsement	Vector master	SVG, outlined PDF, print-ready EPS if requested
Retail shelf strip	InDesign/Figma master	Printer-approved PDF/X

6. Logo Asset Deliverable Matrix

Asset ID	Description	Color variants	File formats	Required sizes
WM-PH	Primary horizontal lockup with descriptor	Primary, inverse, Carbon, black	AI, SVG, PDF, EPS, PNG	Vector + 512, 1024, 2048 px PNG
WM-WO	Wordmark only	Primary, inverse, Carbon, black	AI, SVG, PDF, EPS, PNG	Vector + 256, 512, 1024 px PNG

MN-BX	Boxed three-module monogram	Primary, inverse, Carbon, black	AI, SVG, PDF, EPS, PNG	Vector + 64, 128, 256, 512, 1024 px
MN-MI	Simplified micro monogram	Primary, inverse, black	SVG, PDF, PNG, ICO	16, 24, 32, 48, 64, 128, 192, 512 px
EN-QA	“Quality assured by NMS” endorsement	Primary, inverse, black	AI, SVG, PDF, EPS, PNG	Vector + 256, 512, 1024 px
EN-CO	Corporate quality-owner endorsement	Primary, Carbon, black	AI, SVG, PDF, PNG	Vector + 512, 1024 px
SM-AV	Square avatar	Primary and inverse	SVG, PNG, WebP	400, 512, 800, 1024 px
EM-SG	Email signature lockup	Primary and Carbon	SVG, PNG	320 and 640 px
DC-HD	Document-header lockup	Primary, Carbon, black	SVG, PDF, PNG	600, 1200 px plus vector

6.1 Vector Requirements

Master files must use clean closed paths, no raster effects, no clipping masks unless essential, no linked external files, no hidden obsolete artwork, and no live font dependency inside released logo assets. Supply one editable source master and separate release files with all wordmark and descriptor lettering converted to outlines.

SVG assets must include a valid `viewBox`, use no embedded bitmap, and contain no inline metadata that exposes private working paths. SVGs intended for web use should use explicit fills and should not rely on external CSS unless they are supplied as documented component assets.

PDF logo assets should be vector-only and should embed an output intent where required by the production workflow. EPS is supplied only for legacy print partners; it is not the digital source of truth.

6.2 Raster Requirements

PNG assets require transparent backgrounds unless a background color is integral to the asset. Export at 1× and 2× for interface assets, and include large archival PNGs for non-design users. Do not use JPEG for logos, icons, signatures, or flat graphic assets.

WebP may supplement PNG for web performance, but it does not replace SVG for scalable interface use. ICO is restricted to favicons and must be generated from the purpose-built micro mark rather than a downscaled full lockup.

6.3 Color Profiles

Digital RGB assets must use **sRGB IEC 61966-2-1**. Print assets must use the profile specified by the appointed printer or packaging converter after substrate and process confirmation. Do not publish a universal CMYK conversion before a print provider is selected.

Use **K100** or printer-approved single black for small text and line art where registration risk exists. Rich black may be used for large fields only after the printer supplies the ink limit and build. Pantone or spot-color equivalents must be selected during production proofing rather than inferred from screen hex values.

7. Asset Naming Convention

Use the following structure:

Plain Text

NMS_STD_[AssetID]_[Lockup]_[Colour]_[Space]_[Size]_v[Major-Minor].[ext]

Example filenames:

Plain Text

NMS_STD_WM-PH_Horizontal_Canopy_RGB_Master_v1-0.svg
NMS_STD_MN-BX_Boxed_Inverse_RGB_512_v1-0.png
NMS_STD_EN-QA_Endorsement_Black_CMYK_Master_v1-0.pdf
NMS_STD_MN-MI_Micro_Canopy_RGB_32_v1-0.png

Field	Allowed examples
Asset ID	WM-PH , WM-WO , MN-BX , MN-MI , EN-QA , SM-AV
Lockup	Horizontal , Wordmark , Boxed , Micro , Endorsement
Colour	Canopy , Inverse , Carbon , Black , White
Space	RGB , CMYK , Spot , Mono

Size	Master , 16 , 32 , 64 , 128 , 256 , 512 , 1024 , 2048
Version	v1-0 , v1-1 , v2-0

Do not use filenames such as `final` , `new` , `latest` , `approved2` , or personal initials as version control.

8. Recommended Folder Structure

Plain Text

```
NMS_Standard_Brand_Assets/
├── 00_README_AND_LICENSES/
├── 01_LOGO_MASTERS/
│   ├── Editable_Source/
│   ├── SVG_RGB/
│   ├── PDF_PRINT/
│   ├── EPS_LEGACY/
│   └── PNG_RGB/
├── 02_FONTS/
│   ├── Public_Sans_OTF/
│   ├── Public_Sans_Web/
│   └── OFL_License/
├── 03_ICONS/
├── 04_COLOR/
├── 05_TEMPLATES/
│   ├── Documents/
│   ├── Presentations/
│   ├── Digital/
│   ├── Social/
│   └── Packaging/
├── 06_BOTANICAL_ASSETS/
│   ├── Approved/
│   ├── Restricted/
│   └── Rights_Records/
├── 07_GUIDELINES/
└── 99_ARCHIVE_DO_NOT_USE/
```

The font license must travel with every distributed font package. The OFL permits fonts to be bundled and embedded, but redistribution must preserve the required copyright and license information. 2

9. Digital Tokens

Use semantic tokens rather than hard-coded colors and sizes inside product code. A starter JSON file accompanies this specification.

CSS

```
:root {
  --nms-color-brand: #0F382B;
  --nms-color-background: #F5F2EB;
  --nms-color-text: #1C1C1C;
  --nms-color-information: #427A70;
  --nms-color-accent: #C26E4B;
  --nms-font-family: "Public Sans", -apple-system, BlinkMacSystemFont,
    "Segoe UI", Arial, sans-serif;
  --nms-space-1: 8px;
  --nms-space-2: 16px;
  --nms-space-3: 24px;
  --nms-space-4: 32px;
}
```

10. Handoff Acceptance Criteria

A production handoff is accepted only when the final package includes complete vector masters, outlined release assets, approved digital exports, font files and licenses, a versioned asset register, clear-space and minimum-size proofs, one-color proofs, contrast validation, application examples, rights records for imagery, and an archived superseded-asset folder.

QA test	Pass condition
Wordmark integrity	No asset can be mistaken for ordinary typed Public Sans
Small-size performance	Micro mark remains identifiable at 24 px and 8 mm
One-color performance	Frame, dividers, letters, and counters remain intact
Descriptor legibility	Descriptor remains readable or is removed at the documented threshold
Clear space	No approved template violates the minimum exclusion zone

Color consistency	RGB masters match token values; print files use approved profiles
Accessibility	All non-logo text pairings meet the intended WCAG level
Selection safety	Product and dosage hierarchy remains stronger than decorative branding
Rights and licensing	Font and image licenses are present and traceable
Version control	Only one release version is in the active distribution folder

11. Governance Rules

The brand owner should appoint one custodian for master artwork and one regulatory approver for packaging and claims-bearing templates. Designers, printers, laboratories, agencies, and retailers receive release packages, not working files, unless their role requires editable masters.

A major version change is required when the wordmark geometry, descriptor relationship, approved palette, clear-space rule, or endorsement wording changes. Minor versions cover new file formats, corrected metadata, additional sizes, and non-visual export fixes.

The terms “**Established 1934**” and “**Roots traced to 1934**” remain prohibited in core artwork until legal succession and documentary evidence are approved. If heritage wording is authorized, it must remain a detachable module so the primary identity does not depend on the claim.

12. Immediate Design Tasks

The next design sprint should produce three black-and-white NMS Standard wordmark constructions, each using the modular principles in this specification. The preferred construction should then be tested as a primary horizontal lockup, boxed monogram, micro mark, consumer endorsement, COA header, mobile avatar, and hero-pack endorsement. Color should be applied only after the strongest geometry has passed these tests.

References

[1] USWDS — Public Sans repository and usage documentation

[2] [SIL Open Font License 1.1 for Public Sans](#)

[3] [Google Fonts — Public Sans family and available styles](#)

[4] [W3C WAI — Understanding WCAG 2.2 Success Criterion 1.4.3 Contrast \(Minimum \)](#)