

George: CRM, Analytics and WhatsApp Stack Setup Guide

Month-one ceiling: R1,000

Recommended software-licence spend: R0

Prepared by: Manus AI

Date: 20 August 2026

Executive decision

George can implement the required lead-management and measurement stack without paying a monthly software subscription. The primary configuration is **HubSpot Free CRM + HubSpot Forms + Google Tag Manager + Google Analytics 4 + Google Search Console + Looker Studio + the WhatsApp Business app**. For a very small site, a free consent-management plan can be used if its terms and traffic limits suit the business; otherwise analytics should remain disabled until an appropriate consent implementation is available.

HubSpot currently states that its free CRM has no expiry, requires no credit card, and supports up to **two users and 1,000 contacts**.^{[1](#)} The free form builder sends completed forms into the CRM automatically.^{[2](#)} Google provides the standard Analytics, Tag Manager, Search Console and Looker Studio products without a software licence charge.^{[3](#)} ^{[4](#)} ^{[5](#)} ^{[6](#)} The WhatsApp Business app is designed for small businesses and provides a business profile, greetings, away messages, quick replies, labels and free entry points such as short links and QR codes.^{[7](#)}

***Critical data boundary:** This is a sales-enquiry system, not a clinical record. Do not collect or store diagnoses, symptoms, medical histories, medications, prescriptions, dosing requests, laboratory results, pregnancy or fertility information, before-and-after photographs, identification documents, card data, or adverse-event narratives in HubSpot, GA4, GTM, Looker Studio or the WhatsApp lead workflow.*

1. Exact stack and cost

Function	Selected tool	Month-one licence cost	Role
CRM and lead pipeline	HubSpot Free CRM	R0	Contact records, deals, activities, tasks, owners and basic reporting
Website lead capture	HubSpot Free Forms	R0	Sends website enquiries directly into HubSpot

Function	Selected tool	Month-one licence cost	Role
Tag deployment	Google Tag Manager	R0	Controls the GA4 base tag and approved events
Website analytics	Google Analytics 4	R0	Sessions, landing pages, sources, form successes and WhatsApp-click intent
Organic search	Google Search Console	R0	Search queries, pages, clicks, impressions, indexing and site health
Dashboard	Looker Studio	R0	Weekly management dashboard using native GA4 and Search Console connectors
Lead messaging	WhatsApp Business app	R0	Fast manual lead response, quick replies and simple pipeline labels
Consent banner	CookieYes Free, only if eligible and within limits	R0	Consent interface and Google Consent Mode support; free plan currently lists 100 pages per scan and 5,000 pageviews per month for one free domain per account. 8
Software total		R0	No paid plan, trial, API, connector or Marketplace add-on is required

How to use the R1,000 allowance

Use	Maximum allocation	Control
Technical implementation and testing allowance	R750	Pay only against the acceptance checklist in Section 8; founder setup can reduce this to R0
Dedicated WhatsApp SIM and first-month data	R250	Use a business-owned number; actual carrier cost may be lower
Maximum Month 1 spend	R1,000	Software subscriptions remain R0

Do not enter card details, start a paid HubSpot trial, buy a paid HubSpot seat, add a paid CRM app, activate WhatsApp Business Platform/API, purchase Meta Verified, subscribe to Looker Studio Pro, or enable a paid consent plan during Month 1. Those are separate decisions, not requirements for this setup.

2. Two viable configurations

The primary guide below uses the structured CRM configuration. The spreadsheet configuration remains a lighter alternative if George is operated by one person and the owner deliberately prefers manual administration.

Approach	Tradeoffs	Cost	Setup complexity
Structured CRM: HubSpot Free + Google stack + WhatsApp Business	Better contact/deal structure, ownership, tasks, activity timeline, pipeline board and exports. Limited to two free users and 1,000 contacts; free tools have branding and feature limits.	R0 licences	Moderate; approximately one focused working day plus testing
Lightweight tracker: Google Sheets + Google stack + WhatsApp Business	Fastest setup and flexible, but duplicate control, activity history, reminders, relationships, audit discipline and permissions are manual. A Sheet must not be treated as a health record.	R0 incremental cost with an existing business-controlled Google account	Low; approximately two to four hours plus testing

The remainder of this document is the **exact structured-CRM implementation**. A Google Sheets fallback is included in Section 10.

3. Account ownership and security

Create all assets under business-controlled identities. Do not share passwords. Use named accounts and enable multi-factor authentication on HubSpot, Google and the primary phone account.

Asset	Owner	Additional access
HubSpot	George business owner	One sales/operations user at most on the free plan
Google Tag Manager	George business Google account	Technical implementer as temporary or named user
Google Analytics 4	George business Google account	Marketing analyst with minimum required role
Search Console	George business Google account	Verified owner plus restricted users as needed
Looker Studio	George business Google account	Named internal viewers only
WhatsApp Business	George-owned dedicated number and handset	Up to four linked devices on the free configuration, subject to current app limits. 9
Consent platform	George business email	Technical implementer only while configuring

Record the recovery email, recovery telephone number, account owner, creation date, data-hosting location where shown, and the date access was last reviewed. Remove temporary implementer access after the acceptance test.

4. HubSpot Free CRM setup

4.1 Create the account

- 1 Open the official HubSpot Free CRM page and select **Get free CRM**.
- 2 Register with the business owner's email.
- 3 Select the **free** account. Do not provide a card or begin a premium trial.
- 4 In **Settings** → **Users & Teams**, create no more than two users:
 - **User 1:** Owner/Admin.
 - **User 2:** Sales/Operations.
- 5 Keep Super Admin access with the owner. For User 2, allow routine viewing, editing and creation of assigned contacts and deals, but initially disable bulk deletion, import and export.
- 6 Open **Settings** → **Privacy & Consent** → **Data Hosting** and record the assigned location. HubSpot notes that free-account hosting assignment can depend on signup location and that processing may involve other locations or subprocessors; record this for the business's POPIA and cross-border review.[10](#)

4.2 Configure the sales pipeline

HubSpot Free provides the default sales pipeline rather than additional custom pipelines. Edit the existing pipeline at **Settings** → **Data Management** → **Objects** → **Deals** → **Pipelines**.[11](#)

Use these stages:

Order	Deal stage	Probability	Meaning	Required next action
1	New enquiry	10%	A real person has submitted a form or started a WhatsApp conversation	Assign owner and respond
2	Contacted	20%	A human response has been sent	Confirm the general enquiry category
3	Scope confirmed	40%	The enquiry fits George's approved operating model	Agree the appropriate next step
4	Next step booked / information sent	60%	Consultation discussion, research documentation, quote or approved information has been arranged	Set date and task

Order	Deal stage	Probability	Meaning	Required next action
5	Decision pending	80%	The person is considering or completing the approved next step	Follow up once at an agreed time
6	Closed won	100%	The defined conversion has occurred	Record value and source
7	Closed lost	0%	Not suitable, no response, declined, unavailable or outside scope	Record neutral loss reason

The percentages are planning weights, not claimed conversion rates. Every open deal must have a **Deal owner**, **Next step**, **Next activity date**, **Close date** and **Amount** when an amount is known.

Use these closed-lost reasons:

- Outside George's approved scope
- No response after approved follow-up
- Not ready / timing
- Availability or capacity
- Price / budget
- Chose another route
- Duplicate or spam
- Other neutral administrative reason

Do not encode health status or a diagnosis as a stage or loss reason.

4.3 Configure contact data

Use standard properties wherever possible:

Property	Use	Rule
First name and last name	Identification	Use only what the person provides
Email	Reply and deduplication	Optional if WhatsApp is the selected response channel
Mobile phone number	WhatsApp or call response	Store in international format, e.g. <u>+27821234567</u>
City / province	Service or fulfilment routing	Collect only if location materially changes service

Property	Use	Rule
Contact owner	Accountability	One named owner
Lifecycle stage	Basic funnel	Lead, Opportunity or Customer as appropriate
Lead status	Daily follow-up	New, Open, In progress, Connected, Unqualified or similar available values
Original source	Attribution	Allow HubSpot to populate where available; do not overwrite without evidence
Last activity date	Follow-up control	System/activity field
Next activity date	Follow-up control	Every active lead needs a next date

Create one dropdown property named **Enquiry category** if the portal permits it. Use only the categories that match George’s final operating model. A safe initial list is:

- How George works
- Documentation or evidence information
- Service or product availability
- Approved next-step enquiry
- Partnership or media enquiry
- Website or account support
- Other general administrative question

Do not create a free-text property called “health goal,” “condition,” “symptoms,” “treatment required” or anything similar.

4.4 Build the website form

HubSpot’s free form builder can be embedded on a website or used as a standalone form, and submissions are logged in the CRM automatically.[2](#)

Create a form named **George — General Enquiry — Website** with these fields:

Field	Required?	Exact helper text
First name	Yes	“How should we address you?”

Field	Required?	Exact helper text
Mobile phone number	Yes if WhatsApp is primary	“Use South African or international format.”
Email	No	“Optional if you prefer an email reply.”
Enquiry category	Yes	“Choose the general topic. Do not include medical details.”
Province / service area	Only if operationally needed	“Used only to confirm service or fulfilment availability.”
Service-response permission	Yes	“I understand that George may use these details to respond to this enquiry.”
Educational marketing permission	No, separate and unticked	“I would also like to receive George’s approved educational updates. I can opt out at any time.”

Place this text above the submit button:

*Use this form for general questions about George’s process, documentation, availability or approved next step. **Do not include medical records, diagnoses, prescriptions, dosing questions, laboratory results, identification documents, payment details or other sensitive information.***

Use the submit button label **Send my enquiry**.

Use this success message:

Thank you. Your enquiry has been received. The George team will respond within [APPROVED RESPONSE WINDOW]. Submission does not confirm eligibility, availability, supply, professional approval or an outcome.

If the form editor requires a privacy notice, link to George’s approved privacy notice and name the responsible business. Do not bundle service-response permission with marketing permission.

4.5 Create views and daily controls

Create or use filters for:

- New enquiries awaiting first response
- Unassigned contacts
- My open deals

- No next activity
- Overdue tasks
- Deals closing this month
- Closed won this month
- Closed lost this month

Daily operating procedure:

- 7 Check **New enquiries** at opening, midday and before close.
- 8 Search before creating a contact to prevent duplicates.
- 9 Create one deal only when there is a genuine conversion opportunity.
- 10 After every meaningful interaction, log a neutral activity note, update the stage, write the next step and create a dated task.
- 11 Do not paste full WhatsApp chats into HubSpot.
- 12 Close unsuitable or stale opportunities instead of leaving them open indefinitely.

4.6 Back up HubSpot weekly

The owner should export Contacts, Companies and Deals every Friday as CSV using **Export**, naming files:

- YYYY-MM-DD_george_contacts.csv
- YYYY-MM-DD_george_companies.csv
- YYYY-MM-DD_george_deals.csv

Store exports in a restricted owner-controlled folder and delete old exports according to the approved retention schedule. HubSpot notes that export links expire and that exports can contain selected properties and associations; ordinary record exports are not a complete backup of all activities.[12](#)

5. WhatsApp Business app setup

5.1 Register a dedicated number

- 13 Obtain a business-owned South African number that can receive SMS or calls.
- 14 Install the official **WhatsApp Business** app—not the consumer app and not the API.
- 15 Select South Africa and enter the number without its first zero. For example, 082 123 4567 becomes +27 82 123 4567.
- 16 Complete SMS or call verification.
- 17 Enable WhatsApp two-step verification and secure the handset with a passcode or biometric lock.
- 18 Link only approved devices at **Settings** → **Linked devices**. The free app currently supports the primary phone plus up to four linked devices.[9](#)

5.2 Complete the profile

Use the exact legal or trading name, approved logo, business category, website, email, operating hours and service area. The description should state George's verified operating model in one sentence.

Template:

George is a South African [OPERATING MODEL] business providing [APPROVED OFFER DESCRIPTION] for [APPROVED AUDIENCE]. General enquiries are answered during [HOURS].

5.3 Create the click-to-chat link

WhatsApp's click-to-chat format is:

```
https://wa.me/27XXXXXXXXX
```

Use the full international number without $\pm$, spaces, brackets or dashes. A prefilled message is:

```
https://wa.me/27XXXXXXXXX?text=Hello%20George%2C%20I%20have%20a%20general%20question%20about%20your%20process.
```

The app can also generate a short link in its business tools.¹³ Use the same approved link on the website, Instagram profile, email signature and QR code. Do not include a person's name, health information or other PII in the URL.

Assign IDs to website links for analytics:

Placement	HTML element ID
Header	<u>wa_header</u>
Floating button	<u>wa_floating</u>
Contact page	<u>wa_contact</u>
Article CTA	<u>wa_article</u>

5.4 Configure automatic messages

Greeting message

*Thank you for contacting George. We can help with general questions about our **[OPERATING MODEL]** process, documentation, availability and approved next step. Please do not send medical records, diagnoses, prescriptions, dosing questions, laboratory results, identification documents or payment details here. A team member will respond during **[HOURS]**.*

Away message

*Thank you for contacting George outside our response hours. We will reply by **[REALISTIC TIME]**. Please do not send sensitive medical, identity or payment information. If your question concerns an emergency, use the appropriate emergency or qualified professional service; this WhatsApp account is not an emergency channel.*

5.5 Create quick replies

WhatsApp supports quick-reply shortcuts in the Business app.[7](#)

Shortcut	Exact template
<u>/welcome</u>	“Hello [FIRST NAME] , thank you for contacting George. I’m [NAME] . I can help with a general question about our approved process, documentation, availability or next step.”
<u>/scope</u>	“George operates as a [MODEL] business. Our approved scope is [ONE-SENTENCE SCOPE] . We do not diagnose, prescribe, recommend dosing or assess individual medical situations through marketing channels.”
<u>/privacy</u>	“Please do not send medical records, diagnoses, prescriptions, laboratory results, identification documents, payment details or other sensitive information here. We will request only the minimum information needed for the approved process.”
<u>/next</u>	“Based on the general enquiry category, the appropriate next step is [NEXT STEP] . This does not confirm eligibility, availability, supply, professional approval or an outcome.”
<u>/docs</u>	“The approved general documentation is available here: [LINK] . Please tell me if your question concerns the process or document access.”
<u>/followup</u>	“Hello [FIRST NAME] , I’m following up once on your George enquiry. Would you still like the approved process information? If not, reply STOP and we will close the marketing follow-up.”
<u>/stop</u>	“Your marketing opt-out has been recorded. We will not send further promotional messages through this channel. Necessary replies to an active service request are handled separately.”

Shortcut	Exact template
<u>/nofit</u>	“Thank you for the enquiry. George’s approved scope is <u>[SCOPE]</u> , so we are not the appropriate route for this request. We will close the enquiry rather than direct you into an unrelated sales process.”

5.6 Use these WhatsApp labels

- New enquiry
- Responded
- Scope confirmed
- Next step arranged
- Waiting for customer
- Closed won
- Closed lost
- Opted out

WhatsApp’s labels are an inbox aid, not the permanent CRM. The owner must update the HubSpot contact and deal after each meaningful conversation. Do not rely on WhatsApp chat history as the only business record.

5.7 Manual WhatsApp-to-HubSpot procedure

For each genuine new lead:

- 19 Search HubSpot by mobile number.
- 20 Create or update the contact.
- 21 Set Original source drill-down or a neutral source note to **WhatsApp — [PLACEMENT OR CAMPAIGN]** when known.
- 22 Create a deal only if the conversation becomes a genuine opportunity.
- 23 Log a neutral summary, such as: “Asked for general process information; information page sent; follow-up agreed for 28 August.”
- 24 Do not paste the chat body, medical detail or attachments.
- 25 Set the deal stage and next task.
- 26 Apply the matching WhatsApp label.

This manual handoff is deliberate. The free app has no required API integration, and activating the WhatsApp Business Platform introduces template-message fees and technical/provider costs.[14](#)

6. Google analytics stack setup

6.1 Create Google Analytics 4

- 27 Sign in with the George business-controlled Google account.
- 28 Create an Analytics account named **George Business**.
- 29 Create a property named **George Website — ZA**.
- 30 Set reporting time zone to **South Africa / Johannesburg** and currency to **South African rand (ZAR)**.
- 31 Create one web data stream for the canonical HTTPS domain.
- 32 Copy the Measurement ID, formatted G-XXXXXXXXXX.
- 33 Under data retention, use the shortest period that meets the approved purpose. GA4 standard properties currently provide two- or fourteen-month user-level retention choices.[15](#)
- 34 Do not enable User-ID, Google Signals, advertising personalization, CRM audience imports or unnecessary data sharing in Month 1.

6.2 Create and install Google Tag Manager

- 35 Create a GTM account named **George Business**.
- 36 Create a web container named **George Website**.
- 37 Install the first GTM snippet high in <head> and the second immediately after the opening <body> on every page.
- 38 Confirm that no separate GA4 script is already installed. Use one deployment route to prevent double counting.
- 39 In GTM, create **Tag — GA4 Base — George**:
 - Tag type: **Google tag**.
 - Tag ID: the G-XXXXXXXXXX Measurement ID.
 - Trigger: **Initialization — All Initialization Events**.
 - Consent: respect the configured analytics consent state.

Google's current GTM guidance uses the Google tag for GA4 and GA4 Event tags for additional events.[16](#)

6.3 Configure consent

The safest lean default is **analytics denied until the visitor makes an affirmative selection**. Consent Mode communicates a user's choice to Google tags but does not itself create a lawful privacy notice or make the implementation POPIA-compliant.[17](#)

If George's site is within the vendor's permitted free-plan use and under its current limits, configure CookieYes Free for one domain. Its official pricing currently lists 100 pages per scan, 5,000 pageviews per month and basic customization, with one free domain per account.[8](#)

Minimum banner buttons:

- Accept analytics
- Reject non-essential
- Manage preferences

Minimum categories:

- Necessary — always active
- Analytics — off by default
- Advertising — off and unused in Month 1

If the free plan's terms, business-use eligibility or traffic limit do not fit George, do not quietly allow analytics tags without the required consent implementation. Keep GA4 disabled and use Search Console plus CRM counts until the approved solution is in place.

6.4 Track successful HubSpot forms

A click on “Submit” is not a confirmed lead. Use HubSpot's official global event for a successful form submission. HubSpot's updated form editor emits hs-form-event:on-submission:success, and the event includes the form ID.[18](#)

Place this listener before the HubSpot form embed code, or install it as an early non-marketing listener that does not read form values:

```
<script>

window.dataLayer = window.dataLayer || [];
window.addEventListener("hs-form-event:on-submission:success",
function(event) {
  window.dataLayer.push({
    event: "lead_form_success",
    form_id: event.detail.formId
  });
});

</script>
```

Do not call `getFieldValue()` or `getFormFieldValues()` for analytics. Names, emails, phone numbers, messages and form answers must never be pushed to GTM or GA4. Google prohibits sending personally identifiable information such as email addresses and mobile numbers to Analytics.[19](#)

In GTM:

40 Create a **Custom Event trigger**:

- Name: Trigger — Lead Form Success
- Event name: lead_form_success

41 Create a **Data Layer Variable**:

- Name: DLV — form_id
- Data Layer Variable Name: form_id

42 Create a **GA4 Event tag**:

- Name: GA4 — generate_lead — HubSpot Form
- Measurement ID: George's GA4 ID or Google tag reference
- Event name: generate_lead
- Event parameters:
 - lead_source = website_form
 - form_id = {{DLV — form_id}}
- Trigger: Trigger — Lead Form Success

43 In GA4 Admin, mark generate_lead as a **key event**.

Google identifies generate_lead as the recommended event for initial lead acquisition.[20](#)

6.5 Track WhatsApp click intent

Enable GTM built-in variables **Click ID** and **Click URL**.

Create a Just Links trigger:

- Name: Trigger — WhatsApp Link Click
- Fire on: Some Link Clicks
- Condition: Click URL matches RegEx
^(https?:\/\/(wa\.me|api\.whatsapp\.com)\/|whatsapp:\/\/send)

Create a Lookup Table variable based on Click ID:

Input	Output
<u>wa_header</u>	<u>header</u>
<u>wa_floating</u>	<u>floating_button</u>
<u>wa_contact</u>	<u>contact_page</u>
<u>wa_article</u>	<u>article_cta</u>

Input	Output
Default	<u>other</u>

Create the GA4 Event tag:

- Name: GA4 — whatsapp_click
- Event name: whatsapp_click
- Parameters:
 - contact_method = whatsapp
 - link_placement = the Lookup Table output
- Trigger: Trigger — WhatsApp Link Click

Do **not** send Click URL to GA4 because the URL contains the business phone number and may contain prefilled text. The event records contact intent, not proof that a message was sent, a lead was qualified or a sale occurred.

If WhatsApp is George's primary conversion, mark whatsapp_click as a GA4 key event but label it **WhatsApp click intent** in reports. CRM-qualified enquiries remain the business KPI.

6.6 Use this UTM convention

Every external campaign URL should use lowercase values and at least utm_source, utm_medium and utm_campaign. Google notes that UTM values are case-sensitive and recommends consistent naming.[21](#)

Parameter	Format	Examples
<u>utm_source</u>	Platform or publisher	<u>instagram</u> , <u>linkedin</u> , <u>google</u> , <u>partner_name</u>
<u>utm_medium</u>	Stable channel	<u>organic_social</u> , <u>email</u> , <u>referral</u> , <u>qr</u> , <u>cpc</u>
<u>utm_campaign</u>	<u>yyyy-mm_theme_geo</u>	<u>2026-09_model_guide_za</u>
<u>utm_content</u>	Placement and creative	<u>reel_hook_a</u> , <u>carousel_claim_check</u> , <u>bio_link</u>
<u>utm_term</u>	Paid keyword only	<u>peptide_consultation_sa</u> when legally and platform-eligible

Example:

```
https://example.co.za/how-it-works/?utm_source=instagram&utm_medium=organic_social&utm_campaign=2026-09_model_guide_za&utm_content=reel_hook_a
```

Never put a name, email, telephone number, diagnosis, product-use intention or other personal information in a UTM. Do not use UTMs on internal website links because they can overwrite acquisition attribution.

6.7 Configure Search Console

- 44 Add a **Domain property** for the George domain.
- 45 Verify it using the DNS TXT record.
- 46 Keep the TXT record in DNS after verification.
- 47 Submit the XML sitemap.
- 48 Inspect the home page, how-it-works page, primary landing page and first article.
- 49 Review Page indexing, HTTPS, Core Web Vitals, Manual actions and Security issues weekly during launch.

Search Console is a free service for monitoring a site's Google Search presence and indexing.[5](#)

6.8 Link Search Console to GA4

In GA4:

- 50 Open **Admin** → **Product links** → **Search Console Links**.
- 51 Select **Link**.
- 52 Choose the verified Search Console property.
- 53 Select the matching GA4 web stream.
- 54 Review and submit.
- 55 Publish the Search Console report collection from GA4 Library if required.

The link requires appropriate GA4 access and verified-owner access in Search Console; Search Console data can take time to appear and has product-specific limits.[22](#)

6.9 Build the Looker Studio dashboard

Create one report named **George — 90-Day Marketing Dashboard**.

Page 1: Executive scorecard

- Sessions
- Users

- generate_lead
- whatsapp_click
- Session-to-form-lead rate
- Cost per qualified enquiry — entered from the budget/CRM reconciliation, not calculated from GA4 alone

Page 2: Acquisition

- Sessions by source/medium
- Sessions and leads by campaign
- Landing page performance
- Device category
- Weekly trend

Page 3: Organic search

- Search clicks
- Impressions
- Click-through rate
- Average position
- Top queries
- Top landing pages

Use the native Google Analytics and Search Console connectors. Looker Studio's native connectors are subject to source permissions, product limits and GA4 API quotas.[6](#)

Share the report only with named internal viewers. Do not make customer or lead-level data available in Looker Studio.

7. Exact measurement dictionary

Business question	System of record	Metric / field	Interpretation
How many people visited?	GA4	Sessions	Directional browser-based traffic; can undercount due to consent and blocking
How many forms succeeded?	GA4 and HubSpot	<u>generate_lead</u> versus form submissions	GA4 is behavioral measurement; HubSpot is the lead record
How many people clicked WhatsApp?	GA4	<u>whatsapp_click</u>	Contact intent only

Business question	System of record	Metric / field	Interpretation
How many WhatsApp conversations became real enquiries?	HubSpot	Deals with source WhatsApp	Manually reconciled
How many enquiries were qualified?	HubSpot	Deal at Scope confirmed or beyond	Business-quality metric
Which organic pages attract demand?	Search Console and GA4	Search clicks, impressions, landing sessions	Search discovery and on-site activity use different measurement systems
What is cost per qualified enquiry?	Budget workbook + HubSpot	Actual marketing spend ÷ qualified enquiries	Primary acquisition-efficiency metric
What converted?	HubSpot	Closed won deals	Business outcome, not a browser event

8. Acceptance test before launch

Test	Exact action	Pass condition
Account ownership	Review all users and owners	George controls every asset; no shared passwords
Consent — no choice	Open site in a new private window	Non-essential analytics does not run before the configured choice
Consent — reject	Reject analytics	Behavior matches approved implementation; no unauthorized analytics storage
Consent — accept	Accept analytics	GA4 page activity appears in DebugView/Realtime
Form invalid	Submit incomplete form	No <u>generate_lead</u> event and no CRM contact
Form success	Submit one test enquiry	One HubSpot contact; exactly one <u>generate_lead</u> event
No PII in analytics	Inspect GTM Preview and network request parameters	No name, email, phone, message or form answer in payloads
WhatsApp header	Click header link	WhatsApp opens; one event with <u>link_placement=header</u>
WhatsApp floating button	Click floating link	WhatsApp opens; one event with <u>link_placement=floating_button</u>

Test	Exact action	Pass condition
WhatsApp human handoff	Send a test message from an unrelated number	Greeting/away behavior works; human response meets the stated window
CRM handoff	Create/update contact and opportunity	Correct owner, stage, next step and next task; no sensitive chat content copied
UTM	Open one tagged Instagram test link	Source, medium and campaign appear correctly after processing
Search Console	Review property and sitemap	Domain verified; sitemap status accepted/successful
Dashboard	Open Looker Studio as a viewer	Correct property, date, filters and no lead-level PII
Backup	Export CRM contacts and deals	Owner can open dated files in restricted backup location

Do not launch public traffic until every critical test passes.

9. Four-day implementation schedule

Day	Work	Completion evidence
Day 1	Create accounts, secure access, configure CRM users, fields and pipeline	Owner login, two users maximum, pipeline and views live
Day 2	Build HubSpot form, embed it, configure WhatsApp profile, link, messages, replies and labels	Successful test form and test WhatsApp conversation
Day 3	Install consent layer, GTM and GA4; configure form and WhatsApp events	GTM Preview and GA4 DebugView tests pass
Day 4	Verify Search Console, build dashboard, run full acceptance test, export first backup	Signed acceptance checklist and dated backup

10. Lightweight Google Sheets alternative

If George chooses the lighter approach, create one restricted spreadsheet named **George CRM Master** with these tabs:

Contacts

Column

Contact ID

First name

Last name

Email

Mobile

Province

Source

Owner

Lead status

Last activity

Next activity

Service-response basis/record

Marketing permission status

Marketing permission date/source

Opt-out date

Deals

Column
Deal ID
Contact ID
Opportunity
Amount ZAR
Stage
Probability
Expected value
Close date
Owner
Next step
Next activity
Lost reason

Activities

Column
Date/time
Contact ID

Column
Deal ID
Type
Neutral summary
Outcome
Next step
Next activity
Owner

Use dropdown validation for stages, freeze headers, protect formula columns, restrict sharing to named accounts, enable multi-factor authentication and download a dated XLSX backup weekly. Google warns that protected ranges are not a security control; trusted-account access and least privilege are still required.[23](#)

11. Governance rules

- 56 **Collect the minimum.** A person must be able to request general process information without disclosing health details.
- 57 **Separate service response from marketing.** Replying to an enquiry and subscribing someone to promotional updates are different purposes.
- 58 **Record opt-outs.** An opt-out must update the CRM and WhatsApp operating record before any further promotional communication.
- 59 **No purchased lists.** Do not upload scraped, purchased or informally shared phone numbers or emails.
- 60 **No clinical notes.** If a legitimate process later requires health information, create a separately assessed professional/clinical workflow rather than expanding this CRM informally.
- 61 **Restrict exports.** Only the owner should export in Month 1; store exports in a restricted folder and delete them according to the approved retention schedule.
- 62 **Review access monthly.** Remove old users, devices, integrations and implementer access.
- 63 **Respond to incidents immediately.** Preserve logs, secure accounts, notify the Information Officer and obtain advice on the required Information Regulator and

data-subject notifications. POPIA requires appropriate safeguards and imposes security-compromise duties on the responsible party.[24](#)

12. Upgrade triggers—not Month 1 purchases

Trigger	Consider	Do not do automatically
More than two active CRM users	Review a paid CRM plan or a different CRM	Share one login
Approaching 1,000 contacts	Clean inactive/duplicate records and assess paid options	Keep adding records beyond the verified limit
Multiple staff replying at once	Assess a proper shared inbox or WhatsApp Platform provider	Assume linked devices provide full assignment/audit controls
More than 5,000 monthly pageviews or free CMP no longer fits	Price a suitable consent platform	Run non-essential analytics without an approved consent implementation
Need automated WhatsApp workflows or templates	Price Cloud API/BSP, message rates, templates, support and migration	Activate the API without total-cost and compliance review
Need to store sensitive/health data	Stop and design a separate clinical system with professional review	Add free-text medical fields to HubSpot or Sheets
Paid advertising begins	Add approved ad tags and platform links only after review	Enable Google Signals, remarketing or audience imports by default

Recommended Month 1 decision

Implement the structured CRM configuration with **R0 subscription cost**. Use the R750 technical allowance only if George needs help installing the snippets, consent configuration and tags. Use no more than R250 for the dedicated WhatsApp number and connectivity. Keep all paid trials, API automation and marketing-platform integrations switched off.

At Day 30, review contact count, user count, response time, duplicate rate, qualified-enquiry volume, form-to-CRM reconciliation, WhatsApp-click-to-enquiry reconciliation, consent records, opt-outs, exports and any privacy or policy incident. Upgrade only if a measured operational constraint—not a sales prompt—requires it.

This guide is an operational implementation plan, not legal, regulatory, medical or information-security advice. George should obtain appropriate South African professional advice for POPIA, direct marketing, special personal information, cross-border processing and the exact peptide-business operating model.

References