

Tables

Bootstrap Tables

- Many people use Bootstrap styling for the tables.
- This is an example of using many classes on a single element.
- The table class is the foundation

Classes

- **.table**: some padding and horizontal dividers
- **.table-striped**: zebra stripes where “odd” rows have light color
- **.table-bordered**: add borders to table and cells
- **.table-hover**: adds hover state styling

Responsive tables

- There is only one breakpoint for responsive tables
- Default (under 768px) allows horizontal scrolling
- Larger screens are just the default view

Row, header, and cell classes

- It is possible to use Bootstrap to style smaller elements
 - active, success, info
 - warning, danger
- Since these are classes, not tags they are not semantic

Examples

RD: Bootstrap Tables

Should you use them?

- The Bootstrap styles for tables are very nuanced.
- If you want style with more impact you can write your own rules or overwrite some elements of the Bootstrap styles.

Acknowledgements/Contributions

These slides are Copyright 2015- Colleen van Lent as part of <http://www.intro-webdesign.com/> and made available under a Creative Commons Attribution NonCommercial 4.0 License. Please maintain this last slide in all copies of the document to comply with the attribution requirements of the license. If you make a change, feel free to add your name and organization to the list of contributors on this page as you republish the materials.

Initial Development: Colleen van Lent , University of Michigan School of Information

