

Intro2 Study Guide

Author: Josh Hug and Kartik Kapur

Lecture Code

Code from this lecture available at <https://github.com/Berkeley-CS61B/lectureCode-sp19/tree/master/intro2>.

Overview

Client Programs and Main Methods. A Java program without a main method cannot be run directly using the `java` command. However, its methods can still be invoked using the `main` method of another class.

Class Declaration. Java classes can contain methods and/or variables. We say that such methods and variables are “members” of the class. Members can be *instance* members or *static* members. Static members are declared with the `static` keyword. Instance members are any members without the `static` keyword.

Class Instantiation. Instantiating a class is almost always done using the `new` keyword, e.g. `Dog d = new Dog()`. An instance of a class in Java is also called an “Object”.

Dot Notation. We access members of a class using dot notation, e.g. `d.bark()`. Class members can be accessed from within the same class or from other classes.

Constructors. Constructors tell Java what to do when a program tries to create an instance of a class, e.g. what it should do when it executes `Dog d = new Dog()`.

Array Instantiation. Arrays are also instantiated using the `new` keyword. For example `int[] arr = new int[10]` If we have an array of Objects, e.g. `Dog[] dogarray`, then each element of the array must also be instantiated separately.

Static vs. Instance methods. The distinction between static and instance methods is incredibly important. Instance methods are actions that can only be taken by an instance of the class (i.e. a specific object), whereas static methods are taken by the class itself. An instance method is invoked using a reference to a specific instance, e.g. `d.bark()`, whereas static methods should be invoked using the class name, e.g. `Math.sqrt()`. Know when to use each.

Static variables. Variables can also be static. Static variables should be accessed using the class name, e.g. `Dog.binomen` as opposed to `d.binomen`. Technically Java allows you to access using a specific instance, but we strongly encourage you not to do this to avoid confusion.

void methods. A method which does not return anything should be given a void return type.

The `this` keyword. Inside a method, we can use the `this` keyword to refer to the current instance. This is equivalent to `self` in Python.

public static void main(String[] args). We now know what each of these things means:

- public: So far, all of our methods start with this keyword.
- static: It is a static method, not associated with any particular instance.
- void: It has no return type.
- main: This is the name of the method.
- String[] args: This is a parameter that is passed to the main method.

Command Line Arguments. Arguments can be provided by the operating system to your program as “command line arguments,” and can be accessed using the `args` parameter in `main`. For example if we call our program from the command line like this `java ArgsDemo these are command line arguments`, then the `main` method of `ArgsDemo` will have an array containing the Strings “these”, “are”, “command”, “line”, and “arguments”.

Using Libraries. There’s no need in the year 2017 to build everything yourself from scratch. In our course, you are allowed to and highly encouraged to use Java’s built-in libraries, as well as libraries that we provide, e.g. the Princeton standard library. You should not use libraries other than those provided or built into Java because it may render some of the assignments moot, and also our autograder won’t have access to these libraries and your code won’t work.

Getting Help from the Internet. You’re welcome to seek help online. However, you should always cite your sources, and you should not seek help on specific homework problems or projects. For example, googling “how convert String Java” or “how read file Java” are fine, but you should not be searching “project 2 61b java berkeley”.

Exercises

C Level

1. Complete the exercises from the [online textbook](#).

As noted in the lecture 1 study guide, we strongly encourage you to complete the optional HWO, which covers a bunch of basic Java syntax.

2. In the below code what would the blank variable name have to be in order for the code to compile

```
public class Human{
    int _____;
    public Human(int _____){
        eyes = _____;
    }
}
```

B level

1. Below is the Dog class.

```
public class Dog{
    public void bark(){
        System.out.println("Moo");
    }

    public static void runFast(){
        System.out.println("Ruff Run");
    }
}
```

Which of the following lines, if any, would cause an error.

```
Dog poppa = new Dog();
poppa.bark();
Dog.bark();
poppa.runFast();
Dog.runFast();
```