

**FOM - Hochschule für Oekonomie & Management  
Hamburg**

**Master-Studiengang Big Data & Business Analytics  
3. Semester**

**Development of a system to control and monitor blood pressure  
measurements to prevent cardiovascular disease**

Betreuer: Prof. Dr. Kai Brüssau

Autor: Jacqueline Franßen

Matrikel-Nr: 496804

3. Fachsemester

Hamburg, den 28.02.2020

# Contents

<b>1</b>	<b>Abstract</b>	<b>2</b>
<b>2</b>	<b>Introduction</b>	<b>3</b>
2.1	Problem statement . . . . .	3
2.2	Aim and scope of this work . . . . .	3
<b>3</b>	<b>Fundamentals</b>	<b>4</b>
3.1	Reporting and Big Data . . . . .	4
3.2	Software Architecture: Best Practices . . . . .	4
3.3	Medical Documentation Apps . . . . .	5
3.4	Chatbots . . . . .	5
<b>4</b>	<b>Analysis and Development</b>	<b>7</b>
4.1	Experimental set-up . . . . .	8
4.1.1	Software architecture . . . . .	8
4.1.2	Components . . . . .	8
4.2	Problem solving . . . . .	12
4.2.1	Tests . . . . .	12
4.2.2	Dataset . . . . .	12
4.3	Results . . . . .	12
<b>5</b>	<b>Conclusion and Outlook</b>	<b>16</b>
5.1	Conclusion . . . . .	16
5.2	Outlook . . . . .	16
<b>6</b>	<b>Abbreviations</b>	<b>17</b>
<b>7</b>	<b>Appendix A</b>	<b>20</b>

---

**8 Appendix B**

**21**

## List of Figures

3.1	Example software architecture cf.[Talukder et al. 2018] . . . . .	4
3.2	Virtual patient software architecture cf.[Zini et al. 2019] . . . . .	5
3.3	Enterprise Software Architecture Reference Cube (ESARC) as an example for big data architecture cf.[Zimmermann et al. 2013] . . . . .	6
3.4	ESARC business and information reference architecture cf.[Zimmermann et al. 2013] . . . . .	6
4.1	Component diagram of developed solution . . . . .	8
4.2	Dialog diagram: definition of hypertonia . . . . .	9
4.3	Dialog diagram: curses of hypertonia . . . . .	10
4.4	Dialog diagram: blood pressure measurement . . . . .	11
4.5	Dialog diagram: measurement tutorial . . . . .	13
4.6	Watson Assistant dialog . . . . .	14
4.7	Watson Assistant intents . . . . .	14
4.8	Watson Assistant entities . . . . .	15

## List of Tables

# 1 Abstract

Business Case: 1) With the developed solution, doctors are getting an overview of the patient's blood pressure values. This makes them react more precisely to any special values. 2) Since the patient is lead through a tutorial and the chatbot is 'controlling'/'checking' his measured blood pressure values, all measurements are taken more accurately. This improves the process of documentation. 3) With the service of sending a report via email every two weeks to the doctor. The doctor has always the current value and can interpret them faster. (now they are only getting a long list of all measured values of their patients which they have to interpret on their own and

4) Recommendation system of the nearest doctor helps the patient to directly go to his doctor Jack: 'Hey, i found these nearest doctors/specialists in your neighbourhood. Just select one of them and make an appointment with them.'

## 2 Introduction

Aim of this scientific work is to develop a solution to document blood pressure in order to react preventively against heart disease. To recommend an appropriate doctor in one's surrounding (approximately 5 kilometers of distance). The application shall send every week/every two weeks a report (including a diagramm of all measured blood pressure values of the patient) to the doctor so that the doctor will be informed in real-time. In the diagrams/frontend, it is possible to select different scales, e.g. like the values of last week/last month/last year. At the beginning of using the Chatbot, the user is being led through a tutorial which shows him how to measure correctly his blood pressure. One instruction is for example not to drink coffee before measuring your blood pressure or to sit for at least 5 minutes.

### 2.1 Problem statement

### 2.2 Aim and scope of this work

## 3 Fundamentals

### 3.1 Reporting and Big Data

### 3.2 Software Architecture: Best Practices

As can be seen in figure 3.1, medical systems need many resources from which all relevant medical data are loaded. As described by Talukder et al.<sup>1</sup>, all medical data is processed by Natural Language Processing (NLP) techniques, evidence based medicine as well as big data analytics (see figure 3.1).




Figure 3.1: Example software architecture cf.[Talukder et al. 2018]

<sup>1</sup>cf.[Talukder et al. 2018]

### 3.3 Medical Documentation Apps

2 3 4 5 6 7

8 9

<sup>10</sup> <https://www.heart.org/en>




Figure 3.2: Virtual patient software architecture cf.[Zini et al. 2019]

Blood Pressure Apps: Was können die schon ?

### 3.4 Chatbots

<sup>2</sup>cf.[Lupton 2012]

<sup>3</sup>cf.[Lupton 2014]

<sup>4</sup>cf.[Akhtar, Neidhardt, and Werthner 2019]

<sup>5</sup>cf.[Kawohl and Haß 2019]

<sup>6</sup>cf.[Zini et al. 2019]

<sup>7</sup>cf.[Zimmermann et al. 2013]

<sup>8</sup>cf.[White 2007]

<sup>9</sup>cf.[Beevers, Lip, and O'Brien 2001]

<sup>10</sup>cf.[Alessa et al. 2019]






Figure 3.3: ESARC as an example for big data architecture cf.[Zimmermann et al. 2013]



Figure 3.4: ESARC business and information reference architecture cf.[Zimmermann et al. 2013]

## 4 Analysis and Development

First of all, the developed chatbot includes information about blood pressure and was built to remind patients of their measurements. Secondly, based on the measured data, analysis can be done in order to react earlier to outliers. Thirdly, a generated report is sent to the doctor so that he can get more insights about the blood pressure values of his patients and improve the treatment. One of the main challenges during development was the process of providing information about the disease to the patient. Is it possible to include information about different types of blood pressure into the automated conversation with a chatbot? Or does it overwhelm the conversation's use case? Is it useful to let the user ask questions like: 'What are the different types of hypertension? Am i a high-risk patient?' Or should these information be provided as a video or a simple web page with long articles to read? Might the patient or user be aborred after a while of talking to a chatbot who only knows answering his questions in the same way? Of course, a chatbot can be developed more intelligent to never provide the same answer and to answer more precisely to a users' intent. But this requires a lot of training and testing. For that reason, in the first version of this chatbot, five simple intents and dialogs have been designed and implemented with the focus of the instructions to measure correctly and regularly. In a second or third version, it is possible to focus more on the improvement of providing information about the disease (by not doing this in the style of question and answering).




Figure 4.1: Component diagram of developed solution

## 4.1 Experimental set-up

### 4.1.1 Software architecture

### 4.1.2 Components

#### Kaggle Dataset

#### Development of Watson Assistant Dialog

**Intent model** The chatbot was built according to the description of "Deutsche Hochdruckliga", a german organization for patients with hypertonia <sup>1</sup>. To better understand the users and patients a basic intent model with four intents was developed. The four intents include

<sup>1</sup>cf.[Bluthochdruck vermeiden, behandeln und senken - Aktiv gegen Bluthochdruck 2019]

Intent	User input
Definition of hypertonia	What is hypertonia?
Curses of hypertonia	What are the implications or curses of hypertonia?
Blood pressure measurement	I am measuring my blood pressure.
Measurement tutorial	How should i measure my blood pressure?

These five intents were used to define and develop four typical dialogs.




Figure 4.2: Dialog diagram: definition of hypertonia

**Watson Assistant implementation** In the following, the implemented dialog as well as all entities and intents are described. They have been developed according to the Watson Assistant documentation <sup>2</sup>.

## Setup of MongoDB and basic AngularJS Frontend

<sup>2</sup>cf.[Übersicht über die Watson Assistant-API 2020]




Figure 4.3: Dialog diagram: curses of hypertonia

**Connect Watson Assistant to Frontend and MongoDB** To be able to connect to the Watson Assistant instance on IBM cloud, the API Version 2.0 had to be called. First of all, the current sessionId has to be requested to be able to interact with Watson Assistant. After that, a simple get request is executed to let the chatbot start the conversation. Everytime, the user sends a message to Watson Assistant, a post request is sent to the API and the response is the best fitting answer (with the highest confidence value) from Watson, which is calculated <sup>3</sup>.

### Data visualization: Development of a Python Script to show all measured values

**Development of recommendation of nearest doctors to patient** outlook: maybe in future to connect to the doctors' calendar to directly make an appointment through the chatbot

<sup>3</sup>cf.[Watson Assistant v2 - IBM Cloud API Docs 2020]




Figure 4.4: Dialog diagram: blood pressure measurement

### Development of email service to send reports every two weeks to the doctor

Another challenge was the way to automatically ask the user for his measured data. A 'usual' chatbot only helps in certain situations including precise user intents, e.g. the question 'When should i measure my blood pressure?'. But they are not constructed to ping a user every five hours or once a day in order to retrieve his measured data, analyze these and send them to a doctor. In order to face this problem or use case, a routine including a timer had to be implemented.

## **4.2 Problem solving**

### **4.2.1 Tests**

### **4.2.2 Dataset**

## **4.3 Results**




Figure 4.5: Dialog diagram: measurement tutorial






Figure 4.6: Watson Assistant dialog

The screenshot shows the 'My first skill' page in the IBM Watson Assistant interface, displaying a list of intents. The left sidebar is the same as in Figure 4.6. The main area shows a table of intents with columns for selection, intent name, description, modified date, and examples.

	Intents (17)	Description	Modified	Examples
<input type="checkbox"/>	#01_Hypertonie_Definition		a month ago	1
<input type="checkbox"/>	#02_Hypertonie_Schaeden		a month ago	1
<input type="checkbox"/>	#03_Hypertonie_Risiko		a month ago	2
<input type="checkbox"/>	#04_Hypertonie_Symptome		a month ago	0
<input type="checkbox"/>	#05_Blutdruck_Messung		a month ago	5
<input type="checkbox"/>	#06_Messung_Tutorial		a month ago	7
<input type="checkbox"/>	#Arzt_suche		2 months ago	10
<input type="checkbox"/>	#Befinden_egal		3 months ago	8
<input type="checkbox"/>	#Befinden_negativ		3 months ago	8
<input type="checkbox"/>	#Befinden_positiv		3 months ago	8
<input type="checkbox"/>	#DiagrammEinsehen		2 months ago	6
<input type="checkbox"/>	#Feedback_negativ		3 months ago	6
<input type="checkbox"/>	#Feedback_positiv		3 months ago	6
<input type="checkbox"/>	#letzteMessung		2 months ago	9

Figure 4.7: Watson Assistant intents

IBM Watson Assistant

My first skill

Intents

Entities

Create entity

Entity (16)	Values	Modified
@Alter	Alter	21 days ago
@Alter_Patient	20	23 days ago
@Atemnot	Luftnot	2 months ago
@Atmen	Ausatmen, Luftholen	2 months ago
@Bewegungsmangel	Bewegungsmangel	21 days ago
@Blutdruck	Druck im Blut	2 months ago
@Erbliche_Faktoren	Erbliche Faktoren	21 days ago
@Fehlernaehrung	Fehlernahrung	21 days ago
@Fettleibigkeit	Fettleibigkeit	21 days ago
@Geschlecht	männlich, weiblich	2 months ago
@Herz	Mitte	2 months ago
@Herzrasen	Herzpochen	2 months ago
@Metabolisches_Syndrom	metabolisch, Metabolisches Syndrom	21 days ago
@Pochen	Schlagen	2 months ago

Figure 4.8: Watson Assistant entities

## 5 Conclusion and Outlook

### 5.1 Conclusion

### 5.2 Outlook

Is a chatbot an appropriate solution for recording and reminding patients to measure their blood pressure ? In practice, most chatbots are created to solve and help multiple intents of their users and not to only 'retrieve' information. On the one hand, the retrieved information can be used to run several analysis and to find out trends in the data. But on the other hand, the developed solution supports users to never forget to measure and doctors to better understand trends in the measured data. During development and research, there came up another issue: To inform patients precisely about their illness. Most patients go to doctors and describe their symptoms, the doctor makes some diagnosis and provides them some medication. But in most cases, doctors do not have enough time to answer all the questions of their patients. For that reason it might be useful to provide a 24/7 service for patients with chronic disease to both record their symptoms and measurements and to answer all their questions.

connection frontend (angularjs webpage) to mongodb through socket.io connection. Connection between Watson Assistant and Frontend through mongodb and via socket.io connection.

## 6 Abbreviations

**NLP** Natural Language Processing

**ESARC** Enterprise Software Architecture Reference Cube

## Bibliography

- Akhtar, Mubashra, Julia Neidhardt, and Hannes Werthner (July 2019). "The Potential of Chatbots: Analysis of Chatbot Conversations". In: *2019 IEEE 21st Conference on Business Informatics (CBI)*. Vol. 01. ISSN: 2378-1963, pp. 397–404. doi: 10.1109/CBI.2019.00052.
- Alessa, Tourkiah et al. (May 2019). "Smartphone Apps to Support Self-Management of Hypertension: Review and Content Analysis". In: *JMIR mHealth and uHealth* 7.5. ISSN: 2291-5222. doi: 10.2196/13645. URL: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6658295/> (visited on 01/05/2020).
- Beevers, Gareth, Gregory Y H Lip, and Eoin O'Brien (Apr. 2001). "Blood pressure measurement". In: *BMJ : British Medical Journal* 322.7293, pp. 1043–1047. ISSN: 0959-8138. URL: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1120188/> (visited on 01/03/2020).
- Bluthochdruck vermeiden, behandeln und senken - Aktiv gegen Bluthochdruck* (2019). de. URL: <https://www.hochdruckliga.de/> (visited on 11/23/2019).
- Kawohl, Dr Julian M and Stefanie Haß (2019). "Customer Service 4.0 - Wie gut sind Chatbots?" de. In: (), p. 30. URL: [https://www.heise.de/downloads/18/2/5/4/1/3/4/2/Studie\\_chatbots.pdf](https://www.heise.de/downloads/18/2/5/4/1/3/4/2/Studie_chatbots.pdf) (visited on 01/01/2019).
- Lupton, Deborah (Aug. 2012). "M-health and health promotion: The digital cyborg and surveillance society". en. In: *Social Theory & Health* 10.3, pp. 229–244. ISSN: 1477-8211, 1477-822X. doi: 10.1057/sth.2012.6. URL: <http://link.springer.com/10.1057/sth.2012.6> (visited on 12/27/2019).
- (Dec. 2014). "Apps as Artefacts: Towards a Critical Perspective on Mobile Health and Medical Apps". en. In: *Societies* 4.4, pp. 606–622. doi: 10.3390/soc4040606. URL: <https://www.mdpi.com/2075-4698/4/4/606> (visited on 12/27/2019).
- Talukder, Asoke K et al. (Oct. 2018). "Proof of Disease: A Blockchain Consensus Protocol for Accurate Medical Decisions and Reducing the Disease Burden". In: *2018*

- IEEE SmartWorld, Ubiquitous Intelligence Computing, Advanced Trusted Computing, Scalable Computing Communications, Cloud Big Data Computing, Internet of People and Smart City Innovation (SmartWorld/SCALCOM/UIC/ATC/CBDCom/IOP/SCI)*. ISSN: null, pp. 257–262. doi: 10.1109/SmartWorld.2018.00079.
- Übersicht über die Watson Assistant-API (2020). URL: <https://cloud.ibm.com/docs/services/assistant?topic=assistant-api-overview> (visited on 01/10/2020).
- Watson Assistant v2 - IBM Cloud API Docs (2020). URL: <https://cloud.ibm.com/apidocs/assistant/assistant-v2> (visited on 01/10/2020).
- White, William B (2007). *Blood pressure monitoring in cardiovascular medicine and therapeutics*. en. OCLC: 915957468. Totowa, N.J.: Humana Press. ISBN: 978-1-59259-978-3 978-1-58829-512-5. URL: <http://www.springerlink.com/openurl.asp?genre=book&isbn=978-1-58829-512-5> (visited on 01/03/2020).
- Zimmermann, Alfred et al. (Sept. 2013). "Towards Service-Oriented Enterprise Architectures for Big Data Applications in the Cloud". In: *2013 17th IEEE International Enterprise Distributed Object Computing Conference Workshops*. ISSN: 2325-6605, pp. 130–135. doi: 10.1109/EDOCW.2013.21.
- Zini, Julia El et al. (July 2019). "Towards A Deep Learning Question-Answering Specialized Chatbot for Objective Structured Clinical Examinations". In: *2019 International Joint Conference on Neural Networks (IJCNN)*. ISSN: 2161-4393, pp. 1–9. doi: 10.1109/IJCNN.2019.8851729.

## 7 Appendix A

### **Ehrenwörtliche Erklärung**

Hiermit versichere ich, dass die vorliegende Arbeit von mir selbstständig und ohne unerlaubte Hilfe angefertigt worden ist, insbesondere dass ich alle Stellen, die wörtlich oder annähernd wörtlich aus Veröffentlichungen entnommen sind, durch Zitate als solche gekennzeichnet habe. Ich versichere auch, dass die von mir eingereichte schriftliche Version mit der digitalen Version übereinstimmt. Weiterhin erkläre ich, dass die Arbeit in gleicher oder ähnlicher Form noch keiner Prüfungsbehörde / Prüfungsstelle vorgelegen hat. Ich erkläre mich damit nicht einverstanden, dass die Arbeit der Öffentlichkeit zugänglich gemacht wird. Ich erkläre mich damit einverstanden, dass die Digitalversion dieser Arbeit zwecks Plagiatsprüfung auf die Server externer Anbieter hochgeladen werden darf. Die Plagiatsprüfung stellt keine Zurverfügungstellung für die Öffentlichkeit dar.

Ort, Datum (Vorname Nachname)

## **8 Appendix B**