



ICS-10412 Electric Bolt



Key Features

- Operating voltage 12Vdc
- Holding force up to 1000lbs (454Kg)
- Fail-Safe
- Suitable For Timber and Metal doors
- CE marked to EMC Directive

The Fail-Safe series electric dropbolt can be mounted horizontally or vertically and provides various functions. It is designed for use on double action doors (or single inswing/outswing doors) and ideal for applications where an electromagnetic locks or electric strike is impractical


Specifications

Size				
Bolt:	200mm	x	35mm	x 38mm
Strike plate:	100mm	x	25mm	x 3mm

Technical	
Supply Voltage:	12 VDC
Holding Force:	Up to 1000lbs/ 454Kg
Operating Temperature:	-5 ~ 50C

Additional Infomation	
ICS-10412SH	Surface Mount Housing For ICS-10412

Line Drawing



About Johnson Controls

Johnson Controls is a global diversified technology and multi-industrial leader serving a wide range of customers in more than 150 countries. Our 120,000 employees create intelligent buildings, efficient energy solutions, integrated infrastructure and next generation transportation systems that work seamlessly together to deliver on the promise of smart cities and communities. Our commitment to sustainability dates back to our roots in 1885, with the invention of the first electric room thermostat.

For additional information, please visit www.kantech.com or follow us on Twitter, Facebook and LinkedIn.