	\
_	7

$\wedge$				
Variable	Log Response Ratio [95% CI]	Decrease	I Increase	n Obs. (studies)
Chl-a	-0.19 [-0.350.02]	_ <b>_</b>	 	16 (13)
Phaeopigments	-0.27 [-0.460.09]		 	10 (8)
Phytopigments	-0.14 [-0.47 - 0.19]		<u> </u>	8 (7)
тос	-0.01 [-0.12 - 0.09]	i	-	32 (29)
TN	-0.03 [-0.14 - 0.09]		_	15 (13)
TOC/TN	-0.02 [-0.09 - 0.05]	-		15 (13)
тс	0.15 [0.02 - 0.29]	ļ		4 (4)
Mean grain size	-0.03 [-0.13 - 0.08]		- -	10 (6)
Sand	-0.52 [-1.52 - 0.49]			6 (6)
Mud content (< 63 μm)	0.34 [-0.07 - 0.74]	_	1 <del>  ■</del> 	6 (6)
Silt	-0.11 [-0.33 - 0.11]	— <del>-</del>	! <del></del> !	4 (4)
Clay	-0.09 [-0.4 - 0.22]		! ├── !	3 (3)
NOx	0.41 [0.09 - 0.72]	<b>!</b>	<u> </u>	3 (3)
NHx	0.19 [-0.27 - 0.65]		! <del>! ■</del>	4 (4)
Oxygen consumption	-0.11 [-0.49 - 0.26]		 	7 (6)
Biopolymeric C (BPC)	-0.88 [-1.150.61]		I I I	3 (3)
Carbohydrates	-0.97 [-1.740.21]		 	3 (3)
Lipids	-0.31 [-1 - 0.38]		I <u>I</u> I	3 (3)
Proteins	-0.38 [-0.740.03]	<del></del>	1 1 1	5 (4)
		-1 ( Log response rat	io.	
_		Log rooponse rat		

## B

