Before evaluation: train HRL or NF policies in a stable world
Learned policy weights are then fixed; the cognitive map continues to update.

❶ Canalization	❷ Decanalization or control	❸ Recanalization
0–300 s	300–400 s	400–700 s

WORLD

Use depletes familiar resource patches. → **Two new patches at 300 s** Reliable; ≥ 20 tiles away. → Changed world persists; new patches stay available.

AGENT

Beliefs and routes become established



Observations build belief precision P_c.
Visits lower traversal cost $c(n)$.
Baseline: $d = 0$, $T = 1$.

CDR: decanalization
$P_c \leftarrow (1 - d)P_c$ at onset
Relaxed priors in updates
$T = 1 + bd$: varied choices

CDR: baseline resumes
$d = 0$, $T = 1$
New routes may support subsequent regulation.

CCC: canalization
$d = 0$, $T = 1$
Ordinary belief updates; familiar routes can persist.

CCC: baseline continues
$d = 0$, $T = 1$
Familiar routes may remain maladaptive.

Compare after the window: mean absolute deviation of homeostatic state h from its setpoint, trapping ($h \leq -100$), and harvests from new patches.

Throughout evaluation: fixed policy weights, sensory range, physiology and reward objective. Homeostatic state, cognitive map and position carry forward across phase boundaries.