

Phase 5: Security Groups

Managing permissions without assigning rights directly to individual users.

1. Open Active Directory Users and Computers

Navigate to:

Tools > Active Directory Users and Computers

2. Create a Security Groups Organizational Unit

Under <yourname>.lab, create a new Organizational Unit named:

Security Groups

3. Create Global Security Groups

For this project, multiple security groups will be created.

Inside the Security Groups OU:

- Right-click and select New > Group.
- Create the Sales security group.

Assign the following group name:

GG_Sales_Users

Many organizations use naming conventions such as:

- GG = Global Group
- DL = Domain Local Group
- RW = Read/Write

Additional groups may be created following the same naming convention.

4. Add Users to Groups

Open GG_Sales_Users.

- Select the Members tab.
- Click Add.
- Add the user account John Smith.
- Click Apply, then click OK.

Repeat this process for any additional users and groups.

5. Verify Membership

Open the properties of the user account John Smith and navigate to the Member Of tab.

The following groups should now appear:

Domain Users

GG_Sales_Users

Verifying group membership is an important troubleshooting step commonly used by helpdesk technicians and system administrators.

6. Create Domain Local Groups

Inside the Security Groups OU, create groups such as:

- DL_Sales_RW
- DL_HR_RW
- DL_Accounting_RW
- DL_IT_Full

When creating each group:

- Set the Group Scope to Domain Local.
- Ensure the Group Type is set to Security.
- Click OK.

7. Implement AGDLP

AGDLP stands for:

Accounts → Global Groups → Domain Local Groups → Permissions

Open DL_Sales_RW and navigate to the Members tab.

- Click Add.
- Add GG_Sales_Users.
- Click Apply, then click OK.

Repeat this process for the remaining groups.

Rather than assigning permissions directly to individual users, the AGDLP model allows permissions to be managed through group membership, making administration more efficient and scalable.