









```
server-jean [Corriendo] - Oracle VirtualBox
Archivo  Máquina  Ver  Entrada  Dispositivos  Ayuda

subiquity/Userdata/apply_autoinstall_config:
subiquity/Package/apply_autoinstall_config:
subiquity/Debconf/apply_autoinstall_config:
subiquity/Kernel/apply_autoinstall_config:
subiquity/Zdev/apply_autoinstall_config:
subiquity/Ad/apply_autoinstall_config:
subiquity/Late/apply_autoinstall_config:
configuring apt
  curtin command in-target
installing system
  executing curtin install initial step
  executing curtin install partitioning step
    curtin command install
      configuring storage
        running 'curtin block-meta simple'
        curtin command block-meta
          removing previous storage devices
          configuring disk: disk-sda
          configuring partition: partition-2
          configuring partition: partition-3
          configuring format: format-1
          configuring mount: mount-1
      executing curtin install extract step
      curtin command install
        writing install sources to disk
        running 'curtin extract'
        curtin command extract
          acquiring and extracting image from cp:///tmp/tmpu7q_491c/mount
      configuring keyboard
      curtin command in-target
  executing curtin install curthooks step
    curtin command install
      configuring installed system
      running 'curtin curthooks'
      curtin command curthooks
        configuring apt configuring apt
        installing missing packages
        Installing packages on target system: ['grub-pc']
        configuring iscsi service
        configuring raid (mdadm) service
        configuring NVMe over TCP
        installing kernel -
```

```
server-jean [Corriendo] - Oracle VirtualBox
Archivo  Máquina  Ver  Entrada  Dispositivos  Ayuda

administrador@server-jean:~$
```

```
server-jean [Corriendo] - Oracle VirtualBox
Archivo  Máquina  Ver  Entrada  Dispositivos  Ayuda
ago 10 03:24:41 server-jean sshd[2221]: Failed password for administrador from 10.0.2.2 port 60217 ssh2
ago 10 03:25:35 server-jean sshd[2221]: Accepted password for administrador from 10.0.2.2 port 60217 ssh2
ago 10 03:25:35 server-jean sshd[2221]: pam_unix(sshd:session): session opened for user administrador(uid=1000) by administrador(uid=0)
administrador@server-jean:~$ sudo systemctl enable ssh.service
Synchronizing state of ssh.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable ssh
administrador@server-jean:~$ systemctl is-enabled ssh.service
enabled
administrador@server-jean:~$ sudo systemctl enable --now ssh.service
Synchronizing state of ssh.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable ssh
administrador@server-jean:~$ systemctl is-enabled ssh.service
enabled
administrador@server-jean:~$ systemctl is-active ssh.service
active
administrador@server-jean:~$ sudo systemctl enable --now ssh.service
Synchronizing state of ssh.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable ssh
administrador@server-jean:~$ systemctl is-enabled ssh.service
enabled
administrador@server-jean:~$ systemctl is-active ssh.service
active
administrador@server-jean:~$ _
```

```
server-jean [Corriendo] - Oracle VirtualBox
Archivo  Máquina  Ver  Entrada  Dispositivos  Ayuda
administrador@server-jean:~$ systemctl status
Global
Protocols: -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
resolv.conf mode: stub

Link 2 (enp0s3)
Current Scopes: DNS
Protocols: +DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
Current DNS Server: 192.168.100.1
DNS Servers: 192.168.100.1 fd17:625c:f037:2::3
administrador@server-jean:~$ ping -c 4 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.
64 bytes from 8.8.8.8: icmp_seq=1 ttl=64 time=26.9 ms
64 bytes from 8.8.8.8: icmp_seq=2 ttl=64 time=25.2 ms
64 bytes from 8.8.8.8: icmp_seq=3 ttl=64 time=25.6 ms
64 bytes from 8.8.8.8: icmp_seq=4 ttl=64 time=24.9 ms

--- 8.8.8.8 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 24.898/25.635/26.859/0.745 ms
administrador@server-jean:~$ ping -c 4 ubuntu.com
PING ubuntu.com (185.125.190.29) 56(84) bytes of data.
64 bytes from website-content-cache-3.ps5.canonical.com (185.125.190.29): icmp_seq=1 ttl=64 time=177 ms
64 bytes from website-content-cache-3.ps5.canonical.com (185.125.190.29): icmp_seq=2 ttl=64 time=170 ms
64 bytes from website-content-cache-3.ps5.canonical.com (185.125.190.29): icmp_seq=3 ttl=64 time=177 ms
64 bytes from website-content-cache-3.ps5.canonical.com (185.125.190.29): icmp_seq=4 ttl=64 time=175 ms

--- ubuntu.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3002ms
rtt min/avg/max/mdev = 170.086/174.810/177.141/2.812 ms
administrador@server-jean:~$ ss -tulnpn
Netid State      Recv-Q Send-Q Local Address:Port Peer Address:Port Process
udp UNCONN    0      0 127.0.0.54:53 0.0.0.0:*
udp UNCONN    0      0 127.0.0.53:lo:53 0.0.0.0:*
udp 10.0.2.15:enp0s3:68 0.0.0.0:*
tcp LISTEN    0      4096 127.0.0.54:53 0.0.0.0:*
tcp LISTEN    0      4096 0.0.0.0:22 0.0.0.0:*
tcp LISTEN    0      4096 127.0.0.53:lo:53 0.0.0.0:*
tcp LISTEN    0      4096 [::]:22 [::]:*

administrador@server-jean:~$ ip -brief address
lo UNKNOWN 127.0.0.1/8 ::1/128
enp0s3 up 10.0.2.15/24 metric 100 fd17:625c:f037:2:a00:27ff:fe25:9a3b/64 fe80::a00:27ff:fe25:9a3b/64
administrador@server-jean:~$
```

```
server-jean [Corriendo] - Oracle VirtualBox
Archivo  Máquina  Ver  Entrada  Dispositivos  Ayuda

./practica_shell/respaldos
./practica_shell/respaldos/entrada_completa
./practica_shell/respaldos/entrada_completa/nota1.txt
./practica_shell/respaldos/entrada_completa/datos.txt
./practica_shell/respaldos/datos.txt
./ssh
./ssh/authorized_keys
./bash_logout
./lessht
./profile
./bash_history
./sudo_as_admin_successful
./bashrc
administrador@server-jean:~$ mv -i practica_shell/entrada/nota1.txt practica_shell/entrada/nota_inicial.txt
administrador@server-jean:~$ rmdir practica_shell/salida
administrador@server-jean:~$ rm -i practica_shell/entrada/nota_inicial.txt
rm: remove regular empty file 'practica_shell/entrada/nota_inicial.txt'? y
administrador@server-jean:~$ ls practica_shell/entrada
datos.txt
administrador@server-jean:~$ ls practica_shell/entrada/
datos.txt
administrador@server-jean:~$ rm -rI practica_shell/respaldos/entrada_completa
rm: remove 1 argument recursively? y
administrador@server-jean:~$ find practica_shell/respaldos/entrada_completa
find: 'practica_shell/respaldos/entrada_completa': No such file or directory
administrador@server-jean:~$ ls -la practica_shell/respaldos
total 12
drwxrwxr-x 2 administrador administrador 4096 ago 10 08:16 .
drwxrwxr-x 4 administrador administrador 4096 ago 10 08:14 ..
-rw-rw-r-- 1 administrador administrador 45 ago 10 08:08 datos.txt
administrador@server-jean:~$ find practica_shell -type f -name '*.txt'
practica_shell/entrada/datos.txt
practica_shell/respaldos/datos.txt
administrador@server-jean:~$ grep -n 'linea' practica_shell/entrada/datos.txt
1:Primera linea
2:Segunda linea
3:Tercera linea
administrador@server-jean:~$ du -sh practica_shell
20K practica_shell
administrador@server-jean:~$ file practica_shell/entrada/datos.txt
practica_shell/entrada/datos.txt: ASCII text
administrador@server-jean:~$ _
```

```
administrador@server-jean: ~
Last login: Mon Aug 10 23:29:17 2026 from 10.0.2.2
administrador@server-jean:~$ systemctl is-active apache2.service
active
administrador@server-jean:~$ systemctl status apache2.service --no-pager
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-08-11 00:00:51 UTC; 2min 8s ago
     Docs: https://httpd.apache.org/docs/2.4/
   Process: 763 ExecStart=/usr/sbin/apachectl start (code=exited, status=0/SUCCESS)
   Main PID: 871 (apache2)
    Tasks: 55 (limit: 4600)
   Memory: 8.5M (peak: 9.0M)
      CPU: 38ms
   CGroup: /system.slice/apache2.service
           └─871 /usr/sbin/apache2 -k start
             └─872 /usr/sbin/apache2 -k start
               └─873 /usr/sbin/apache2 -k start

ago 11 00:00:44 server-jean systemd[1]: Starting apache2.service - The Apache HTTP Server...
ago 11 00:00:51 server-jean apachectl[817]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.0.1 instead. Please see the error log for more details.
ago 11 00:00:51 server-jean systemd[1]: Started apache2.service - The Apache HTTP Server.
Hint: Some lines were ellipsized, use -l to show in full.
administrador@server-jean:~$ grep -R "DocumentRoot" /etc/apache2/sites-enabled/
/etc/apache2/sites-enabled/000-default.conf: DocumentRoot /var/www/html
administrador@server-jean:~$ sudo ls -la /var/www/html
[sudo] password for administrador:
total 12
drwxr-xr-x 2 root root 4096 ago 10 22:12 .
drwxr-xr-x 3 root root 4096 ago 10 21:48 ..
-rw-r----- 1 root www-data 1404 ago 10 22:12 index.html
administrador@server-jean:~$ if [ -f /var/www/html/index.html ]; then
sudo cp -a /var/www/html/index.html \
/var/www/html/index.html.bak
echo "Respaldo creado: /var/www/html/index.html.bak"
else
echo "index.html no existe; se creara una pagina nueva."
fi
Respaldo creado: /var/www/html/index.html.bak
administrador@server-jean:~$
```

Servidor operativo

Servidor Web Local

Apache está funcionando correctamente dentro de Ubuntu Server.

Esta página fue creada como parte del **Tech Lab**.

Comprobaciones realizadas

- Servicio Apache activo.
- Puerto HTTP disponible.
- Directorio web accesible.
- Archivo `index.html` entregado correctamente.

Carrera de Software — Universidad de Guayaquil





localhost:8080/info.php


WhatsApp Instagram YouTube Your training sessi... Área personal Pronósticos - Apu... Juega en el mejor... Sistema | SIUG Recibidos

PHP Version 8.3.6




System	Linux server-jean 6.8.0-137-generic #137-Ubuntu SMP PREEMPT_DYNAMIC Fri Jul 17 20:28:23 UTC 2026 x86_64
Build Date	Jul 16 2026 18:30:41
Build System	Linux
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/8.3/apache2
Loaded Configuration File	/etc/php/8.3/apache2/php.ini
Scan this dir for additional .ini files	/etc/php/8.3/apache2/conf.d
Additional .ini files parsed	/etc/php/8.3/apache2/conf.d/10-mysqld.ini, /etc/php/8.3/apache2/conf.d/10-opcache.ini, /etc/php/8.3/apache2/conf.d/10-pdo.ini, /etc/php/8.3/apache2/conf.d/15-xml.ini, /etc/php/8.3/apache2/conf.d/20-calendar.ini, /etc/php/8.3/apache2/conf.d/20-ctype.ini, /etc/php/8.3/apache2/conf.d/20-curl.ini, /etc/php/8.3/apache2/conf.d/20-dom.ini, /etc/php/8.3/apache2/conf.d/20-exif.ini, /etc/php/8.3/apache2/conf.d/20-fdi.ini, /etc/php/8.3/apache2/conf.d/20-fileinfo.ini, /etc/php/8.3/apache2/conf.d/20-ftp.ini, /etc/php/8.3/apache2/conf.d/20-gd.ini, /etc/php/8.3/apache2/conf.d/20-gettext.ini, /etc/php/8.3/apache2/conf.d/20-iconv.ini, /etc/php/8.3/apache2/conf.d/20-mbstring.ini, /etc/php/8.3/apache2/conf.d/20-mysqli.ini, /etc/php/8.3/apache2/conf.d/20-pdo_mysql.ini, /etc/php/8.3/apache2/conf.d/20-phar.ini, /etc/php/8.3/apache2/conf.d/20-posix.ini, /etc/php/8.3/apache2/conf.d/20-readline.ini, /etc/php/8.3/apache2/conf.d/20-shmop.ini, /etc/php/8.3/apache2/conf.d/20-simplexml.ini, /etc/php/8.3/apache2/conf.d/20-soap.ini, /etc/php/8.3/apache2/conf.d/20-sockets.ini, /etc/php/8.3/apache2/conf.d/20-sysvmsg.ini, /etc/php/8.3/apache2/conf.d/20-sysvsem.ini, /etc/php/8.3/apache2/conf.d/20-sysvshm.ini, /etc/php/8.3/apache2/conf.d/20-tokenizer.ini, /etc/php/8.3/apache2/conf.d/20-xmireader.ini, /etc/php/8.3/apache2/conf.d/20-xmlwriter.ini, /etc/php/8.3/apache2/conf.d/20-xsl.ini
PHP API	20230831
PHP Extension	20230831
Zend Extension	420230831
Zend Extension Build	API420230831,NTS
PHP Extension Build	API20230831,NTS
Debug Build	no





our training sessi...  Area personal  Pronósticos - Apu...  Juega en el mejor...





Hola

¡Bienvenido al famoso proceso de instalación de WordPress en cinco minutos! Simplemente completa la información siguiente y estarás a punto de usar la más enriquecedora y potente plataforma de publicación personal del mundo.

Información necesaria

Por favor, proporciona la siguiente información. No te preocupes, siempre podrás cambiar estos ajustes más tarde.

Título del sitio	JeanServer
Nombre de usuario	jean Los nombres de usuario pueden tener únicamente caracteres alfanuméricos, espacios, guiones bajos, guiones medios, puntos y el símbolo @.
Contraseña	JcSv2007  Ocultar Débil Importante: Necesitas esta contraseña para acceder. Por favor, guárdala en un lugar seguro.
Confirma la contraseña	☒ Confirma el uso de una contraseña débil.
Tu correo electrónico	jeanuniversidad17@gmail.com Comprueba bien tu dirección de correo electrónico antes de continuar.
Visibilidad en los motores de búsqueda	☒ Disuade a los motores de búsqueda de indexar este sitio Depende de los motores de búsqueda atender esta petición o no.

Instalar WordPress





¡Lo lograste!

WordPress ya está instalado. ¡Gracias, y que lo disfrutes!

Nombre de usuario	jean
Contraseña	Tu contraseña elegida.

[Acceder](#)



administrador@server-jean: ~

```
└─15682 /usr/sbin/apache2 -k start
└─15704 /usr/sbin/apache2 -k start

ago 11 00:50:53 server-jean systemd[1]: Starting apache2.service - The Apache HTTP Server...
ago 11 00:50:53 server-jean apachectl[14942]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'ServerName' directive globally to suppress this message
ago 11 00:50:53 server-jean systemd[1]: Started apache2.service - The Apache HTTP Server.
ago 11 00:51:42 server-jean systemd[1]: Reloading apache2.service - The Apache HTTP Server...
ago 11 00:51:42 server-jean apachectl[15039]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'ServerName' directive globally to suppress this message
ago 11 00:51:42 server-jean systemd[1]: Reloaded apache2.service - The Apache HTTP Server.
ago 11 00:53:39 server-jean phpMyAdmin[15045]: user denied: wp_user (mysql-denied) from 10.0.2.2
ago 11 02:50:57 server-jean systemd[1]: Reloading apache2.service - The Apache HTTP Server...
ago 11 02:50:57 server-jean apachectl[15669]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'ServerName' directive globally to suppress this message
ago 11 02:50:57 server-jean systemd[1]: Reloaded apache2.service - The Apache HTTP Server.

● mariadb.service - MariaDB 10.11.14 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-08-11 00:23:09 UTC; 2h 39min ago
     Docs: man:mariadb(8)
           https://mariadb.com/kb/en/library/systemd/
  Main PID: 12528 (mariadb)
    Status: "Taking your SQL requests now..."
     Tasks: 13 (limit: 30364)
  Memory: 94.5M (peak: 95.2M)
       CPU: 1.227s
    CGroup: /system.slice/mariadb.service
            └─12528 /usr/sbin/mariadb

ago 11 00:23:09 server-jean mariadb[12528]: 2026-08-11 0:23:09 0 [Note] /usr/sbin/mariadb: ready for connections.
ago 11 00:23:09 server-jean mariadb[12528]: Version: '10.11.14-MariaDB-0ubuntu0.24.04.1' socket: '/run/mysqld/mysqld.sock' port: 3306 Ubuntu 24.04
ago 11 00:23:09 server-jean systemd[1]: Started mariadb.service - MariaDB 10.11.
```

