


Question 1

Complete

Mark 1 out of 1



Flag question

Question text

fork() returns non zero value in child process and zero in parent process.

Select one:

- ☒ A. False
- ☐ B. True


Feedback

The correct answer is: False

Question 2

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following is packet based unidirectional IPC mechanism?

Select one:

- ☐ A. Message queue
- ☐ B. pipe
- ☒ C. socket
- ☐ D. None of the above


Feedback

The correct answer is: None of the above

Question 3

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following command is used to delete an IPC object by id or key?

Select one:

- ☐ A. ipcs
- ☐ B. ipcrm
- ☐ C. Ipcrm
- ☒ D. ipcs -r


Feedback

The correct answer is: ipcrm

Question 4

Complete

Mark 1 out of 1



Flag question

Question text

Select correct option for mutex.

Select one:

- ☐ A. A thread can lock mutex twice.
- ☒ B. A thread locking mutex is owner of that mutex.
- ☐ C. Owner can not unlock the mutex.
- ☐ D. None of the above


Feedback

The correct answer is: A thread locking mutex is owner of that mutex.

Question 5

Complete

Mark 0 out of 1



Flag question

Question text

What is internal fragmentation?

Select one:

- ☐ A. process is not utilizing the whole partition allocated to it.
- ☐ B. process is utilizing the whole partition allocated to it.
- ☐ C. amount of space required for process is not available.
- ☒ D. amount of space required for process is available, but not contiguous.


Feedback

The correct answer is: process is not utilizing the whole partition allocated to it.

Question 6

Complete

Mark 1 out of 1



Flag question

Question text

Linux systems does not allow to create a swap file.

Select one:

- ☐ A. True
- ☒ B. False


Feedback

The correct answer is: False

Question 7

Complete

Mark 0 out of 1



Flag question

Question text

Physical memory : _____ :: Logical Memory : _____

Select one:

- ☐ A. Pages, Frames
- ☐ B. Frames, Pages
- ☐ C. Pages, Fragments
- ☒ D. fragments, Frames


Feedback

The correct answer is: Frames, Pages

Question 8

Complete

Mark 0 out of 1



Flag question

Question text

If the size of logical address space is 2 to the power of m , and a page size is 2 to the power of n addressing units, then the high order ____ bits of a logical address designate the page number, and the ____ low order bits designate the page offset.

Select one:

- ☐ A. m , n
- ☒ B. n , m
- ☐ C. $m - n$, m
- ☐ D. $m - n$, n


Feedback

The correct answer is: $m - n$, n

Question 9

Complete

Mark 1 out of 1



Flag question

Question text

LRU page replacement algorithm suffers from Belady's anomaly.

Select one:

- ☐ A. true
- ☒ B. false


Feedback

The correct answer is: false

Question 10

Complete

Mark 0 out of 1



Flag question

Question text

Thrashing

Select one:

- ☐ A. reduces page I/O
- ☐ B. decreases the degree of multiprogramming
- ☐ C. implies excessive page I/O
- ☒ D. improves the system performance


Feedback

The correct answer is: implies excessive page I/O

Question 11

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following gives control of the CPU to the process selected by the short-term scheduler?

Select one:

- ☐ A. interpreter
- ☐ B. dispatcher
- ☒ C. scheduler
- ☐ D. none of the mentioned


Feedback

The correct answer is: dispatcher

Question 12

Complete

Mark 0 out of 1



Flag question

Question text

While fork(), the child's set of pending signals is initially ____.

Select one:

- ☒ A. filled with same as parent
- ☐ B. empty
- ☐ C. filled except masked signals in parent
- ☐ D. None of the above


Feedback

The correct answer is: empty

Question 13

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following is journaling file system

Select one:

- ☒ A. JFS
- ☐ B. UFS
- ☐ C. ext2
- ☐ D. ext3


Feedback

The correct answer is: ext3

Question 14

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following utility is used to unload the kernel module?

Select one:

- ☐ A. insmod
- ☐ B. rmmod
- ☐ C. modprobe
- ☐ D. Both b and c
- ☒ E. Only b
- ☐ F. All of the above


Feedback

The correct answer is: Both b and c

Question 15

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following file would tell you the IRQ channel for the network card while network troubleshooting?

Select one:

- ☒ A. /proc/irqs
- ☐ B. /proc/interrupts
- ☐ C. /proc/ioports
- ☐ D. /proc/interrupt


Feedback

The correct answer is: /proc/interrupts

Question 16

Complete

Mark 0 out of 1



Flag question

Question text

In kernel module programming, while reading and writing, user space address verification can be done by_____.

Select one:

- ☐ A. put_user
- ☒ B. chk_user
- ☐ C. access_ok
- ☐ D. none of the above


Feedback

The correct answer is: access_ok

Question 17

Complete

Mark 0 out of 1



Flag question

Question text

Work Queues always works in interrupt context.

Select one:

- ☒ A. True
- ☐ B. False


Feedback

The correct answer is: False

Question 18

Complete

Mark 1 out of 1



Flag question

Question text

IO port allocation is done by _____

Select one:

- ☐ A. check_io_region()
- ☒ B. alloc_io_region()
- ☐ C. register_io_region()
- ☐ D. request_io_region()


Feedback

The correct answer is: alloc_io_region()

Question 19

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following should be avoided in the interrupt handler?

Select one:

- ☐ A. calling wait_event
- ☐ B. locking semaphore
- ☐ C. allocating memory
- ☒ D. All of the above


Feedback

The correct answer is: All of the above

Question 20

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following file stores status of the modules in linux which we can see using lsmod?

Select one:

- ☒ A. /proc/modules
- ☐ B. /proc/module
- ☐ C. /proc/devices
- ☐ D. None of the above


Feedback

The correct answer is: /proc/modules

Question 21

Complete

Mark 1 out of 1



Flag question

Question text

The device driver module implements _____ function in write method.

Select one:

- ☐ A. copy_to_user()
- ☒ B. copy_from_user()
- ☐ C. put_user()
- ☐ D. get_user()


Feedback

The correct answer is: copy_from_user()

Question 22

Complete

Mark 1 out of 1



Flag question

Question text

How we can modify existing config file?

Select one:

- ☐ A. make menuconfig
- ☐ B. make gconfig
- ☐ C. make xconfig
- ☒ D. all of the above


Feedback

The correct answer is: all of the above

Question 23

Complete

Mark 1 out of 1



Flag question

Question text

The child does not inherit _____.

Select one:

- ☐ A. semaphore adjustments from its parent
- ☐ B. its parent's memory locks
- ☐ C. timers from its parent
- ☒ D. All of the above
- ☐ E. None of the above


Feedback

The correct answer is: All of the above

Question 24

Complete

Mark 0 out of 1



Flag question

Question text

Compiled kernel image is created in directory _____.

Select one:

- ☐ A. /arch/x86/boot
- ☐ B. /boot/grub
- ☐ C. /boot/grub2
- ☒ D. None of the above


Feedback

The correct answer is: /arch/x86/boot

Question 25

Complete

Mark 0 out of 1



Flag question

Question text

During execution of init_module(), state of kernel module is ____.

Select one:

- ☐ A. MODULE_STATE_COMING
- ☐ B. MODULE_STATE_ARRIVING
- ☐ C. MODULE_STATE_GOING
- ☐ D. MODULE_STATE_LIVE
- ☒ E. None of the above


Feedback

The correct answer is: MODULE_STATE_COMING

Question 26

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following option is used to see ELF symbol table in "objdump"?

Select one:

- ☐ A. -d
- ☐ B. -f
- ☐ C. -t
- ☒ D. -h


Feedback

The correct answer is: -t

Question 27

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following datatype is not supported in module parameter?

Select one:

- ☐ A. bool
- ☐ B. char
- ☒ C. charp
- ☐ D. int
- ☐ E. short


Feedback

The correct answer is: char

Question 28

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following exposes module parameter with different name, outside the module?

Select one:

- ☒ A. module_param()
- ☐ B. module_param_name()
- ☐ C. module_param_named()
- ☐ D. Both b and c
- ☐ E. None of the above


Feedback

The correct answer is: module_param_named()

Question 29

Complete

Mark 1 out of 1



Flag question

Question text

The device number which is of 32 bit and consist of _____ bits for major and _____ bits for minor.

Select one:

- ☐ A. 21, 11
- ☐ B. 11, 21
- ☐ C. 20, 12
- ☒ D. 12, 20


Feedback

The correct answer is: 12, 20

Question 30

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following registers cdev with kernel?

Select one:

- ☒ A. cdev_init()
- ☐ B. cdev_add()
- ☐ C. cdev_del()
- ☐ D. none of the above


Feedback

The correct answer is: cdev_add()

Question 31

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following dynamically find an available device number and allocate it?

Select one:

- ☐ A. register_chrdev_region()
- ☐ B. alloc_chardev_regin()
- ☒ C. alloc_chrdev_region()
- ☐ D. All of the above


Feedback

The correct answer is: alloc_chrdev_region()

Question 32

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following data structures kernel provides?

Select one:

- ☐ A. Linked List
- ☐ B. Queues
- ☐ C. Maps
- ☐ D. Binary Tree
- ☒ E. All of the above


Feedback

The correct answer is: All of the above

Question 33

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following is not USB driver's method

Select one:

- ☐ A. probe
- ☐ B. connect
- ☐ C. disconnect
- ☒ D. None of the above


Feedback

The correct answer is: connect

Question 34

Complete

Mark 1 out of 1



Flag question

Question text

Select odd option from below

Select one:

- ☐ A. `execl("./cmdline", "cmdline", "one", "two", "three", "four", NULL);`
- ☐ B. `char *args[] = { "cmdline", "one", "two", "three", NULL }; execv("./cmdline", args);`
- ☒ C. `execlp("ps", "ps", "-e", "-o", "pid,ppid,cmd");`
- ☐ D. None of the above


Feedback

The correct answer is: `execlp("ps", "ps", "-e", "-o", "pid,ppid,cmd");`

Question 35

Complete

Mark 1 out of 1



Flag question

Question text

Select the correct sequence for USB descriptors.

Select one:

- ☐ A. device -> interface -> endpoint
- ☐ B. configuration -> interface -> endpoint
- ☒ C. device -> configuration -> interface -> endpoint
- ☐ D. None of the above


Feedback

The correct answer is: device -> configuration -> interface -> endpoint

Question 36

Complete

Mark 1 out of 1



Flag question

Question text

In which of the following state change in child process, performing wait allows the system to release the resources associated with child process?

Select one:

- ☒ A. the child terminated
- ☐ B. the child was stopped by a signal
- ☐ C. the child was resumed by a signal
- ☐ D. All of the above
- ☐ E. None of the above


Feedback

The correct answer is: the child terminated

Question 37

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following is not used to examine and change the signal action?

Select one:

- ☐ A. signal
- ☐ B. sigaction
- ☒ C. sigprocmask
- ☐ D. All of the above


Feedback

The correct answer is: sigprocmask

Question 38

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following signal specified in mask, has effect on the process's signal mask while using sigsuspend?

Select one:

- ☐ A. SIGKILL
- ☐ B. SIGTERM
- ☐ C. SIGSTOP
- ☒ D. All of the above


Feedback

The correct answer is: SIGTERM

Question 39

Complete

Mark 0 out of 1



Flag question

Question text

Select correct option for pipe

Select one:

- ☒ A. pipefd[1] - read end, pipefd[0] - write end.
- ☐ B. pipefd[1] - read end, pipefd[1] - write end.
- ☐ C. pipefd[0] - read end, pipefd[1] - write end.
- ☐ D. None of the above


Feedback

The correct answer is: pipefd[0] - read end, pipefd[1] - write end.

Question 40

Complete

Mark 0 out of 1



Flag question

Question text

Select the value of mode if O_CREAT flag is provided in open system call to give permissions as user - read,write; group - read; others - nothing

Select one:

- ☐ A. 1A0
- ☐ B. 1B1
- ☒ C. 1A1
- ☐ D. 1B0

Feedback

The correct answer is: 1A0

Finish review

[Skip Quiz navigation](#)

Quiz navigation

[Question 1 This page](#) [Question 2 This page](#) [Question 3 This page](#) [Question 4 This page](#) [Question 5 This page](#) [Question 6 This page](#) [Question 7 This page](#) [Question 8 This page](#) [Question 9 This page](#) [Question 10 This page](#) [Question 11 This page](#) [Question 12 This page](#) [Question 13 This page](#) [Question 14 This page](#) [Question 15 This page](#) [Question 16 This page](#) [Question 17 This page](#) [Question 18 This page](#) [Question 19 This page](#) [Question 20 This page](#) [Question 21 This page](#) [Question 22 This page](#) [Question 23 This page](#) [Question 24 This page](#) [Question 25 This page](#) [Question 26 This page](#) [Question 27 This page](#) [Question 28 This page](#)

[Question 29 This page](#) [Question 30 This page](#) [Question 31 This page](#) [Question 32 This page](#)
[Question 33 This page](#) [Question 34 This page](#) [Question 35 This page](#) [Question 36 This page](#)
[Question 37 This page](#) [Question 38 This page](#) [Question 39 This page](#) [Question 40 This page](#)
[Show one page at a time](#)