




DESD-AUG-2017 - Internal Tests



Question 1

Complete

Mark 1 out of 1



Flag question

Question text

What are the essential tight constraint/s related to the design metrics of an embedded system?

Select one:

- ☐ a. Ability to fit on a single chip
- ☐ b. Low power consumption
- ☐ c. Fast data processing for real-time operations
- ☒ d. All of the above


Feedback

The correct answer is: All of the above

Question 2

Complete

Mark 1 out of 1



Flag question

Question text

Mutual exclusion can be provided by the

Select one:

- ☐ a. mutex locks

- ☐ b. binary semaphores
- ☒ c. both mutex locks and binary semaphores
- ☐ d. none of the mentioned


Feedback

The correct answer is: both mutex locks and binary semaphores

Question 3

Complete

Mark 0 out of 1



Flag question

Question text

Process synchronization can be done on

Select one:

- ☐ a. hardware level
- ☒ b. software level
- ☐ c. both hardware and software level
- ☐ d. none of the mentioned


Feedback

The correct answer is: both hardware and software level

Question 4

Complete

Mark 0 out of 1



Flag question

Question text

_____ techniques can be use to resolve conflicts, such as competition for resources, and synchronize processes so that they can co-operate.

Select one:

- ☐ a. Mutual Exclusion
- ☒ b. Synchronization
- ☐ c. Deadlock
- ☐ d. Starvation


Feedback

The correct answer is: Mutual Exclusion

Question 5

Complete

Mark 1 out of 1



Flag question

Question text

The page table contains

Select one:

- ☒ a. base address of each page in physical memory
- ☐ b. page offset
- ☐ c. page size
- ☐ d. none of the mentioned


Feedback

The correct answer is: base address of each page in physical memory

Question 6

Complete

Mark 1 out of 1



Flag question

Question text

Copying a process from memory to disk to allow space for other processes is Called

Select one:

- ☒ a. Swapping
- ☐ b. Deadlock
- ☐ c. Demand Paging
- ☐ d. Page Fault


Feedback

The correct answer is: Swapping

Question 7

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following is not inode operation?

Select one:

- ☐ a. link
- ☐ b. unlink
- ☐ c. mkdir
- ☒ d. None of the above


Feedback

The correct answer is: None of the above

Question 8

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following file system exports kernel objects to user space, also observes properties of kernel internal data structures and modify them?

Select one:

- ☐ a. proc
- ☐ b. sysfs
- ☒ c. Both
- ☐ d. None


Feedback

The correct answer is: sysfs

Question 9

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following architecture does not support embedded operating system

Select one:

- ☐ a. ARM
- ☐ b. AVR32
- ☐ c. MIPS
- ☒ d. None of the above


Feedback

The correct answer is: None of the above

Question 10

Complete

Mark 1 out of 1



Flag question

Question text

Select correct option __: __: __: __ bin:lib/sbin:etc

Select one:

- ☐ a. libraries, user commands, sys admin commands, configuration files
- ☐ b. user commands, sys admin commands, libraries, configuration files
- ☒ c. user commands, libraries, sys admin commands, configuration files
- ☐ d. user commands, libraries, configuration files, sys admin commands


Feedback

The correct answer is: user commands, libraries, sys admin commands, configuration files

Question 11

Complete

Mark 0 out of 1



Flag question

Question text

A bootloader is responsible for i. loading an operating system kernel and its ii. loading supporting infrastructure into memory iii. beginning the kernel's execution

Select one:

- ☐ a. i and ii
- ☒ b. i and iii
- ☐ c. ii and iii
- ☐ d. All of the above


Feedback

The correct answer is: All of the above

Question 12

Complete

Mark 1 out of 1



Flag question

Question text

Which one of the following bootloader is not used by linux?

Select one:

- ☐ a. GRUB
- ☐ b. LILO
- ☒ c. NTLDR
- ☐ d. None of the mentioned


Feedback

The correct answer is: NTLDR

Question 13

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following Utilities found in the binutils package

Select one:

- ☐ a. as, ld, ar
- ☐ b. objcopy, objdump
- ☐ c. Only a
- ☐ d. Only b
- ☒ e. Both a and b


Feedback

The correct answer is: Both a and b

Question 14

Complete

Mark 1 out of 1



Flag question

Question text

65. Which macro is used to add kernel module functions to kernel symbol table?

Select one:

- ☐ a. MODULE_EXPORT()
- ☒ b. EXPORT_SYMBOL()
- ☐ c. EXPORT_KERNEL()

☐ d. EXPORT_FUNCTION()


Feedback

The correct answer is: EXPORT_SYMBOL()

Question 15

Complete

Mark 1 out of 1



Flag question

Question text

Major number identifies the driver associated with the device and Minor number is used to identify exactly which device is referred to.

Select one:

- ☒ a. True
- ☐ b. False


Feedback

The correct answer is: True

Question 16

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following file operation in device driver allows issuing device specific commands?

Select one:

- ☐ a. mmap
- ☒ b. ioctl
- ☐ c. write
- ☐ d. None of the above


Feedback

The correct answer is: ioctl

Question 17

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following statement is not true?

Select one:

- ☐ a. insmod is used to load the kernel module.
- ☐ b. device drivers are dynamically loadable modules.
- ☒ c. modprobe is used to load and unload the kernel module
- ☐ d. None of the above


Feedback

The correct answer is: None of the above

Question 18

Complete

Mark 0 out of 1



Flag question

Question text

62. Hard irq's perform non blocking and can be preempted by another hard irq.


Select one or more:

- ☒ a. True
- ☐ b. False

Question 19

Complete

Mark 0 out of 1



Flag question

Question text

Select correct option i. cdev_add() Create a device node under /dev ii. cdev_init() associates major and minor numbers with device file iii. cdev_add() make device entry in sysfs

Select one:

- ☐ a. only i is correct
- ☒ b. i and ii are correct
- ☐ c. i and iii are correct
- ☐ d. all are correct


Feedback

The correct answer is: i and iii are correct

Question 20

Complete

Mark 0 out of 1



Flag question

Question text

The first argument of printk() indicates

Select one:

- ☒ a. message suffixed by priority string
- ☐ b. message prefixed by priority string
- ☐ c. type of kernel message logger
- ☐ d. None of the above


Feedback

The correct answer is: message prefixed by priority string

Question 21

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following provides a back trace of the execution in system space with respect to our methods?

Select one:

- ☐ a. dump_stack()
- ☒ b. obj_dump()
- ☐ c. trace()
- ☐ d. None of the above


Feedback

The correct answer is: dump_stack()

Question 22

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following is external tool for debugging?

Select one:

- ☒ a. probe
- ☐ b. LTI
- ☐ c. kgdb
- ☐ d. None of the above


Feedback

The correct answer is: kgdb

Question 23

Complete

Mark 0 out of 1



Flag question

Question text

Each thread has its own user stack and no kernel stack.

Select one:

- ☒ a. True
- ☐ b. False


Feedback

The correct answer is: False

Question 24

Complete

Mark 0 out of 1



Flag question

Question text

Which macros are used to read IO ports directly from Linux driver?

Select one:

- ☐ a. read()
- ☐ b. readdir()
- ☐ c. inb()
- ☒ d. poll()


Feedback

The correct answer is: inb()

Question 25

Complete

Mark 0 out of 1



Flag question

Question text

Which of the is invalid name for makefile?

Select one:

- ☐ a. Makefile
- ☐ b. makefile
- ☐ c. GNUmakefile
- ☐ d. GNUMakefile
- ☒ e. None of the above


Feedback

The correct answer is: GNUMakefile

Question 26

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following indicates first dependency from dependencies list?

Select one:

- ☐ a. \$<
- ☐ b. \$>
- ☒ c. \$@
- ☐ d. \$^


Feedback

The correct answer is: \$<

Question 27

Complete

Mark 0 out of 1



Flag question

Question text

In the following command, how many jobs will run simultaneously? `make -j8 -j4 bzImage`
Select one:

- ☒ a. 8
- ☐ b. 4
- ☐ c. 12
- ☐ d. Both a and b
- ☐ e. All of the above


Feedback

The correct answer is: 4

Question 28

Complete

Mark 0 out of 1



Flag question

Question text

Select correct option While configuring the kernel, the valid states for a configuration option are: i. y — the option is enabled. ii. n — the option is not enabled. iii. m — the option is set to be built as a module.

Select one:

- ☐ a. Only i and ii
- ☒ b. Only i and iii
- ☐ c. i, ii and iii
- ☐ d. Only ii and iii


Feedback

The correct answer is: i, ii and iii

Question 29

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following command copies the kernel image from `arch/i386/boot/bzImage` to `/boot/vmlinuz-version` and edits `/boot/grub/grub.cfg`

Select one:

- ☐ a. make modules
- ☐ b. make modules_install
- ☐ c. make bzImage
- ☒ d. make install


Feedback

The correct answer is: make install

Question 30

Complete

Mark 1 out of 1



Flag question

Question text

"make modules" compiles all modules and "make modules_install" installs all the compiled modules to their correct home in /modules.

Select one:

- ☐ a. True
- ☒ b. False


Feedback

The correct answer is: False

Question 31

Complete

Mark 0 out of 1



Flag question

Question text

The entries of /sys directory

Select one:

- ☐ a. are created at system startup when the subsystems register themselves with kobject core
- ☐ b. are created when any device is connects with the system
- ☒ c. are created at the time of kernel compilation
- ☐ d. none of the mentioned


Feedback

The correct answer is: are created at system startup when the subsystems register themselves with kobject core

Question 32

Complete

Mark 0 out of 1



Flag question

Question text

Which of the following is true?

Select one:

- ☐ a. native compiler: A compiler where target is the same system as host.
- ☐ b. cross compiler: A compiler where target is not the same system as host.
- ☐ c. cross-native compiler: A native compiler where build is not the same as host.
- ☒ d. All of the above.


Feedback

The correct answer is: native compiler: A compiler where target is the same system as host.

Question 33

Complete

Mark 1 out of 1



Flag question

Question text

To configure the kernel you can use which of the following command:

Select one:

- ☐ a. make xconfig
- ☐ b. make menuconfig
- ☐ c. make gconfig
- ☒ d. All of the above


Feedback

The correct answer is: All of the above

Question 34

Complete

Mark 1 out of 1



Flag question

Question text

Operating system can not kill any thread at any time but a thread can kill any other thread.
Select one:

- ☐ a. True
- ☒ b. False


Feedback

The correct answer is: False

Question 35

Complete

Mark 1 out of 1



Flag question

Question text

i)make ARCH=arm menuconfig ii)make ARCH=arm CROSS_COMPILE=arm-none-linux-gnueabi Above two lines indicates -->

Select one:

- ☐ a. The first line defines the host architecture config file, and the second line defines the toolchain for host machine.
- ☐ b. The first line defines the host architecture config file, and the second line defines the cross compilation toolchain prefix
- ☒ c. The first line defines the architecture that kernel needs to be built for, and the second line defines the cross compilation toolchain prefix.
- ☐ d. The first line defines the architecture that kernel needs to be built for , and the second line defines the toolchain for host machine.


Feedback

The correct answer is: The first line defines the architecture that kernel needs to be built for, and the second line defines the cross compilation toolchain prefix.

Question 36

Complete

Mark 1 out of 1



Flag question

Question text

For which of the following offset can be positive or negative?

Select one:

- ☐ a. SEEK_SET

- ☐ b. SEEK_END
- ☒ c. SEEK_CUR
- ☐ d. All of the above
- ☐ e. None of the above


Feedback

The correct answer is: SEEK_CUR

Question 37

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following is not unidirectional inter process communication mechanism?

Select one:

- ☐ a. pipe
- ☒ b. socket
- ☐ c. Both
- ☐ d. None


Feedback

The correct answer is: socket

Question 38

Complete

Mark 1 out of 1



Flag question

Question text

Which of the following signal can not be handled by the process?

Select one:

- ☐ a. SIGTERM
- ☐ b. SIGSTOP
- ☐ c. SIGKILL
- ☐ d. All of the above
- ☐ e. Both a and b
- ☒ f. Both b and c


Feedback

The correct answer is: Both b and c

Question 39

Complete

Mark 1 out of 1



Flag question

Question text

_____ option of ipcs is used show information about shared memory.

Select one:

- ☒ a. -m
- ☐ b. -s
- ☐ c. -sm
- ☐ d. None of the above


Feedback

The correct answer is: -m

Question 40

Complete

Mark 1 out of 1



Flag question

Question text

In which of the IPC mechanism, data is not copied from user space to kernel space and vice a versa?

Select one:

- ☐ a. Pipe
- ☐ b. Message queue
- ☒ c. Shared memory
- ☐ d. socket

Feedback

The correct answer is: Shared memory

Finish review

[Skip Quiz navigation](#)

Quiz navigation

[Question 1 This page](#) [Question 2 This page](#) [Question 3 This page](#) [Question 4 This page](#)
[Question 5 This page](#) [Question 6 This page](#) [Question 7 This page](#) [Question 8 This page](#)
[Question 9 This page](#) [Question 10 This page](#) [Question 11 This page](#) [Question 12 This page](#)
[Question 13 This page](#) [Question 14 This page](#) [Question 15 This page](#) [Question 16 This page](#)
[Question 17 This page](#) [Question 18 This page](#) [Question 19 This page](#) [Question 20 This page](#)
[Question 21 This page](#) [Question 22 This page](#) [Question 23 This page](#) [Question 24 This page](#)
[Question 25 This page](#) [Question 26 This page](#) [Question 27 This page](#) [Question 28 This page](#)
[Question 29 This page](#) [Question 30 This page](#) [Question 31 This page](#) [Question 32 This page](#)
[Question 33 This page](#) [Question 34 This page](#) [Question 35 This page](#) [Question 36 This page](#)
[Question 37 This page](#) [Question 38 This page](#) [Question 39 This page](#) [Question 40 This page](#)
[Show one page at a time](#) [Finish review](#)