

WIN (Winstrol)

Brand: ProLab

Pharmaceutical Form: Capsules

Presentation: Package with 100 capsules of 25 mcg each

## COMPOSITION:

Each WIN tablet contains 10 mg of Stanozolol, an anabolic steroid known for its ability to promote muscle mass gain and improve physical performance. This compound is particularly popular in the sports field due to its anabolic properties and its low conversion to estrogens, which minimizes estrogen-related side effects. WIN is formulated with excipients that guarantee its stability and bioavailability, optimizing its absorption in the body.

## THERAPEUTIC INDICATIONS:

WIN is indicated for the treatment of conditions that require increased muscle mass, such as in cases of cachexia, involuntary weight loss or catabolic conditions. In the field of sports and fitness, it is frequently used to improve muscle definition and strength, being ideal for cutting phases. Athletes choose it for its ability to increase endurance and promote faster recovery between workouts.

## RECOMMENDED DOSAGE:

WIN dosage can vary depending on the user's goal, experience, and individual tolerance. For beginner users, it is recommended to start with a dosage of 10 mg per day for the first week. This initial dosage allows the body's response to the compound to be assessed. From the second week onwards, the dosage can be increased to 20 mg daily, divided into two doses, preferably in the morning and evening.

Intermediate users may consider a dosage of 30 mg per day, while advanced users may opt for 40 mg daily, always in split doses. WIN cycles are typically six to eight weeks, and it is crucial to track performance and side effects throughout the cycle. To maximize results and minimize the risk of adverse effects, it is advisable to follow a proper post-cycle protocol.

## ADMINISTRATION MODE:

WIN should be administered orally, and it is suggested to take the tablets with a glass of water to facilitate their intake. To optimize absorption and minimize potential gastrointestinal discomfort, it is recommended to take the tablets after meals. Doses should be divided throughout the day, as this helps maintain stable levels of Stanozolol in the body, which can contribute to improving its effectiveness.

## CONTRAINDICATIONS:

WIN is contraindicated in patients with known hypersensitivity to Stanozolol or any component of the formula. In addition, it should not be used in people with a history of liver disease, cardiovascular disorders, or kidney problems. It is also contraindicated in pregnant or breastfeeding women, as use may affect the fetus and is excreted in breast milk.

