SAFETY DATA SHEET

STAINLESS STEEL CLEANER & POLISH

Section: 1. IDENTIFICATION

Product name	:	STAINLESS STEEL CLEANER & POLISH
Other means of identification	:	Not applicable.
Recommended use	:	Metal polish
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	Product is sold ready to use.
Company	:	Ecolab Co. 5105 Tomken Road Mississauga, Ontario Canada L4W 2X5 1-800-352-5326
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	05/31/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Aerosols : Category 2

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Flammable aerosol.
Pressurized container: May burst if heated.

Precautionary Statements : **Prevention:**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Storage:
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Actual concentration or concentration range is withheld as a trade secret

Chemical Name	CAS-No.	Concentration: (%)
white mineral oil, petroleum	8042-47-5	10 - 30
Butane	106-97-8	5 - 10

solvent naphtha (petroleum), medium aliph.	64742-88-7	5 - 10
propane	74-98-6	1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact	:	Rinse with plenty of water.
In case of skin contact	:	Rinse with plenty of water.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	:	Get medical attention if symptoms occur.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	No specific measures identified.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Pressurized container: May burst if heated. Flammable aerosols
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides
Special protective equipment and precautions for firefighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Risk of explosion.	:	Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 45 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	CAD AB OEL
		STEL (Mist)	10 mg/m3	CAD AB OEL
		VME (Mist - Inhalable dust)	5 mg/m3	OEL (QUE)
		TWA (Mist)	1 mg/m3	CAD BC OEL
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
Butane	106-97-8	TWA	1,000 ppm	CAD AB OEL
		VME	800 ppm 1,900 mg/m3	OEL (QUE)
		TWA	1,000 ppm	CAD BC OEL
Butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
solvent naphtha (petroleum), medium aliph.	64742-88-7	TWA	200 mg/m3 (as total hydrocarbon vapor)	CAD AB OEL
		TWA	525 mg/m3	CA ON OEL
		VME	200 mg/m3	OEL (QUE)
solvent naphtha (petroleum), medium aliph.	64742-88-7	TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
propane	74-98-6	TWA	1,000 ppm	CAD AB OEL
		VME	1,000 ppm 1,800 mg/m3	OEL (QUE)
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection	:	No special protective equipment required.
Skin protection	:	No special protective equipment required.
Respiratory protection	:	No personal respiratory protective equipment normally required.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	:	Aerosol.
Colour	:	opaque, white
Odour	:	citrus
pH	:	(1 %)Not applicable.
Flash point	:	Not applicable., Sustains combustion
Melting point/freezing point	:	no data available
Boiling point, initial boiling point and boiling range	:	> 100 °C
Flammability	:	Not applicable.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Relative density	:	0.894 - 0.951
Density	:	no data available
Water solubility	:	soluble
Solubility in other solvents	:	no data available
Partition coefficient: n-octanol/water (logarithmic value)	:	no data available
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, kinematic	:	6300.000 mm2/s (40 °C)
Explosive properties	:	no data available
Oxidizing properties	:	no data available
Molecular weight	:	no data available
VOC	:	no data available
Heat of combustion	:	6.26 kJ/g
Particle characteristics	:	no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition products	:	In case of fire hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx) Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Eye contact, Skin contact

Potential Health Effects

Eyes	:	Health injuries are not known or expected under normal use.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Intentional misuse by deliberate inhalation may be harmful or fatal.
Chronic Exposure	:	Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	:	No symptoms known or expected.
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.

Toxicity

Product

Acute oral toxicity	:	Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	:	no data available
Acute dermal toxicity	:	no data available
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Respiratory or skin sensitization	:	no data available

Carcinogenicity	:	no data available
Reproductive effects	:	no data available
Germ cell mutagenicity	:	no data available
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	no data available

Components

Acute inhalation toxicity : Butane
4 h LC50 rat: 280000 ppmTest atmosphere: gas

Components

Acute dermal toxicity : solvent naphtha (petroleum), medium aliph.
LD50 rabbit: > 2,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : white mineral oil, petroleum
96 h LC50 Leuciscus idus (Golden orfe): > 1,000 mg/l

Butane
96 h LC50 Fish: 22.03 mg/l

solvent naphtha (petroleum), medium aliph.
96 h LC50 Fish: 800 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods	:	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

UN number	:	1950
Description of the goods	:	AEROSOLS
Class	:	2.1 (8)
Environmentally hazardous	:	No

Sea transport (IMDG/IMO)

UN number	:	1950
Proper shipping name	:	AEROSOLS
Class	:	2.1
Marine pollutant	:	No

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

NPRI Components : Butane
solvent naphtha (petroleum), medium aliph.
propane

The components of this product are reported in the following inventories:

United States TSCA Inventory :
All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :
All components of this product are on the Canadian DSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :
not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :
not determined

Korea. Korean Existing Chemicals Inventory (KECI) :
On the inventory, or in compliance with the inventory


Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :
On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 05/31/2024
Version : 1.3
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.