```cpp
#include "Bank.h"

Bank::Bank() {
    balance = 0.0;
    depositNum = 0;
    withdrawlNum = 0;
    annualInterest = 0.02f;
    monthlyCharges = 0.0;
    serviceCharge = 0.0;

}

Bank::Bank(float b, int d, int w, float a, float m) {
    balance = b;
    depositNum = d;
    withdrawlNum = w;
    annualInterest = a;
    monthlyCharges = m;
    serviceCharge = 0.0;

}

void Bank::setBalance(float b) {
    balance = b;

}

void Bank::setCharges(float m) {
    monthlyCharges = m;
}

void Bank::setDeposit(int d) {
    depositNum = d;
}

void Bank::setInterest(float a) {
    annualInterest = a;
}

void Bank::setWithdrawl(int w) {
    withdrawlNum = w;
}

float Bank::getBalance()const {
    return balance;
}

int Bank::getDeposit()const {
    return depositNum;
```

```
}

int Bank::getWithdrawl()const {
    return withdrawlNum;
}

float Bank::getInterest()const {
    return annualInterest;
}

float Bank::getCharges()const {
    return monthlyCharges;
}


void Bank::deposit() {
    float d{};

    cout << "Enter an Amount to Deposit: ";
    cin >> d;

    while (d < 0)
    {
        cout << "ERROR: Must be greater than zero\n\n"
            << "Enter amount to Deposit: ";
        cin >> d;
    }
    balance += d;
    depositNum++;
}


void Bank::withdraw() {
    float w{};

    cout << "Enter an Amount to Withdrawl: ";
        cin >> w;

        while (w < 0)
        {
            cout << "ERROR: Must be greater than zero\n\n"
                << "Enter amount to withdrawl : ";
            cin >> w;
        }
        balance -= w;
        withdrawlNum++;
}

void Bank::calcInt() {
```

```cpp
    float interestM = annualInterest / 12;

    interestM = balance * interestM;

    balance = balance + interestM;
}

void Bank::monthlyProc() {
    balance -= serviceCharge;

    calcInt();

    withdrawlNum = 0;
    depositNum = 0;
    monthlyCharges = 0;
}

void Bank::display()
{
    cout << fixed << setprecision(2);
    cout << "Withdrawals:\t" << withdrawlNum
        << "\nDeposits:\t\t" << depositNum;
    monthlyProc();
    cout << "\nService Charges:\t" << serviceCharge
        << "\nEnding Balance:\t" << balance;

}
```