

```
1 #include "PartTime.h"
2
3
4 PartTime::PartTime(string first, string last, long id, double rate, double hours) :
    EmployeeType(first, last, id)
5 {
6     payRate = rate;
7     hoursWorked = hours;
8 }
9
10 void PartTime::set(string first, string last, long id, double rate, double hours) {
11     setName(first, last);
12     setId(id);
13     payRate = rate;
14     hoursWorked = hours;
15 }
16
17 void PartTime::setPayRate(double rate)
18 {
19     payRate = rate;
20 }
21
22 void PartTime::setHoursWorked(double hours) {
23     hoursWorked = hours;
24 }
25
26 double PartTime::getPayRate()const {
27     return payRate;
28 }
29
30 double PartTime::getHoursWorked()const {
31     return hoursWorked;
32 }
33
34 double PartTime::calcPay()const
35 {
36     return payRate * hoursWorked;
37 }
38
39 }
```

```
48
49
50
51 void PartTime::print()const {
52     cout << "ID: " << getId() << endl;
53     cout << "Name: ";
54     PersonType::print();
55
56     cout << endl;
57
58
59     cout << fixed << setprecision(2);
60     cout << "Wages: $" << calcPay();
61
62 }
63
64
65
66
67
68
69
70
71
72
```