

0/0 answered

CO3_AT3_MCQ OPEN

Multiple Choice Questions

0/25 answered

Attempt →

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2) OPEN

Debugging & Optimization Task

0/10 answered

Attempt →

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1) OPEN

Debugging & Optimization Task

0/10 answered

Attempt →

CO1_AT1_C CODE OUTPUT PREDICTION OPEN ✓ Completed

C CODE OUTPUT PREDICTION

10/10 answered

Review →

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1 ✓
C Code - Pointer with Array
10 marks

Q2 ✓
C Code - Linked List Node
10 marks

Q3 ✓
C Code - Binary Search
Complexity
10 marks

Q4 ✓
C Code - Pointer Increment
10 marks

Q5 ✓
C Code - Array Address
10 marks

Q6 ✓
C Code - Linked List Traversal
10 marks

Q1 C Code - Pointer with Array

10 marks

```
#include <stdio.h>
int main()
{
    int arr[]={10,20,30};
    int *p=arr;
    printf("%d",*(p+2));
}
```

Your Answer

30

Save Answer

QUESTIONS

Q1

C Code – Pointer with Array
10 marks

Q2

C Code - Linked List Node
10 marks

Q3

C Code - Binary Search
Complexity
10 marks

Q4

C Code - Pointer Increment
10 marks

Q5

C Code - Array Address
10 marks

Q6

C Code – Linked List Traversal



Q2 C Code - Linked List Node

10 marks

```
#include<stdio.h>
struct Node{
int data;
struct Node *next;
};
int main(){
struct Node n1,n2;
n1.data=10;
n2.data=20;
n1.next=&n2;
n2.next=NULL;
printf("%d",n1.next->data);
}
```

Your Answer

20

QUESTIONS

Q1 ✓
C Code – Pointer with Array
10 marks

Q2 ✓
C Code – Linked List Node
10 marks

Q3 ✓
C Code – Binary Search
Complexity
10 marks

Q4 ✓
C Code – Pointer Increment
10 marks

Q5 ✓
C Code – Array Address
10 marks

Q6 ✓
C Code – Linked List Traversal
10 marks

Q3 C Code - Binary Search Complexity

10 marks

```
while(low<=high){  
    mid=(low+high)/2;  
}
```

Your Answer

```
while (low <= high) {  
    mid = (low + high) /2;  
}
```

[Save Answer](#)

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

Q1 ✓
C Code - Pointer with Array
10 marks**Q2** ✓
C Code - Linked List Node
10 marks**Q3** ✓
C Code - Binary Search
Complexity
10 marks**Q4** ✓
C Code - Pointer Increment
10 marks**Q5** ✓
C Code - Array Address
10 marks**Q6** ✓
C Code - Linked List Traversal
10 marks**Q4 C Code - Pointer Increment**

10 marks

```
#include<stdio.h>
int main(){
int a[]={5,10,15};
int *p=a;
p++;
printf("%d",*p);
}
```

Your Answer

10

 Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION
[← Back](#)
QUESTIONS
Q1 ✓
C Code - Pointer with Array
10 marks

Q2 ✓
C Code - Linked List Node
10 marks

Q3 ✓
C Code - Binary Search
Complexity
10 marks

Q4 ✓
C Code - Pointer Increment
10 marks

Q5 ✓
C Code - Array Address
10 marks

Q6 ✓
C Code - Linked List Traversal
10 marks

Q5 C Code - Array Address

10 marks

```
int arr[]={5,10,15};
printf("%d",*(arr+1));
```

Your Answer

10

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1 ✓
C Code - Pointer with Array
10 marks

Q2 ✓
C Code - Linked List Node
10 marks

Q3 ✓
C Code - Binary Search
Complexity
10 marks

Q4 ✓
C Code - Pointer Increment
10 marks

Q5 ✓
C Code - Array Address
10 marks

Q6 ✓
C Code - Linked List Traversal
10 marks

Q6 C Code - Linked List Traversal

10 marks

```
Node1 -> Node2 -> Node3 (Node values are 10,20,30)
current=head;
current=current->next;
printf("%d",current->data);
```

Your Answer

20

 Save Answer

QUESTIONS

Q1 ✓
C Code - Pointer with Array
10 marks

Q2 ✓
C Code - Linked List Node
10 marks

Q3 ✓
C Code - Binary Search
Complexity
10 marks

Q4 ✓
C Code - Pointer Increment
10 marks

Q5 ✓
C Code - Array Address
10 marks

Q6 ✓
C Code - Linked List Traversal
10 marks

Q7 ✓
C Code - Recursion (Factorial)

Q7 C Code - Recursion (Factorial)

10 marks

```
#include <stdio.h>

int fact(int n){
    if(n==0)
        return 1;
    return n * fact(n-1);
}

int main(){
    printf("%d", fact(4));
    return 0;
}
```

Your Answer

```
#include <stdio.h>

int fact(int n){
    if (n == 0)
        return 1;
    return n* fact(n-1);
}
```

 Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION
[← Back](#)
QUESTIONS
Q1 ✓
C Code – Pointer with Array
10 marks

Q2 ✓
C Code – Linked List Node
10 marks

Q3 ✓
C Code – Binary Search
Complexity
10 marks

Q4 ✓
C Code – Pointer Increment
10 marks

Q5 ✓
C Code – Array Address
10 marks

Q6 ✓
C Code – Linked List Traversal
10 marks

Q8 C Code – Recursion (Sum)

10 marks

```
#include <stdio.h>

int sum(int n){
    if(n==0)
        return 0;
    return n + sum(n-1);
}

int main(){
    printf("%d", sum(5));
}
```

Your Answer

15

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

Q1

C Code – Pointer with Array
10 marks

Q2

C Code - Linked List Node
10 marks

Q3

C Code - Binary Search
Complexity
10 marks

Q4

C Code - Pointer Increment
10 marks

Q5

C Code - Array Address
10 marks

Q6

C Code – Linked List Traversal
10 marks

Q9 C Code – Primitive Data Type

10 marks

```
#include <stdio.h>

int main(){
    int a=10;
    char ch='A';
    printf("%d %c",a,ch);
}
```

Your Answer

10A

Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION
[← Back](#)
QUESTIONS
Q1 ✓
C Code - Pointer with Array
10 marks

Q2 ✓
C Code - Linked List Node
10 marks

Q3 ✓
C Code - Binary Search
Complexity
10 marks

Q4 ✓
C Code - Pointer Increment
10 marks

Q5 ✓
C Code - Array Address
10 marks

Q6 ✓
C Code - Linked List Traversal
10 marks

Q10 C Code - Linear Data Structure (Array)

10 marks

```
#include <stdio.h>

int main(){
    int arr[]={2,4,6,8};
    printf("%d",arr[3]);
}
```

Your Answer

8