



**St. JOSEPH'S**  
GROUP OF INSTITUTIONS  
OMR, CHENNAI - 119



## Placement Empowerment Program

*Cloud Computing and DevOps Centre*

Write the Shell Script to Monitor Logs : Create a script that monitors server logs for errors and alert you

Name: Sandhana Jefrina J

Department: CSE

# Introduction


Log files play a critical role in IT systems, as they record activities and events generated by applications, servers, and network devices. Monitoring these logs helps identify issues such as errors, warnings, and suspicious activities that may require immediate attention. Automating the monitoring process ensures efficiency and reduces the risk of missing critical information.

This PoC demonstrates the creation of a **PowerShell** script to monitor logs in real-time. The script will detect specific keywords (like "error") in a log file and alert the user when such events occur.

## Step-by-Step Overview


### Step 1:

Create a Folder called logs for Your Logs and Script



## Step 2:

Open Notepad and Add the following sample text to it and Save the file as **mylogfile.log** inside the logs folder




The screenshot shows a dark-themed Notepad window. The title bar reads "\*Untitled - Notepad". The menu bar includes "File", "Edit", and "View". The main text area contains the following log entries:

```
This is a sample log file.  
Info: System is running smoothly.  
error: Something went wrong!
```

## Step 3:

Open Notepad and Type the following PowerShell script into it and Set the \$LogFilePath address to the mylogfile.log which you saved in logs folder. Save the file as monitor\_logs.ps1 inside the same logs folder



The screenshot shows a Notepad window titled "Untitled - Notepad". The menu bar includes "File", "Edit", and "View". The main content area contains the following PowerShell script:

```
# Define the path to the log file
$LogFilePath = "C:\Users\DELL\OneDrive\Desktop\Desktop\logs"

# Define the keyword to monitor
$Keyword = "error"

# Function to send an alert
Function Send-Alert {
    param([string]$Message)
    Write-Host "ALERT: $Message" -ForegroundColor Red
}

# Monitor the log file for new entries
Get-Content -Path $LogFilePath -Wait -Tail 0 | ForEach-Object {
    if ($_.Contains($Keyword)) {
        Send-Alert "Keyword '$Keyword' found in log: $_"
    }
}
```

## Step 4:

Click the Windows Key and Search for Windows PowerShell and click Run as Administrator.



All

Apps

Documents

Web

Settings

Folders

Photos



P

...



## Best match

 Windows PowerShell  
System

## Apps

Windows PowerShell ISE &gt;

WinRAR &gt;

Windows Media Player Legacy &gt;

## Settings

Wi-Fi settings &gt;

Check for updates &gt;

Windows Defender Firewall &gt;

## Search the web

wi - See more search results &gt;

windy &gt;

WinRAR &gt;

## Documents (3+)

## Windows PowerShell

System

Open

Run as Administrator

Run ISE as Administrator

Windows PowerShell ISE

## Step 5:

Run the following command to allow script execution:

```
Set-ExecutionPolicy -Scope CurrentUser -ExecutionPolicy RemoteSigned
```

When prompted, type Y and press Enter.

```
Administrator: Windows PowerShell
windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Windows\system32> Set-ExecutionPolicy -Scope CurrentUser -ExecutionPolicy RemoteSigned

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
you to the security risks described in the about_Execution_Policies help topic at
https://go.microsoft.com/fwlink/?LinkId=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"):
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"):

PS C:\Windows\system32> cd C:\Users\DELL\OneDrive\Desktop\Desktop\logs
PS C:\Users\DELL\OneDrive\Desktop\Desktop\logs> cd C:\Users\DELL\OneDrive\Desktop\Desktop\logs
```

## Step 6:

Navigate to the logs folder

```
PS C:\Users\DELL\OneDrive\Desktop\Desktop\logs> C:\Users\DELL\OneDrive\Desktop\logs
```

## Step 7:


Run the script:

```
.\monitor_logs.ps1
```

```
PS C:\Users\DELL> .\monitor_logs.ps1
```

## Step 8:

Open mylogfile.log in Notepad and Add a new line with the word "error" and Save the file.



## Step 9:

Check PowerShell — you should see an alert like:

**ALERT: Keyword 'error' found in log: error: A new issue occurred!**

```
ALERT: Keyword 'error' found in log: error: A new issue occurred!
```

## Outcome:

By completing this Proof of Concept (PoC), we will:

1. Successfully create and execute a PowerShell script to monitor log files in real time.
2. Detect and alert on predefined keywords (e.g., "error") to highlight critical events.
3. Gain hands-on experience with PowerShell scripting and automation on a Windows system.
4. Understand the importance of log monitoring in proactive system maintenance and troubleshooting.
5. Learn to customize and scale the script for more advanced monitoring scenarios in future projects.