

MINING COMPANY

Business Continuity Plan

All-Hazards Operational Continuity and Recovery Framework

Assumed operation: open-pit mine, mineral processing plant, tailings/water systems, workshops, laboratory, warehouse, camp and administrative functions

Document control	Value
Company / operation	[LEGAL ENTITY AND MINE NAME]
Document owner	Business Continuity Manager / HSE Manager
Approved by	Managing Director / General Manager
Version and date	Version 1.0 [DD MMM YYYY]
Next review	[DD MMM YYYY — no later than 12 months]
Classification	Confidential — controlled copy

Important: This template must be localized to the mine design, commodity, jurisdiction, workforce, contracts, emergency response plan, environmental permits and regulator notification rules before approval. It supplements—not replaces—the mine Emergency Response Plan (ERP), evacuation procedures, major-hazard controls or statutory obligations.

Approval and Document Control

Role	Name	Signature	Date
Managing Director / Country Manager	[]	[]	[]
Mine General Manager	[]	[]	[]
HSE Manager	[]	[]	[]
Processing Manager	[]	[]	[]
IT/OT Manager	[]	[]	[]

Controlled Distribution

Copy	Custodian / location	Format	Access when systems unavailable
01	Emergency Control Centre (ECC)	Hard copy	Primary
02	Alternate ECC / security gate	Hard copy	Secondary
03	General Manager	Encrypted electronic + hard copy	Offline device
04	Corporate crisis team	Electronic	Secure repository
05	HSE / Emergency Response Lead	Hard copy	Response vehicle

Revision History

Version	Date	Change	Owner	Approval
1.0	[]	Initial issue	[]	[]

Immediate Actions — First 15 Minutes

1. Raise the alarm and follow the site ERP; protect life, evacuate or shelter as directed, and account for all persons.
2. Call the site emergency number: [INSERT]. Notify the Shift Supervisor / Incident Commander.
3. Stop or isolate affected work only when safe; preserve critical environmental controls (tailings, water, fuel and hazardous materials).
4. Establish incident command, open an incident log, confirm one authoritative communications channel, and prevent unauthorized media statements.
5. If disruption may exceed one shift or threatens a critical process, notify the Plan Owner to assess BCP activation.

Plan at a Glance

Priority	Outcome	Initial owner
1. Life safety	No further harm; all persons accounted for; emergency stabilized	Incident Commander / HSE
2. Environment & geotechnical integrity	No uncontrolled release, tailings failure, pit instability or water-system loss	HSE / Technical Services
3. Critical controls	Power, communications, dewatering, monitoring, security and access sustained	Engineering / IT / Security
4. Minimum viable operations	Safe care-and-maintenance, then constrained production	General Manager / Operations
5. Full recovery	Stable, authorized return with backlog and stakeholder obligations managed	Recovery Manager

Activation Levels

Level	Typical condition	Authority / posture
Level 0 — Managed locally	Short interruption; contained within department; recovery within 4 hours	Department manager; ERP/local procedures

Level	Typical condition	Authority / posture
Level 1 — Partial activation	One critical process unavailable >4 hours, one shift lost, material supplier/IT disruption, or significant stakeholder concern	General Manager or delegate; selected continuity teams
Level 2 — Full activation	Site-wide loss, expected outage >24 hours, fatality/multiple injuries, major environmental or geotechnical event, prolonged utility/access loss, severe cyberattack	Managing Director/General Manager; full crisis and continuity structure
Level 3 — Corporate crisis	Multi-site, national, prolonged (>7 days), existential legal/reputation/cash impact	Executive/Crisis Management Team

Golden rule: Emergency response stabilizes the event; business continuity sustains critical outcomes; recovery restores the operation. During conflict, life safety, legal duties and the Incident Commander's directions take precedence.

1. Introduction

1.1 Purpose

This Business Continuity Plan (BCP) provides a coordinated method to respond to disruptive incidents, sustain critical mine services at an acceptable minimum level, protect people and the environment, meet legal and contractual obligations, and restore safe production. It establishes decision rights, recovery priorities, communications, financial tracking, and scenario-based procedures.

1.2 Scope

The plan applies to employees, contractors and controlled activities at the mine, processing plant and supporting facilities. It covers loss or degradation of people, premises/access, plant and mobile fleet, electrical power and fuel, water and tailings systems, IT/operational technology (OT), communications, critical suppliers, logistics, camp and medical services. It addresses all-hazards disruption, including severe weather, wildfire/flood, geotechnical instability, fire/explosion, hazardous-material release, epidemic, labor or community disruption, cyberattack, utility failure and transport-route closure.

Exclusions: Detailed rescue, firefighting, medical treatment, spill response and evacuation tactics remain in the approved ERP and specialist procedures. This BCP begins in parallel once sustained operational impact is credible.

1.3 Plan Possession

The Document Owner maintains the master copy and distribution register. Controlled copies shall be available offline at the primary and alternate ECC. Each custodian must protect the plan, confirm quarterly access, replace

superseded copies, and report missing copies. Contact lists are maintained as a restricted annex and verified monthly by role, not only by individual name.

1.4 Key Assumptions

- The mine is a remote open-pit operation with a concentrator or processing plant, tailings storage facility (TSF), water-reticulation/dewatering system, power substation, fuel farm, workshop, warehouse, laboratory, camp and road-haul logistics.
- Normal operations run continuously with employees and contractors on shifts; mutual aid and specialist vendors may require 4–24 hours to mobilize.
- The mine ERP, environmental emergency plan, TSF Emergency Preparedness and Response Plan, cybersecurity incident response plan and medical evacuation arrangements are current and independently accessible.
- At least one alternate voice channel (satellite phone or radio) and offline copies of essential drawings, contact lists, operating limits and backups are available.
- Critical spares and consumables are sized using lead time and consequence; single-source items are explicitly recorded.
- No production restarts until safety, environmental, geotechnical, process and regulatory release criteria are satisfied.
- Recovery time objectives (RTOs) in this template are planning targets and must be validated through a Business Impact Analysis (BIA).

Planning Basis and Hazard Profile

Disruption	Credible mining consequence	Primary controls
Power failure	Loss of dewatering, plant, communications, ventilation/lighting and camp services	Black-start plan; standby generation; load-shedding priorities; fuel endurance
Flood / extreme rainfall	Pit inundation, road loss, overtopping risk, erosion and contaminated discharge	Forecast triggers; freeboard monitoring; diversion drains; pumps; alternate access
Geotechnical / TSF event	Fatal risk, exclusion zones, production stop, environmental and community impact	Instrumentation alarms; TARPs; independent engineer; evacuation and notification
Fire / explosion	Casualties, plant/fuel loss, smoke, prolonged shutdown	ERP; isolation; fire systems; hot-work control; mutual aid
Cyber / OT compromise	Unsafe control state, loss of visibility, dispatch/lab/finance outage	Network segregation; manual fallback; immutable backups; controlled restoration
Supply / logistics interruption	Fuel, explosives, reagents, tires or critical-spares shortage	Minimum stocks; dual sourcing; alternate route; allocation rules
Workforce / health event	Insufficient certified roles or camp capacity	Cross-training; relief roster; remote work; health controls

2. Business Continuity Roles and Responsibilities

Role	Core responsibilities	Named alternate
Managing Director / Corporate Crisis Lead	Strategic direction; Board, investor and government interface; extraordinary expenditure; Level 3 declaration	[]
Mine General Manager / BCP Director	Activate/deactivate BCP; set objectives; approve operating posture; allocate resources; authorize recovery stages	[]
Incident Commander	Command emergency response; life safety; incident perimeter; handover stabilized conditions to Recovery Manager	[]
Recovery Manager	Coordinate workstreams, dependencies, RTOs, restart gates, action log and situation reports	[]
HSE Manager	Safety/environmental risk assessment; regulator notices; monitoring; permits; evidence preservation	[]
Operations Manager	Safe shutdown; care-and-maintenance; pit/underground access; minimum production plan	[]
Processing Manager	Plant isolation/preservation; water balance; controlled restart and product quality	[]
Technical Services / Geotechnical Lead	Slope, ground, TSF and water-system status; inspections; exclusion zones; engineering release	[]
Engineering / Maintenance Manager	Utilities, fixed/mobile assets, inspection, repair, spares and contractor mobilization	[]
IT/OT Manager	Cyber containment; communications; backups; clean restoration; access control and logging	[]
Supply Chain / Logistics	Inventory, fuel/reagent allocation, alternate suppliers/routes, emergency procurement	[]
HR / Camp / Medical	Accountability, welfare, fatigue, certified staffing, next-of-kin support, travel and accommodation	[]
Finance / Cost Controller	Emergency cost code, commitments, insurance records, cash and continuity cost reporting	[]
Communications Lead	Approved messages, stakeholder map, rumor control, media monitoring and records	[]
Security Lead	Access, traffic, perimeter, escorts, evidence and community interface support	[]

Command Structure and Operating Rhythm

- The Incident Commander retains command of the hazardous scene. The BCP Director governs continuity priorities outside the hot zone. The Recovery Manager integrates both through a single action plan.
- ECC briefings: every 30 minutes during active life-safety response; every 2 hours during the first operational period; then at least twice daily.
- Each briefing records: safety status, personnel accountability, incident facts, forecast, critical-process status, decisions, actions/owners/due times, communications and costs.

- Use a formal shift handover with an outgoing/incoming signature and unresolved-action review.

3. Business Continuity Plan Activation Procedure

3.1 Trigger and Escalation Test

Any manager may request activation. The BCP Director or delegated senior manager declares the activation level after considering the following tests. If communications are unavailable, the most senior competent person on site may provisionally activate the plan and must document the decision.

Test	Escalate when any answer is “yes”
People	Fatality, multiple serious injuries, missing persons, evacuation/shelter exceeding one shift, or insufficient competent staff?
Environment / geotechnical	Actual or credible major spill, uncontrolled discharge, TSF/pit instability, critical monitoring loss, or regulator-reportable event?
Duration / capacity	Critical process unavailable beyond its RTO or production/site access expected to be constrained >24 hours?
Technology / utilities	Loss of power, water, communications, OT/IT or control visibility affecting safe operation?
Supply chain	Fuel, explosives, reagent, tire or critical-spares stock projected below safe minimum before replenishment?
Stakeholders	Significant community, customer, lender, insurer, government or media impact?

3.2 Activation Steps

- Confirm emergency alarms, accountability and ERP actions are active; do not enter an unsafe area to assess continuity impact.
- Open the BCP Activation Log; record decision time, declarant, event summary, known impacts, assumptions and activation level.
- Appoint the Recovery Manager and activate required functional leads and alternates.
- Establish the primary ECC at [LOCATION]. If unavailable, use [ALTERNATE LOCATION] or virtual ECC.
- Set immediate objectives for the next operational period: protect people, prevent escalation, sustain critical controls, determine outage forecast and communicate.
- Complete a rapid BIA: people, premises, plant, technology, suppliers, regulatory deadlines, customers and cash.
- Select operating posture: emergency-only; care-and-maintenance; minimum viable operations; constrained production; or normal recovery.
- Issue an initial internal notification and required statutory notices; set the next update time even if no new facts are expected.
- Approve resource requests and emergency cost code; initiate insurer/broker notification where policy conditions require prompt notice.

15. Review level and objectives at each ECC briefing; formally record escalation, stand-down or transition to recovery.

3.3 Decision and Action Log — Minimum Fields

Time	Fact / assumption	Decision or action	Owner	Due	Status
[]	[]	[]	[]	[]	[]
[]	[]	[]	[]	[]	[]
[]	[]	[]	[]	[]	[]
[]	[]	[]	[]	[]	[]

Critical Activity Recovery Priorities

Planning targets below are realistic starting points for a remote mine and must be validated against the site BIA, equipment design and legal requirements. MTPD means maximum tolerable period of disruption; RPO means maximum tolerable data loss.

Priority / activity	Minimum acceptable level	RTO	MTPD / RPO	Dependencies
P0 — Personnel accountability, emergency command and medical response	100% accountability; emergency call and radio coverage	Immediate—15 min	No tolerance / paper log	Radios, muster lists, transport, clinic
P0 — TSF, pit/slope and environmental monitoring	Critical instruments or competent manual inspections maintained	≤1 hr	4 hr / latest reading	Power, access, telemetry, geotechnical staff
P0 — Dewatering, process-water containment and critical drainage	Prevent inundation, overtopping or uncontrolled release	≤1 hr	4 hr	Pumps, power, fuel, pipelines, operators
P0 — Security, access and traffic control	Secure exclusion zones; controlled emergency access	≤30 min	2 hr	Guards, barriers, road status, lighting
P1 — Electrical supply and essential communications	Emergency bus; ECC, pumps, clinic, security, servers/OT monitoring	≤2 hr	8 hr / 15 min	Generators, fuel, switchgear, technicians
P1 — Fuel, explosives and hazardous-material control	Safe storage, inventory and authorized issue	≤4 hr	24 hr / paper record	Security, supplier, transport, permits
P1 — IT/OT identity, backup and core business systems	Clean communications and read-only critical data; manual fallback	≤4 hr	24 hr / RPO 1 hr	Network, backups, cyber team, vendor
P2 — Camp, food, potable water and sanitation	Support essential roster for 7 days	≤8 hr	24 hr	Catering, water treatment, waste, transport
P2 — Maintenance workshop and critical spares	Emergency repairs and inspections	≤12 hr	48 hr	Technicians, crane, parts, permits
P2 — Laboratory / grade-control information	Safety/environmental tests first; production assays by manual queue	≤24 hr	72 hr / RPO 4 hr	Samples, instruments, LIMS/manual forms
P3 — Mining and processing production	Start at safe, constrained rate after release gates	24–72 hr	7 days	All P0/P1 services, workforce, ore/water balance
P3 — Payroll, procurement and customer logistics	Priority payroll; emergency POs; revised shipment commitments	≤48 hr	5 days / RPO 24 hr	Bank, ERP, suppliers, transport

Service rule: A function may not claim recovery merely because equipment is energized. Recovery requires competent staffing, safe operating limits, required data, upstream/downstream dependencies, permits and an agreed sustainable capacity.

4. Return to Business-as-Usual and Subsequent Activities

4.1 Phased Recovery

Stage	Entry criteria	Permitted activity	Exit / approval
A — Stabilize	ERP active; accountability in progress	Emergency isolation, rescue, containment, monitoring	Incident Commander confirms hazard stabilized
B — Care and maintenance	No uncontrolled life-safety threat; essential areas assessed	Preserve assets; dewater; monitor TSF/slope; maintain utilities and security	BCP Director approves minimum viable posture
C — Controlled restart	Engineering/HSE/geotechnical inspections complete; critical controls verified	Test utilities and equipment; low-rate operation; increased monitoring	Functional leads sign restart certificate
D — Constrained production	Stable operation at reduced capacity; supply/workforce sufficient	Ramp by defined steps; manage backlog and product quality	General Manager authorizes next ramp step
E — Business as usual	Stable for defined period; controls, staffing and supply restored	Normal production and governance; remaining recovery tracked	BCP Director formally deactivates BCP

4.2 Restart Authorization Checklist

- ☐ All persons accounted for; welfare and fatigue controls are effective.
- ☐ Incident area is released or isolated; statutory prohibitions and preservation orders are understood.
- ☐ Geotechnical, TSF, water-balance and environmental conditions are within approved limits; monitoring is available.
- ☐ Electrical, mechanical, structural and fire-protection inspections are completed and documented.
- ☐ Emergency stops, alarms, interlocks, guarding, ventilation, communications and critical instrumentation have been function-tested.
- ☐ Hazardous energy isolations and temporary modifications are controlled; change management and permits are approved.
- ☐ Required competent operators, maintainers, supervisors and emergency responders are available.
- ☐ Fuel, explosives, reagents, potable water, food, spares and waste capacity support the proposed run time.
- ☐ IT/OT systems are restored from trusted sources; accounts, time synchronization, logging and backup are verified.
- ☐ Regulator, insurer, landowner or independent engineer approvals are obtained where applicable.

- ☐ Downstream capacity, ore stockpiles, water balance, tailings deposition plan, laboratory and product logistics are aligned.
- ☐ A written start-up plan defines ramp steps, hold points, abort criteria and responsible approvers.

4.3 Deactivation and Aftercare

- BCP Director records deactivation time, rationale, residual risks, open actions and transition owner.
- Notify all activated teams and stakeholders that normal governance has resumed; do not imply that investigations are complete.
- Reconcile personnel time, emergency procurement, inventory use, losses, claims and customer impacts.
- Preserve records, photographs, telemetry, system logs, samples, decisions and communications in accordance with legal hold requirements.
- Conduct a hot debrief within 24–72 hours and a formal after-action review within 30 days.
- Assign corrective actions with risk rating, owner, funding and due date; update the BIA, BCP, ERP, training and contracts.
- Provide continuing medical, psychological, family and community support as appropriate.

5. Tracking Continuity Costs

Finance shall establish a unique incident cost center before material commitments are made, or retrospectively within the first operational period. Normal operating costs and incremental incident costs must be separated. No emergency procurement waiver removes requirements for authorization, anti-fraud controls or evidence.

Cost class	Examples	Evidence / owner
Response labor	Overtime, callout, travel, accommodation, relief crews	Approved timesheets / HR
Contractors and equipment	Cranes, pumps, generators, aircraft, security, environmental specialists	PO, contract, utilization log / Supply Chain
Materials and inventory	Fuel, absorbents, reagents, critical spares, PPE	Issue record and stock valuation / Warehouse
Logistics and welfare	Alternate transport, camp, food, medical evacuation, family support	Manifest/invoice / HR & Logistics
Repair and restoration	Inspection, repair, rebuild, temporary works, data restoration	Work order, scope, invoice / Engineering & IT
Environmental and regulatory	Sampling, cleanup, monitoring, experts, fees	Chain of custody/report / HSE
Business interruption	Lost tonnes, lost sales, penalties, expedited freight, customer concessions	Production/contract model / Finance
Insurance recoveries	Property damage, business interruption, extra expense	Claim file / Risk & Insurance

Daily Cost Report

Date	Cost code	Supplier / employee	Description	Committed	Actual	Recoverable?	Approver
[]	[]	[]	[]	[]	[]	[]	[]
[]	[]	[]	[]	[]	[]	[]	[]
[]	[]	[]	[]	[]	[]	[]	[]
[]	[]	[]	[]	[]	[]	[]	[]
[]	[]	[]	[]	[]	[]	[]	[]

- Record commitments when authorized, not only when invoiced.
- Use quantity and rate support; retain contracts, purchase orders, delivery notes, work orders, photographs and reasonableness checks.
- Finance issues a daily estimate of cost-to-date, committed cost, forecast-at-completion, lost production and potential insurance recovery.
- Notify insurer/broker promptly and obtain consent before major repair or disposal where required; protect damaged property unless unsafe.

6. Required Communications

6.1 Principles

- Life-safety and statutory notifications take priority. Use verified facts, state uncertainty, protect privacy, and never speculate on cause or blame.
- One Communications Lead coordinates external messaging. Only authorized spokespeople address media, investors or social channels.
- Employees and contractors should hear material news internally before or at the same time as external audiences when practicable.
- Every message identifies what happened, what is being done, what recipients must do, where to obtain help, and the next update time.
- Maintain a communications log including time, audience, approver, channel, exact message and delivery confirmation.
- Provide interpreters and accessible formats where the workforce or affected community requires them.

6.2 Notification Matrix

Audience	Trigger	Owner	Channel / target timing
Emergency services / mine rescue	Life-threatening emergency, fire, entrapment, major spill	Incident Commander	Dedicated emergency line — immediately
Mining / safety regulator	Reportable accident, dangerous occurrence, closure or prohibition	HSE / Legal	Prescribed method — statutory deadline
Environmental / water / dam authority	Actual or threatened release, TSF/water event, permit exceedance	HSE / TSF Responsible Person	Prescribed method — statutory deadline
Employees and contractors	Activation, muster, shift or access changes	HR / Communications	SMS, radio, supervisor cascade — ≤30 min
Next of kin / families	Confirmed affected persons; prolonged emergency	Family Liaison	Private, verified contact before public identification
Community / local authority / landowners	Off-site risk, road closure, noise, water or access impact	Community Relations	Established liaison channel — early and recurring
Customers / logistics partners	Shipment or specification risk	Commercial / Supply Chain	Direct call then written update — ≤4 hr
Insurer / broker / lender	Potential insured loss or covenant/material impact	Finance / Legal	Policy/contract method — prompt notice
Board / owners / investors	Material operational, financial or reputation event	Managing Director	Situation report / disclosure process
Media	Public-interest event or inbound inquiry	Authorized spokesperson	Holding statement; scheduled briefings

6.3 Initial Holding Statements

Internal: At [TIME], an incident involving [CONFIRMED FACTS ONLY] occurred at [LOCATION]. Emergency procedures are active and [ACCOUNTABILITY STATUS]. Do not enter [AREA]. Follow supervisor and emergency-channel instructions. The next update will be issued by [TIME/CHANNEL].

External: [COMPANY] is responding to an incident at [SITE] reported at [TIME]. Our immediate priorities are the safety of people and protection of the environment. Emergency services and relevant authorities [have been/are being] notified. We will provide verified updates through [CHANNEL]. We will not speculate while response and assessment activities continue.

7. Recovery Procedures

7.1 Universal Recovery Procedure

16. Assess: confirm personnel, hazards, asset condition, dependencies, legal constraints, outage estimate and minimum service requirement.
17. Isolate and preserve: establish exclusion zones, lockout/tagout, protect evidence, preserve equipment and prevent environmental escalation.
18. Select workaround: manual process, alternate asset/site/route/supplier, stock allocation, remote work or temporary service. Risk-assess and approve every workaround.
19. Mobilize: assign competent owner, resources, spares, contractors, permits, drawings and communications.
20. Verify: inspect, test and independently check critical controls; document results and defects.
21. Restore in sequence: energize utilities first, then monitoring/control, support services, and production equipment using hold points.
22. Monitor: increase inspections, sampling and alarm review; compare actual performance with restart limits.
23. Close: confirm sustainable service, reconcile temporary changes and update logs, costs and lessons.

7.2 Loss of Electrical Power / Utilities

- Initiate electrical emergency procedure; treat conductors as live until isolated and tested.
- Confirm status of incoming supply, substations, MCCs, UPS, standby generators and fuel endurance.
- Apply approved load-shedding order: ECC/communications, clinic, TSF and geotechnical monitoring, dewatering/drainage, fire protection/security, potable water/camp, then asset preservation.
- Dispatch manual inspection rounds where telemetry is lost and access is safe. Record water levels, freeboard, slope indicators, temperatures and fuel.
- Coordinate utility repair estimate; mobilize rental generation and transformers using pre-engineered connection points.
- Before re-energization, inspect for flooding, damage and unintended starts; notify area owners; energize by approved switching schedule.
- Restart high-load equipment sequentially; verify protection, phase rotation, interlocks and stable voltage/frequency.

7.3 IT / OT or Cyber Disruption

- Report through the cyber incident channel; do not power-cycle, reconnect or use removable media unless directed by IT/OT response lead.
- Segment affected networks and disable compromised remote access while maintaining safe local control. If control visibility is unreliable, move plant to a safe state.
- Use paper dispatch, laboratory, maintenance, access and inventory forms. Apply two-person verification to safety- or quality-critical manual entries.
- Establish trusted communications and asset inventory; preserve logs and forensic evidence.
- Restore identity, network services and monitored clean infrastructure before applications; validate backups offline before recovery.

- Reconcile paper transactions, time stamps, process setpoints and inventory only after systems are trusted; retain original records.

7.4 Geotechnical, TSF or Water-Management Event

- Immediately implement the applicable Trigger Action Response Plan (TARP) and TSF/ground-control emergency plan; establish exclusion and downstream warning zones.
- Confirm instrument validity; obtain competent visual inspections and independent technical review. Do not enter areas below unstable slopes, embankments or water-retaining structures.
- Maintain water balance, pumping, diversion and freeboard; stage backup pumps, fuel, pipe and erosion-control materials.
- Notify authorities and potentially affected communities using pre-agreed warning protocols where trigger levels require.
- Production remains suspended in affected areas until the responsible engineer documents conditions, temporary controls, monitoring frequency and release limits.
- Record readings, photographs, survey data, rainfall, deposition/pumping changes, decisions and communications.

7.5 Fire, Explosion or Hazardous-Material Release

- Follow ERP: alarm, evacuate/upwind shelter, account for personnel and allow trained responders to control the scene.
- Isolate energy, fuel and process feeds remotely where safe; protect drainage and deploy containment without exposing personnel.
- Identify product using SDS and inventory; monitor air/water as required; establish decontamination and waste routes.
- Inspect structural, electrical, fire-protection and pressure systems before entry or reuse.
- Preserve damaged property and evidence; coordinate regulator, insurer and specialist investigation requirements.
- Use alternate plant, stockpile or shipping arrangements only after contamination and product-quality risks are cleared.

7.6 Severe Weather, Flood, Wildfire or Access Loss

- Use forecast and site trigger levels to pre-position pumps, generators, food, water, medical supplies and relief staff; suspend travel before routes become unsafe.
- Confirm stormwater diversions, pond levels, TSF freeboard, culverts, pit sumps, firebreaks and vulnerable power/communications assets.
- Maintain essential workforce on site without exceeding camp, fatigue, sanitation or emergency-response capacity.
- Activate alternate access/transport only after route assessment and authorization; publish a journey-management restriction.
- After the event, inspect roads, slopes, bridges, electrical assets, water systems, buildings and contamination before access or restart.

7.7 Critical Supplier or Logistics Failure

- Calculate days of cover at current and minimum safe consumption for fuel, explosives, reagents, tires, grinding media, PPE, food and potable-water treatment.
- Allocate stock by life safety, environmental control, asset preservation and constrained production priority.
- Contact primary supplier, qualified alternate and neighboring operations/mutual aid; verify specifications and regulatory approval before substitution.
- Activate alternate route/carrier and secure permits, escorts, storage and off-loading capability.
- Adjust mine and plant plan to a sustainable rate; do not consume below the reserve needed for safe shutdown and care-and-maintenance.

7.8 Workforce Shortage / Public Health Event

- Identify minimum certified roles per shift and the maximum safe roster duration; prohibit work without legally required competency.
- Activate relief roster, cross-trained alternates and remote administrative work; control fatigue, accommodation and transport.
- Apply occupational-health advice, infection controls and fitness-for-work/privacy requirements.

- Prioritize medical, emergency response, utilities, monitoring, security and care-and-maintenance before production.
- Maintain fair contractor and employee communications, payroll continuity and welfare/mental-health support.

Appendix A — Site-Specific Data Sheet

Legal entity / mine name: [COMPLETE BEFORE ISSUE]
Commodity and mining method: [COMPLETE BEFORE ISSUE]
Mine license / regulator ID: [COMPLETE BEFORE ISSUE]
Site coordinates and physical address: [COMPLETE BEFORE ISSUE]
Primary ECC / alternate ECC: [COMPLETE BEFORE ISSUE]
Site emergency number: [COMPLETE BEFORE ISSUE]
Emergency services / mine rescue: [COMPLETE BEFORE ISSUE]
Nearest capable hospital / medevac provider: [COMPLETE BEFORE ISSUE]
Mining safety regulator: [COMPLETE BEFORE ISSUE]
Environmental / water authority: [COMPLETE BEFORE ISSUE]
TSF responsible engineer / independent reviewer: [COMPLETE BEFORE ISSUE]
Electricity provider / generator supplier: [COMPLETE BEFORE ISSUE]
Fuel / explosives / reagent critical suppliers: [COMPLETE BEFORE ISSUE]
Primary and alternate access routes: [COMPLETE BEFORE ISSUE]
Satellite phone / emergency radio channels: [COMPLETE BEFORE ISSUE]
Insurer / broker / claim number: [COMPLETE BEFORE ISSUE]
Media spokesperson: [COMPLETE BEFORE ISSUE]
Community / local authority contacts: [COMPLETE BEFORE ISSUE]

Minimum Offline Information Pack

- ☐ Current contacts and callout roster
- ☐ Site map, muster points, access routes and exclusion zones
- ☐ Single-line electrical diagrams and generator/load-shedding plan
- ☐ Water balance, TSF inundation/warning maps and critical TARPs
- ☐ Hazardous-material inventory and SDS
- ☐ Critical spares/suppliers and stock days of cover
- ☐ Manual operating forms and clean system rebuild instructions
- ☐ Insurance policies and notification clauses

Appendix B — Activation and Situation Report Forms

BCP Activation Record

Field	Entry
Incident / reference number	
Date and time	
Location and confirmed facts	
Personnel status	
Immediate hazards / environmental status	
Critical activities affected	
Expected duration / confidence	
Activation level and rationale	
Declarant / authority	
ECC location and Recovery Manager	
First operational-period objectives	
Next briefing / update time	

Situation Report (SITREP)

Section	Current position
Reporting period / prepared by	
Safety and personnel accountability	
Incident / hazard status	
Environment / geotechnical / TSF	
Critical services and RTO status	
Production / logistics / customers	
Workforce and welfare	

Section	Current position
Regulatory / community / media	
Costs and insurance	
Key decisions required	
Actions due before next SITREP	
Forecast and next report time	

Appendix C — Recovery and Restart Certificate

Affected system / area: [COMPLETE BEFORE ISSUE]

Incident reference: [COMPLETE BEFORE ISSUE]

Proposed operating capacity and duration: [COMPLETE BEFORE ISSUE]

Temporary controls / changes: [COMPLETE BEFORE ISSUE]

Monitoring and abort criteria: [COMPLETE BEFORE ISSUE]

Verification	Result / evidence	Lead sign-off
Personnel / competency / fatigue		
HSE and emergency controls		
Environmental and water controls		
Geotechnical / TSF release		
Mechanical / structural integrity		
Electrical / instrumentation / interlocks		
IT/OT trusted restoration		
Materials / spares / logistics		
Product quality / laboratory		
Regulatory / insurer / third-party approvals		

Authorization

Role	Name	Decision / limitations	Signature / date
Incident Commander (scene released)			
HSE Manager			
Technical / Geotechnical Lead			
Engineering Manager			

Role	Name	Decision / limitations	Signature / date
Operations / Processing Manager			
IT/OT Manager (if applicable)			
Mine General Manager — final authorization			

Appendix D — Training, Exercising and Maintenance

Activity	Minimum frequency	Owner	Evidence
Contact-list verification	Monthly	Plan Owner / HR	Call-tree record
Offline-copy and alternate-ECC check	Quarterly	Plan Owner / Security	Inspection checklist
Generator, UPS, satellite phone and manual process test	Per maintenance plan; functional continuity test quarterly	Engineering / IT	Test/work order
Desktop continuity exercise	Six-monthly	BCP Director	Scenario, attendance, actions
Integrated mine emergency and continuity exercise	At least annually and as law requires	GM / HSE	Exercise report and regulator record
Supplier and logistics disruption test	Annually	Supply Chain	Stock/route validation
Cyber recovery / backup restoration test	At least annually; higher for critical OT	IT/OT	Restore evidence and defects
BIA and plan review	Annually and after material change/incident/exercise	Plan Owner / process owners	Approved revision

Exercise Evaluation Criteria

- ☐ Alarm, accountability and notification times achieved
- ☐ Command roles and alternates established without ambiguity
- ☐ RTOs, dependencies and minimum service levels understood
- ☐ Manual workarounds practical and adequately controlled
- ☐ Critical supplier, utility and community interfaces reachable
- ☐ Decisions, actions, communications and costs logged
- ☐ Restart criteria applied; unsafe pressure to resume production challenged
- ☐ Corrective actions funded, owned and closed by risk-based due dates

Plan Review Triggers

Review immediately following an activation, exercise, major organizational or process change, new mine phase, TSF modification, material supplier/route change, new legal requirement, acquisition/divestment, significant cyber architecture change, or finding that assumptions/RTOs are invalid.

Appendix E — Reference Framework

This plan is informed by recognized business continuity and mine-emergency principles. It must be reconciled with the operation's controlling jurisdiction and approved management systems.

Reference	Use in this plan	Link
ISO 22301:2019, Security and resilience — Business continuity management systems — Requirements	Framework for establishing, operating, reviewing and improving business continuity arrangements.	https://www.iso.org/standard/75106.html
ISO 22313:2020, Guidance on the use of ISO 22301	Good-practice guidance for maintaining acceptable predefined capacity during disruption.	https://www.iso.org/standard/75107.html
U.S. Mine Safety and Health Administration, Critical Item Checklist for Mine Emergencies	Practical mine emergency-command actions, including command structure, staffing and delegation.	https://www.msha.gov/safety-and-health/mine-emergency-operations/mine-emergency-operations/critical-item-checklist-mine-emergencies
MSHA, IG 110 — Responding to a Mine Emergency	Mine emergency notification and preparedness guidance; used as a practice reference, not assumed law for this plan.	https://www.msha.gov/sites/default/files/Training_Education/IG-110.pdf

Jurisdiction note: MSHA sources are included as public mining-practice references only. Replace or supplement them with the mine's governing legislation, permit conditions and regulator guidance. Underground mines require additional mine-rescue, refuge, ventilation, tracking and escape provisions not covered in this open-pit planning basis.