FOCUS & EVERYDAY DIGITAL HABITS

The Brain Reset

A practical, illustrated guide to calmer attention and small habits that fit real life.





Less distraction
Make your next step easier.



Room to think
Take a low-pressure pause.



Steady practice
Start small and adjust.

Start here: choose one experiment, keep the support tools you need, and notice what helps. Includes eight illustrated lessons, a seven-day worksheet, and evidence notes. This is an educational guide, not a medical treatment.

Give your phone a place to rest



Original visual metaphor. Read the guidance below for context and limitations.

Understand

A useful experiment, not a universal rule

In laboratory experiments, some participants performed better on cognitive tests when their phone was in another room [1]. That does not mean a visible phone lowers everyone's ability. Try changing its location and notice whether it helps you.



Notice the urge to check your phone. You do not have to judge yourself for having it.

Try it today

Make the next step easier


1. Choose one short study task. Put your phone in a bag, drawer, or another room if it is safe to do so.
2. If your phone is your study device, open only the material you need and pause non-essential alerts. Keep emergency and accessibility functions available.

After the session, compare how often you checked your phone and how much of the task you completed.

SMALL RESET 01

One task, fewer cues. Start with a session you can realistically complete.

Make room for the conversation



Original visual metaphor. Read the guidance below for context and limitations.

Understand

Presence is a shared choice

A phone within reach makes it easier to interrupt a conversation. Different people have different expectations. Agreeing on phone-free time is a courtesy, not a test of someone's character or trustworthiness.



When your mind wanders, return to what the other person is saying. Attention does not need to be perfect.

Try it today

Agree on a small boundary


1. At a meal, study group, or meeting, ask whether everyone would like to put their phones aside for a while.
2. If you need a device for communication, care responsibilities, or an urgent call, explain that need. A useful boundary includes exceptions.

Try asking one follow-up question before looking at a notification.

SMALL RESET 02

Choose a short stretch of undivided time together, with permission and practical exceptions.

Finish one useful step at a time



Original visual metaphor. Read the guidance below for context and limitations.

Understand

Switching has a cost

Moving between demanding tasks can mean remembering where you left off and rebuilding momentum [2]. Some routine activities can coexist; this chapter is about juggling tasks that both need active attention. There is no fixed time or error penalty for every person.



Write distracting ideas on a nearby note so you can come back to them without opening another app.

Try it today

Define a small finish line


1. Write a specific next step: solve two problems, draft one paragraph, or read one section. Keep the tabs and materials needed for that step.
2. Try 10 to 25 minutes, or a shorter interval that suits you. Take a break, then decide whether to continue. The timer is a tool, not a test.

Batch non-urgent replies when your responsibilities allow. Tell others when you will respond.

SMALL RESET 03

One clear next step, one manageable session, then a deliberate break.

Leave yourself a way back



Original visual metaphor. Read the guidance below for context and limitations.

Understand

Unfinished tasks can follow you

Research on attention residue describes how thoughts about an unfinished task can carry into the next one [3]. Recovery varies with the person, task, and interruption. A precise countdown is not a rule for everybody.



An interruption is not a failed session. A restart note can make returning less frustrating.

Try it today

Reduce avoidable interruptions

1. Review notifications. Pause alerts that do not need your immediate attention, while keeping important contacts, care reminders, and safety alerts.
2. Before a necessary switch, write: "I stopped here. My next step is..." Use that note when you return.

Choose one noisy app and change one setting. You do not have to silence your whole life.

SMALL RESET 04

Pause one unnecessary alert and leave a short restart note before changing tasks.

Protect one thing that matters



Original visual metaphor. Read the guidance below for context and limitations.

Understand

Focus starts with a decision

A long to-do list can hide the next useful action. Choose one priority that matters today and make it small enough to begin. Productivity is not a measure of your worth, and different people have different energy patterns.



A realistic plan can be revised. Missing a session does not erase the progress you have made.

Try it today

Work with your actual day

1. Identify a time when you tend to have enough energy and fewer interruptions. It does not have to be early morning.
2. Name the result you want and the first action it needs. Leave room for school, family responsibilities, rest, and unexpected changes.

Ask: "What is one useful step I can take with the time and energy I have?"

SMALL RESET 05

Choose one meaningful priority and schedule a realistic first step.

Let a quiet moment stay quiet



Original visual metaphor. Read the guidance below for context and limitations.

Understand

Space for ideas, without guarantees

A quiet break gives you a change of pace and room to notice thoughts. It does not always produce a breakthrough. If unstructured time feels uncomfortable, a short, gentle activity can be another way to pause.



An idea may arrive, or it may not. Rest is worthwhile even when it produces nothing.

Try it today

Try a low-pressure pause

1. Spend a few minutes looking outside, stretching, doodling, or taking a safe walk that fits your ability.
2. Choose a setting where you feel comfortable. Keep navigation, support, and safety tools when needed. You do not have to avoid all sound or technology.

After your break, write down one observation or simply return to the next small task.

SMALL RESET 06

Make one short pause intentional instead of filling it automatically with a feed.

Build habits without blaming your brain



Original visual metaphor. Read the guidance below for context and limitations.

Understand

Practice is gradual

Learning and repetition can help you develop routines. Watching ten-second videos does not prove that your attention span becomes ten seconds. Sleep, stress, disability, and the task itself also affect concentration. Difficulty focusing is not a character flaw.



If a routine repeatedly fails, change the environment or session size before blaming yourself.

Try it today

Start smaller than you think

1. Choose a book, audio resource, or accessible learning format you enjoy. Start with five minutes or another achievable amount.
2. Repeat a manageable session and adjust slowly. Track what helps rather than comparing yourself with someone else's pace.

Record one thing that made starting easier. Keep that support for the next session.

SMALL RESET 07

A repeatable small habit is more useful than an ambitious rule you cannot sustain.

Support the person doing the work



Original visual metaphor. Read the guidance below for context and limitations.

Understand

Basic needs belong in the plan

Focus is not only about willpower. Regular meals, rest, movement that suits your ability, and safe drinking water are practical starting points. A varied, balanced diet supports general health [4]. No food or supplement can promise a "brain reset".



Expensive "brain foods" are not required. Your needs, health, culture, and budget matter.

Try it today

Use what is available to you

1. Build meals around accessible foods: rice or other grains, dal or beans, vegetables, seasonal fruit, and eggs or fish if they fit your diet.
2. Keep safe water available and follow any medical advice about fluids or food. Choose a workable wind-down routine and ask for help when persistent symptoms interfere with daily life.

If concentration, mood, memory, or sleep problems persist, speak with a qualified health professional.

SMALL RESET 08

Include a basic need in today's plan: a meal, a drink, rest, or a gentle break.

A week of small resets

Choose one manageable change each day. These are experiments, not a cure or a seven-day transformation promise. Repeat a day or change the plan when needed.

Day	Try this	What helped? What got in the way?
1	**One quieter app** Pause one non-essential notification. Keep important alerts.	
2	**A different phone spot** Try one short task with fewer phone cues.	
3	**One finish line** Complete a small, specific task in a manageable session.	
4	**A restart note** Write your next step before a necessary interruption.	
5	**Time together** Agree on a short phone-free conversation with practical exceptions.	
6	**An intentional pause** Choose a safe, restful break without filling every moment.	
7	**Keep what helped** Review your notes and choose one habit to continue.	

One habit I want to keep

One support or adjustment I need

RESTART, DO NOT PUNISH

A missed day is information, not a failure. Make the next step smaller and try again.

Keep the advice in perspective

The illustrations use visual metaphors and simplified slogans. Their numerical examples are not universal findings. The guidance here avoids fixed recovery times, guaranteed brain changes, and diagnostic claims.

Jump to a lesson

1. A calmer workspace / 02
2. Time with other people / 03
3. Single-tasking / 04
4. Attention residue / 05
5. Choosing priorities / 06
6. Rest and ideas / 07
7. Practice and progress / 08
8. Everyday well-being / 09
9. Seven-day worksheet / 10

Selected evidence and further reading

1. Ward et al. (2017). *Brain Drain: The Mere Presence of One's Own Smartphone Reduces Available Cognitive Capacity.* A laboratory study, not a guarantee for every person or setting. doi.org/10.1086/691462
2. American Psychological Association. *Multitasking: Switching costs.* An overview of research on switching between demanding tasks. apa.org/topics/research/multitasking
3. Leroy (2009). *Why is it so hard to do my work? The challenge of attention residue when switching between work tasks.* doi.org/10.1016/j.obhdp.2009.04.002
4. World Health Organization. *Healthy diet.* General guidance on adequacy, balance, moderation, and variety; not a focus treatment. who.int / Healthy diet

You are more than your productivity

Attention difficulties are not a character flaw. Adapt these ideas for disability, care responsibilities, access, and personal circumstances. Keep emergency contacts, assistive technology, and important reminders available.

This guide does not diagnose or treat ADHD, anxiety, depression, or memory problems. If concentration, mood, sleep, or memory problems persist or disrupt daily life, seek support from a qualified health professional. Follow individual medical advice about food, fluids, and activity.

Onnoy - অন্বয়

Mymensingh, Bangladesh

You reached the last page.
Help someone begin their first.

আপনি শেষ পাতায় পৌঁছেছেন। আরেকজনের নতুন শুরুতে পাশে থাকুন।

If this booklet helped you pause, think, or start a conversation, consider supporting the people behind it. Your kindness helps us make thoughtful resources for more young people and families in Bangladesh.

এই বইটি যদি আপনাকে ভাবতে বা নতুন কথোপকথন শুরু করতে সাহায্য করে থাকে, অন্বয়ের পাশে থাকুন। আপনার সহায়তা আরও তরুণ ও পরিবারের জন্য এমন উপকরণ তৈরি করতে আমাদের শক্তি জোগাবে।

www.chabondhu.com/onnoy

Your support is voluntary. Thank you for reading.

অনুদান সম্পূর্ণ ঐচ্ছিক। পড়ার জন্য ধন্যবাদ।