

# P3 - Dashboard 360

## Especificações do Projeto

Sistemas de Informação 4º ano do Mestrado Integrado em Engenharia Informática e Computação

#### Grupo A:


Anaís Silva - 201102265 - ei12015@fe.up.pt Henrique Ferrolho - 201202772 - ei12079@fe.up.pt João Pereira - 201104203 - ei12023@fe.up.pt João Ramos - 201201771 - ei12062@fe.up.pt

## Descrição

O projeto consiste no desenvolvimento de uma aplicação Web capaz de fornecer informações de negócio acerca de uma determinada empresa. As informações serão apresentadas num painel de nível gráfico ou estatístico, através de KPI, flow charts, area charts e outras formas de representação, e utilizando medidas como YTD, YOY, entre outras. As escolhas de formas de representação serão feitas tendo em vista organizar dados relevantes de maneira intuitiva, para uma utilização eficaz. Os dados disponibilizados englobam vendas, compras, inventário e facturação, sendo que cada uma destas categorias diverge para vários tópicos.

A aplicação terá interoperabilidade com o ERP Primavera. Inicialmente, será necessário estabelecer uma camada de autenticação externa com a aplicação e, de seguida, obter informações de vendas, contabilidade e de inventório da empresa em questão. Apenas depois a aplicação cumprirá o objecto de demonstrar ao utilizador os dados contabilísticos e de negócio.

## Paths da Aplicação Web



## **Funcionalidades**

#### Main Dash

Funcionalidade	Descrição	Finalidade	Core View ID
TOP_CLIENTS	Gráfico circular com a quantidade percentual de vendas aos dez melhores clientes.	Ver os melhores dez clientes e facilmente aceder à sua informação individual.	MAIN_DASH
TOP_PRODUCTS	Gráfico circular com a quantidade percentual de vendas dos dez melhores produtos.	Ver os dez produtos mais vendidos e facilmente aceder à sua informação individual.	MAIN_DASH
TOP_SALES	Tabela com as maiores dez vendas realizadas.	Mostrar as dez maiores vendas e o ganho conseguido com cada uma.	MAIN_DASH
GLOBAL_FINANCES	Gráfico com duas linhas: uma a mostrar os ganhos e a outra os custos nos últimos meses.	Ver uma estatística global do estado de finanças da empresa.	MAIN_DASH
SHIPMENTS	Número de encomendas incompletas/por enviar.	Mostrar o número de encomendas não completas segundo as ordens de venda e aceder à sua informação.	MAIN_DASH

Funcionalidade	Descrição	Finalidade	Core View ID
PRODUCT_INFORMATION	Tabela com informação de um produto: nome, preço, total de unidades vendidas, margem de lucro, entre outras.	e, preço, total de Mostrar a informação detalhada de	
TOP_CLIENTS	Gráfico circular com os melhores dez clientes de um clientes em número de vendas de um produto.  Ver os melhores dez clientes de um produto e facilmente aceder à sua informação individual		PRODUCT_DASH
DELAYED_SHIPMENTS	Gráfico de barras que mostra as entregas em falta de um produto nos últimos meses.	Mostrar as entregas em falta nos últimos meses para controlar futuras encomendas.	PRODUCT_DASH
PROFIT_MARGIN	Gráfico de barras que mostra, em percentagem, o custo de fabricação ou compra de um produto, o dinheiro ganho com a venda e a margem de lucro.  Gráfico de barras que mostra, em Visualizar, principalmente, a marger de lucro de um produto.		PRODUCT_DASH
KPI_TOTAL_UNITS_S	Key Performance Indicator do número total de unidades vendidas.	Ver o número de unidades vendidas deste produto.	PRODUCT_DASH
KPI_MEDIUM_PRICE	Key Performance Indicator da média do preço de cada compra.	Ver a média de preço de todas as compras.	PRODUCT_DASH

Funcionalidade	Descrição	Finalidade	Core View ID
CLIENT_INFORMATION	Tabela com informação de um cliente: nome, morada, NIF, contato, entre outras.	Mostrar a informação detalhada de um cliente.	CLIENT_DASH
CLIENT_PPU	Gráfico de barras contendo o número de compras, em unidades, do cliente nos últimos meses.	Ver a evolução do número de compras de um cliente.	CLIENT_DASH
CLIENT_PPD	Flow chart contendo o número de compras, em unidades, do cliente, no mês actual.	Ver a evolução detalhada do número de compras de um cliente.	CLIENT_DASH
CLIENT_PC	Gráfico que apresenta uma barra percentual dividida entre os custos que o material da encomenda teve e o volume de venda da mesma.	Ver se o cliente é um bom comprador.	CLIENT_DASH
KPI_APC_C	Key Performance Indicator da média do preço de compra do cliente.	Visualizar quanto dinheiro o cliente gasta, em média, por cada compra.	CLIENT_DASH
TOP_CLIENT_PRODUCTS	Gráfico circular com os melhores dez produtos vendidos aos clientes.	Ver os melhores dez produtos vendidos a um cliente e, facilmente, aceder à sua informação.	CLIENT_DASH


Funcionalidade	Descrição	Finalidade	Core View ID
PBM_FIN	Tabela com informação acerca de encomendas entregues por faturar.	Mostrar os detalhes de vendas por faturar, qual o cliente, o número de unidades do produto e o montante a receber.	FINANCES_DASH
BILL_TBR	Gráfico circular contendo informação sobre encomendas entregues por faturar.	Mostrar encomendas expedidas por faturar.	FINANCES_DASH
REVENUE	Mostrar, em percentagem, o lucro da empresa.	Mostra o lucro percentual da empresa.	FINANCES_DASH
PURCHASES_GF	Flow chart que mostra as compras, em dinheiro, com três tipos de informação: YTD, YOY e MM.	Visualizar a evolução do dinheiro gasto em compras de matéria prima.	FINANCES_DASH
SALES_GF	Gráfico de linhas que mostra as vendas, em dinheiro, com três tipos de informação: YTD, YOY e MM.	Visualizar a evolução do dinheiro ganho em vendas.	FINANCES_DASH
PSB_GF	Gráfico de barras, que junta o volume de vendas e o volume de compras dos últimos meses.		FINANCES_DASH

## Vendas 360

REGION_SALES_STAT	Tabela com o volume de vendas por região.	Mostrar o volume de vendas por região.	SALES_DASH
SALES_BOOKING	Gráfico de barras com o volume de vendas dos dez melhores produtos.	Ver o volume de vendas deste mês dos dez melhores produtos.	SALES_DASH
SALES_GROWTH	Barra percentual conforme o crescimento do volume de vendas.	Visualização da evolução do volume de vendas no último mês.	SALES_DASH
TOP_SALES	Tabela com as melhores dez vendas realizadas no mês atual.	Ver as melhores dez vendas, de forma detalhada, que foram realizadas até à data.	SALES_DASH

#### Informação de Arquitetura (Core Views)


MAIN\_DASH



ID Core View PRODUCT\_DASH

## User and Business Goals

- -> Product Overview
- anickly view relevant metrics and statistics of a Product.




Owtward Paths/ / Call to Action

- > Product Details
- -> CLIENT\_DASH


Elements of the core

KPI\_001 (KPI) | Units sold KPI\_002 (KPI) | Average erre PANEL\_001 (PANEL) | Prod. Tuto

AREA\_001 (AREA) | Sales, Purchases and Projet DONUT-001 (DONUT) | Top 10 Clients DONUT\_002 (DONUT) | Delayed Expeditions



1D Core View User and Business Goals FINANCIAL - DASH Derview C Legout Inward Paths/ Financial Dashboard Owtward Paths/ Trigger Words Revenue (YTD) (Billing to be Recei Product Billing Missing 1 Call to Action # Product Viet Vinto Priotion -> MAIN\_DASH -> PRODUCT\_DASH -> CLIENT\_DASH Units - PSB € 12KE € 34KE Sals YO -> SALEJ - DASH Details Details @ Billing to be Received List Amout (E) # Clest Units 79€ 23 Maria TABLE 001 (TABLE) | Product Billy Many TABLE DOI (TABLE) | 8TR Detailed List Elevents of PIE\_001 (PIE) | Revene KPI-001 (KPI) Purchase YTD BAR\_001(BAR) UNIS PSB the cone PIE-002 (PIE) | BTR KPI-002(KPI) | Sales YTD



### **Web Services**

GET\_PRODUCTS

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_product	Returns a product's information when given its ID	Product 360	GET <ip>/api/products/id</ip>	ProductID	<pre>{     "product": {         "id": "x",         "tipo": "x",         "price": "x",         "stock": "x",         "sold": "x",         "profitMargin": "x",         "salesPurchasesProfit": {         "1": {         "sales": "x",         "purchases": "x"         ",         "purchases": "x"         ",         ",         ",</pre>

ī	<u> </u>		
			<u>}</u>
			"topClients": {
			"1": {
			"id": "x",
			"name": "x",
		-	"nif": "x",
			"numPurchases": "x",
			"percentage": "x",
			WaadaaNaliisaa a Wii Wii W
			<u>"salesVolume": "x"</u>
			<u>}</u>
			<u>"2": {</u>
			}
			-
			····
			<del>`</del>
			}
			}

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_client	Returns a client's information when given their ID	Client 360	GET <ip>/api/clients/ID</ip>	Client ID	<pre>"client": {     "id": "x",     "name": "x",     "purchasesPerDay": {         "id": "x",         "name": "x"         },         "02/03": {         "id": "x",         "name": "x"         },         "name": "x"         },         "apc": "x",         "salesVolume": "x",         "purchasesPerMonth": {             "january": "x",             "february": "x",          },         "costsPerMonth": {             "january": "x",          },         "costsPerMonth": {             "january": "x",          } </pre>

		"february": "x",
		}
		"topProducts": {
		"1": {
		"id": "x",
		"name": "x",
		"percentage": "x"
		}
		"2": {
		}
		}
		ì
		\ \
		\$

### GET\_TOP10\_CLIENTS

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_top10_cli ents	Returns top ten clients who made the most purchases		GET <ip>/api/clients/top</ip>	N/A	<pre>{     "clients": {         "id": "x",</pre>

### GET\_TOP10\_PRODUCTS

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_top10_pr oducts	Returns top ten products that have been purchased the most	Dashboard Overview	GET <ip>/api/products/top</ip>	N/A	<pre>"products": {     "1": {         "id": "x",         "percentage": "x",         "quantity": "x",         "salesVolume": "x"     },     "2": {         "id": "x",         "name": "x",         "percentage": "x",         "quantity": "x",         "quantity": "x",         "salesVolume": "x"     }  }</pre>

### GET\_TOP10\_SUPPLIERS

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_top10_su ppliers	Returns top ten suppliers	Dashboard Overview	GET <ip>/api/suppliers/top</ip>	N/A	<pre>{     "suppliers": {         "id": "x",         "Nome": "x",         "Nif": "x",         "Percentagem": "x",         "NrCompras": "x",         "VolumeCompras": "x"         },         "2": {          },  }</pre>

## GET\_TOP10\_SALES

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_top10_sa les	Returns top ten sales	Dashboard Overview	GET <ip>/api/sales/top</ip>	N/A	<pre>{     "sales": {         "1": {  "purchaseValue":"x",         "date": "x",         "isTopClient": "x",         "nrPurchases": "x"         },  "2": {          }, </pre>

		} }

### GET\_TOP\_TEN\_SALES\_COUNTRIES

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_top10_sa les_countries	Returns top ten sales countries	Financial 360	GET <ip>/api/top10 sales</ip>	N/A	<pre>{     "sales": {         "1": {</pre>

#### GLOBAL\_FINANCIAL

Webservic e ID	Description	Related core views	Route+verbs	Input example	Expected output
get_global_f inancial	Returns earnings and costs of a certain period of company	Dashboard Overview	GET <ip>/api/financial/global</ip>	N/A	{     "global": {         "earnings": "x",         "costs": "x"         },      "1": {         "earnings": "x",         "costs": "x"         },  }

### GET\_PURCHASES

Webservic e ID	Description	Related core views	Route+verbs	Input example	Expected output
get_purchas es_yoy	Returns Year On Year information on purchases made, when given the comparison year	Financial 360	GET <ip>/api/financial/purch ases/yoy/year</ip>	Comparison Year	<pre>{     "purchasesYOY": {         "compJanuary": {             "purchases": "x"         },      "thisJanuary": {             "purchases": "x"         }      "compFebruary": {             "earnings": "x",             "costs": "x"         },      "thisFebruary": {          }  } </pre>

### GET\_YTD\_FINANCIAL

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_ytd_finan cial_info	Returns Year To Date information related to the financial status of the company	Financial 360	GET <ip>/api/financial/ytd</ip>	N/A	<pre>{     "ytd": {         "purchases": "x",         "revenue": "x",         "sales": "x"     } }</pre>

### GET\_PBM

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_pbm	Returns product billing missing	Financial 360	GET <ip>/api/financial/pbm</ip>	N/A	{

		"price": "x"
		},
		"2": {
		},
		 }
		}
		J

## GET\_BTR

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_btr	Returns billing to be received	Financial 360	GET <ip>/api/financial/btr</ip>	N/A	{     "btr": {         "1": {

		},
		}
		}

## GET\_REGION\_SALES\_BOOKING

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_region_s ales_booking s	Returns sales bookings in different regions	Financial 360	GET <ip>/api/financial/salesb ookings</ip>	N/A	{     "salesBookings": {         "region1": {             "q1": "x",             "q3": "x",             "q4": "x"         },         "region2": {          },  }

### GET\_REGIONAL\_SALES\_STATUS

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
					{     "regionalSales": {         "1": {
	Returns the status of sales				
get_regional_ sales_status	in different regions	Sales 360	GET <ip>/api/sales/rss</ip>	N/A	}

### GET\_PRODUCT\_SALES\_BOOKING

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_product_ sales_bookin gs	Returns sales bookings of different products	Sales 360, Financial 360	GET <ip>/api/sales/psb</ip>	N/A	<pre>{     "salesBookings": {         "product1": {</pre>

## GET\_SALES\_GROWTH

Webservice ID	Description	Related core views	Route+verbs	Input example	Expected output
get_sales_gro wth	Returns sales growth Year To Date and the growth goal to be accomplished	Sales 360	GET <ip>/api/sales/growth</ip>	N/A	<pre>{     "salesGrowth": {         "accomplished": "x",         "missing": "x",         "goal": "x"     } }</pre>