MacOS - SentinelOne deployment

The configuration is based on an initial document provided by SentinelOne regarding the deployment of the solution using Intune for MacOS devices.

But that one gave me some headaches, as it contains a concatenated version of the configuration file that was always failing.

So, I had to make my AI friends rewrite the structure a bit and split it up into several parts.

I am not saying this is the ultimate SentinelOne deployment doc for MacOS on Intune, I just documenting what worked for me.

Two main processes occur simultaneously during automated deployment, eliminating the need for end-users to interact with or disable SentinelOne Agent Services throughout installation.

- The first process involves setting up essential runtime permissions and settings so the SentinelOne Agent can properly function and interface with macOS, enabling thorough monitoring and protection of each endpoint according to the agent's full capabilities.
- The second process covers deploying and installing the SentinelOne Agent across your macOS fleet, a high-level overview of this process is provided below.

Keep in mind that Microsoft Intune serves only as **the delivery mechanism** for the SentinelOne Agent.

After the agent is delivered to a macOS endpoint, any subsequent updates or configuration changes should be managed within the SentinelOne Console unless SentinelOne Support suggests otherwise.

Configuring the Necessary Runtime Permissions and Settings

We need to configure several settings before starting to deploy the app. One of the configuration files contains the activation token for the product.

If you don't deploy this one, the deployment of the app will FAIL. The toke is provided by an authorized agent.

Configuration can be either .xml or .mobileconfig files.

For the sake of consistency, let’s consider .mobileconfig files only.

Links to the files on Github.

	description	config
MacOS - SentinelOne - Agent registration Profile	Contains the activation key	SentinelOne RegistrationToken.mobileconfig
MacOS - SentinelOne - Full disk access - Bluetooth and Notifications	Allow disk access, BT login items and Notifications	SentinelOne Agent FullDisk_BT_Notifications.mobileconfig
MacOS - SentinelOne - Network Filter Validation	Activates and authorizes the SentinelOne Web Content Filter	SentinelOne__Network-Fitter_Validation-2. Mobileconfig
MacOS - SentinelOne - Network Monitoring Extension	Pre-approves the SentinelOne System Extension so it can load automatically	SentinelOne_- _Network-Monitoring_Extension_.mobileconfig
MacOS - SentinelOne - NonRemovable from UI System Extension	Prevents users from turning off network monitoring for macOS Sequoia and above	NonRemovableFromUlSystemE xtensions.mobileconfig
MacOS - SentinelOne Removable System Extension	Enables clean, remote uninstallation of the security agent by an admin for macOS Sonoma and below	SentinelOne Removable System Extension.mobileconfig
MacOS - SentinelOne - Service Management	Prevents users from disabling or removing SentinelOne background services and login items	SentinelOne Agent ServiceManagement.mobileconfig

Upload to Intune

Now that we have the files, create the different configurations in Intune as follows:

Navigate to Intune Admin Center => Devices => Manage Devices => Configuration and Click ‘Create => New Policy’ then select macOS => Templates => Custom:



For each configuration, give it

- a Profile name
- Select Device Channel
- And upload the .xml or .mobileconfig as from the table above.




```xml
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.com/DTDs/Property
<plist version="1.0">
<dict>
    <key>PayloadContent</key>
    <array>
        <dict>
            <key>AllowUserOverrides</key>
            <true/>
            <key>AllowedSystemExtensions</key>
            <dict>
                <key>4AYE5J54KN</key>
                <array>
                    <string>com.sentinelone.network-monitoring</string>
                </array>
            </dict>
            <key>PayloadDescription</key>
            <string></string>
            <key>PayloadDisplayName</key>
            <string>System Extensions</string>
```

- Assign it the target group (e.g. "MacOS_SentinelOne_Users").
- Check on the device (these configuration profiles should land quite rapidly on the target devices)



Deploying and Installing the SentinelOne Agent

The installation package (or Pkg) should be downloaded from the SentinelOne console from an authorized agent.

Create the installation package in Intune.

Navigate to Intune Admin Center => Apps => Platforms => macOS and Click 'Create"



Select macOS App (PKG) and click Select, which will take you to the 'Add App' wizard, allowing you to upload the SentinelOne Agent.



Select 'Select App Package File' and select the SentinelOne Agent PKG file for upload



Populate the App Information section



Leave the following empty - we do not need Pre/Post Installation Scripts



App Requirements can be baseline for 'macOS Sequoia 15.0'



Under 'Detection Rules', ensure the following is done as part of the SentinelOne Agent

- Ignore App Version - Set to 'Yes'
- Included Apps:

com.sentinelone.sentinel-agent [app_version]

Note: If **there are any other 'Included Apps' added, remove them**



Assign the app to your target group (e.g. " MacOS_SentinelOne_Users ")

That's it.