

Access-denied.html

```
<!DOCTYPE html>

<html xmlns:th="http://www.thymeleaf.org">

<head>

    <title>Access Denied</title>

    <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />

</head>

<body>

    <div class="container">

        <h2>Access Denied</h2>

        <p>You are not authorized to access this page.</p>

        <a th:href="@{/}">Back to Home Page</a>

    </div>

</body>

</html>
```

add-book.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
  <title>Add Book</title>
```

```
  <meta charset="utf-8" />
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1" />
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
  <style>
```

```
    header {
```

```
      background-color: #007bff;
```

```
      color: white;
```

```
      padding: 20px;
```

```
      text-align: center;
```

```
    }
```

```
    footer {
```

```
      background-color: #6c757d;
```

```
      color: white;
```

```
      padding: 20px;
```

```
      text-align: center;
```

```
    }
```

```
    .content-container {
```

```
      padding: 20px;
```

```
    }
```

```
    .btn {
```

```
        margin: 5px;
    }
</style>
</head>
<body>
    <header>
        <h1>Welcome to James Fallouh Library</h1>
    </header>

    <div class="container content-container">
        <h2>Add Book</h2>
        <form th:action="@{/books/add}" th:object="${book}" method="post">
            <div class="form-group">
                <label>Title</label>
                <input type="text" th:field="*{title}" class="form-control" />
            </div>
            <div class="form-group">
                <label>Author</label>
                <input type="text" th:field="*{author}" class="form-control" />
            </div>
            <div class="form-group">
                <label>Price</label>
                <input type="number" th:field="*{price}" class="form-control" />
            </div>
            <button type="submit" class="btn btn-primary">Add Book</button>
        </form>
```

`Return to Home Page`

`</div>`

`<footer>`

`<p>Created by James Fallouh</p>`

`</footer>`

`<script`

`src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>`

`</body>`

`</html>`

book-list.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
  <title>Book List</title>
```

```
  <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<style>
```

```
  header {
```

```
    background-color: #007bff;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  footer {
```

```
    background-color: #6c757d;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  .container {
```

```
    margin-top: 20px;
```

```
  }
```

```
  .table {
```

```
    margin-top: 20px;
```

```
}

.btn {
    margin-right: 10px;
}

</style>
</head>
<body>
    <header>
        <h1>Welcome to James Fallouh Library</h1>
    </header>
    <div class="container">
        <h2>Book List</h2>
        <table class="table table-striped">
            <thead>
                <tr>
                    <th>ID</th>
                    <th>Title</th>
                    <th>Author</th>
                    <th>Price</th>
                    <th>Actions</th>
                </tr>
            </thead>
            <tbody>
                <tr th:each="book : ${books}">
                    <td th:text="${book.id}"></td>
                    <td th:text="${book.title}"></td>
```

```
<td th:text="{book.author}"></td>

<td th:text="{book.price}"></td>

<td>

    <a th:href="@{/books/edit/{id}(id={book.id})}" class="btn btn-
primary">Edit</a>

    <a th:href="@{/books/delete/{id}(id={book.id})}" class="btn btn-
danger">Delete</a>

</td>

</tr>

</tbody>

</table>

<a href="/books/add" class="btn btn-success">Add New Book</a>

<a href="/" class="btn btn-secondary mt-2">Return to Home Page</a>

</div>

<footer>

    <p>Created by James Fallouh</p>

</footer>

</body>

</html>
```

browse.books.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
  <title>Browse Books</title>
```

```
  <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<style>
```

```
  header {
```

```
    background-color: #007bff;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  footer {
```

```
    background-color: #6c757d;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  .container {
```

```
    margin-top: 20px;
```

```
  }
```

```
  .btn {
```

```
    margin-top: 20px;
```



```
}

.button-container {
    margin-bottom: 20px;
}

</style>

</head>

<body>

    <header>

        <h1>Welcome to James Fallouh Library</h1>

    </header>

    <div class="container">

        <h1>Browse Books</h1>

        <table class="table table-striped">

            <thead>

                <tr>

                    <th>Title</th>

                    <th>Author</th>

                    <th>Price</th>

                    <th>Action</th>

                </tr>

            </thead>

            <tbody>

                <tr th:each="book : ${books}">

                    <td th:text="${book.title}"></td>

                    <td th:text="${book.author}"></td>

                    <td th:text="${book.price}"></td>
```

```
<td>

    <form th:action="@{/order/place}" method="post">

        <input type="hidden" name="bookId" th:value="${book.id}" />

        <button type="submit" class="btn btn-success">Place Order</button>

    </form>

</td>

</tr>

</tbody>

</table>

<div class="button-container">

    <a th:href="@{/}" class="btn btn-primary">Return Home</a>

</div>

</div>

<footer>

    <p>Created by James Fallouh</p>

</footer>

</body>

</html>
```

edit-book.html

```
<!DOCTYPE html>

<html xmlns:th="http://www.thymeleaf.org">

<head>

    <title>Edit Book</title>

    <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />

</head>

<body>

    <div class="container">

        <h2>Edit Book</h2>

        <form th:action="@{/books/edit/{id}(id=${book.id})}" th:object="${book}"
method="post">

            <div class="form-group">

                <label>Title</label>

                <input type="text" th:field="*{title}" class="form-control" />

            </div>

            <div class="form-group">

                <label>Author</label>

                <input type="text" th:field="*{author}" class="form-control" />

            </div>

            <div class="form-group">

                <label>Price</label>

                <input type="number" th:field="*{price}" class="form-control" />

            </div>

            <button type="submit" class="btn btn-primary">Update Book</button>

        </form>

    </div>

</body>

</html>
```

</div>

</body>

</html>

edit-order.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
    <title>Edit Order</title>
```

```
    <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
    <style>
```

```
        header {
```

```
            background-color: #007bff;
```

```
            color: white;
```

```
            padding: 20px;
```

```
            text-align: center;
```

```
        }
```

```
        footer {
```

```
            background-color: #6c757d;
```

```
            color: white;
```

```
            padding: 20px;
```

```
            text-align: center;
```

```
        }
```

```
        .container {
```

```
            margin-top: 20px;
```

```
        }
```

```
        .btn {
```

```
            margin-top: 20px;
```

```

    }

    .button-container {
        margin-bottom: 20px;
    }
</style>
</head>
<body>
    <header>
        <h1>Edit Order</h1>
    </header>
    <div class="container">
        <h2>Edit Order Details</h2>
        <form th:action="@{/employee/orders/edit/{id}(id=${order.id})}" method="post">
            <div class="form-group">
                <label for="bookId">Book ID</label>
                <input type="number" id="bookId" name="bookId" th:value="${order.bookId}"
class="form-control" required />
            </div>
            <div class="form-group">
                <label for="username">Username</label>
                <input type="text" id="username" name="username" th:value="${order.username}"
class="form-control" required />
            </div>
            <button type="submit" class="btn btn-primary">Save</button>
        </form>
        <div class="button-container">
            <a th:href="@{/employee/orders}" class="btn btn-secondary">Back to Orders</a>

```

</div>

</div>

<footer>

<p>Created by James Fallouh</p>

</footer>

</body>

</html>

fancy-login.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
  <title>Login Page</title>
```

```
  <meta charset="utf-8" />
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1" />
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
  <style>
```

```
    header {
```

```
      background-color: #007bff;
```

```
      color: white;
```

```
      padding: 20px;
```

```
      text-align: center;
```

```
    }
```

```
    footer {
```

```
      background-color: #6c757d;
```

```
      color: white;
```

```
      padding: 20px;
```

```
      text-align: center;
```

```
    }
```

```
    .login-container {
```

```
      display: flex;
```

```
      justify-content: center;
```

```
      align-items: center;
```



```
    min-height: 60vh;
}
.card {
    width: 100%;
    max-width: 400px;
}
```

```
.paragraph-image {
    border-radius: 50%; /* Make the image circular */
    height: 180px; /* Set the height of the image */
    width: 180px; /* Set the width of the image */
    margin: 20px; /* Add margin to the right of the image */
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>Welcome to James Fallouh Library</h1>
```

```
</header>
```

```
<div class="container">
```

```
<div class="library-info" style="display:flex; flex-direction:row">
```

```
<section>
```

```

```

</section>

<section>

<p>This is the home page of James Library. Explore our collection of books and enjoy reading!</p>

<p>Our library is a treasure trove of knowledge and adventure. With thousands of books covering a vast array of genres and topics, there's something for everyone to discover. Whether you're diving into classic literature, exploring the latest bestsellers, or delving into niche subjects, our library has it all. Come and embark on a journey of learning and imagination with James Library!</p>

<p>We also offer various events and workshops throughout the year, catering to all age groups and interests. From book clubs to author signings, there's always something exciting happening at James Library. Join our community of book lovers and enthusiasts, and let's explore the world of literature together!</p>

</section>

</div>

</div>

<div class="container">

<div class="library-info" style="display:flex; flex-direction:row">

<section>

</section>

<section>

<p>Welcome to the James Library website. We are dedicated to providing a rich and diverse collection of books, resources, and services to our community. Whether you're a student, a researcher, or simply a book lover, you'll find something of interest here.</p>

<p>Our library is not just a place for books; it's a hub of learning and discovery. From our extensive catalog of novels, non-fiction, and academic texts to our digital resources and online databases, we strive to meet the needs of every visitor.</p>

<p>Explore our shelves, attend our events, and make use of our study spaces to expand your knowledge and enrich your mind. Our friendly staff are always on hand to assist you with any queries and help you make the most of your library experience.</p>

</section>

</div>

</div>

<div class="container login-container">

<div id="loginbox" class="col-md-6 col-lg-4">

<div class="card border-info">

<div class="card-header bg-info text-white text-center">Sign In</div>

<div class="card-body">

<div class="card-text">

<form th:action="@{/authenticateTheUser}" method="POST" class="form-horizontal">

<div class="form-group">

<div th:if="\${param.error}">

<div class="alert alert-danger">Invalid username and password.</div>

</div>

<div th:if="\${param.logout}">

<div class="alert alert-success">You have been logged out.</div>

```

    </div>

    </div>

    <div class="input-group mb-3">

        <input type="text" name="username" placeholder="Username"
class="form-control" />

    </div>

    <div class="input-group mb-3">

        <input type="password" name="password" placeholder="Password"
class="form-control" />

    </div>

    <div class="form-group">

        <div class="d-grid">

            <button type="submit" class="btn btn-success">Login</button>

        </div>

    </div>

</form>

</div>

</div>

</div>

</div>

</div>

<div>

    <p>Created by James Fallouh</p>

</div>

</body>

</html>

```

home.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
    <title>Home Page</title>
```

```
    <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<style>
```

```
    header {
```

```
        background-color: #007bff;
```

```
        color: white;
```

```
        padding: 20px;
```

```
        text-align: center;
```

```
    }
```

```
    footer {
```

```
        background-color: #6c757d;
```

```
        color: white;
```

```
        padding: 20px;
```

```
        text-align: center;
```

```
    }
```

```
    .container {
```

```
        margin-top: 20px;
```

```
    }
```

```
    .btn {
```

```
        margin-top: 20px;
```

```
}

.button-container {
    margin-bottom: 20px;
}

</style>
</head>
<body>
    <header>
        <h1>Welcome to James Fallouh Library</h1>
    </header>
    <div class="container">
        <div sec:authorize="isAuthenticated()">
            <p>
                User: <span sec:authentication="principal.username"></span>
                <br>
                Role(s): <span sec:authentication="principal.authorities"></span>
            </p>
        </div>
        <hr>
        <div sec:authorize="hasRole('CUSTOMER')">
            <p>
                <a th:href="@{/books/browse}" class="btn btn-primary">Browse Books</a>
            </p>
        </div>
        <div sec:authorize="hasRole('MANAGER')">
            <p>
```

[Leadership Meeting](@{/leaders})

(Only for Manager peeps)

[Manage Books](@{/systems})

(Only for Admin Can manage books)

[Manage Orders](@{/employee/orders})

(Only for Employees)

Created by James Fallouh

leaders.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
  <title>Leadership Meeting</title>
```

```
  <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<style>
```

```
  header {
```

```
    background-color: #007bff;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  footer {
```

```
    background-color: #6c757d;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  .container {
```

```
    margin-top: 20px;
```

```
  }
```

```
  .btn {
```

```
    margin-top: 20px;
```

```
}

.button-container {
    margin-bottom: 20px;
}

</style>
</head>
<body>
    <header>
        <h1>Welcome to James Fallouh Library</h1>
    </header>
    <div class="container">
        <h2>Leadership Meeting</h2>
        <p>This page is accessible only to users with the MANAGER role.</p>
        <div class="button-container">
            <a th:href="@{/}" class="btn btn-secondary">Back to Home Page</a>
        </div>
    </div>
    <footer>
        <p>Created by James Fallouh</p>
    </footer>
</body>
</html>
```

order-conifrmation.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
  <title>Order Confirmation</title>
```

```
  <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<style>
```

```
  header {
```

```
    background-color: #007bff;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  footer {
```

```
    background-color: #6c757d;
```

```
    color: white;
```

```
    padding: 20px;
```

```
    text-align: center;
```

```
  }
```

```
  .container {
```

```
    margin-top: 20px;
```

```
  }
```

```
  .btn {
```

```
    margin-top: 20px;
```

```
}

.button-container {
    margin-bottom: 20px;
}

</style>
</head>
<body>

    <header>

        <h1>Welcome to James Fallouh Library</h1>

    </header>

    <div class="container">

        <h2>Order Confirmation</h2>

        <p>Your order for the following book has been placed successfully:</p>

        <ul>

            <li th:each="book : ${books}">

                <span th:text="${book.title}"></span> by <span th:text="${book.author}"></span>

            </li>

        </ul>

        <div class="button-container">

            <a th:href="@{/}" class="btn btn-secondary">Back to Home Page</a>

        </div>

    </div>

    <footer>

        <p>Created by James Fallouh</p>

    </footer>

</body>
```

</html>

systems.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
    <title>Manage Books</title>
```

```
    <meta charset="utf-8" />
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1" />
```

```
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
    <style>
```

```
        header {
```

```
            background-color: #007bff;
```

```
            color: white;
```

```
            padding: 20px;
```

```
            text-align: center;
```

```
        }
```

```
        footer {
```

```
            background-color: #6c757d;
```

```
            color: white;
```

```
            padding: 20px;
```

```
            text-align: center;
```

```
        }
```

```
        .content-container {
```

```
            padding: 20px;
```

```
        }
```

```
        .btn {
```

```
        margin: 5px;
    }
</style>
</head>
<body>
    <header>
        <h1>Welcome to James Fallouh Library</h1>
    </header>

    <div class="container content-container">
        <h2>Manage Books</h2>
        <p>This page is accessible only to users with the ADMIN role.</p>
        <a th:href="@{/books}" class="btn btn-primary">View Books</a>
        <a th:href="@{/books/add}" class="btn btn-success">Add New Book</a>
        <a th:href="@{/}" class="btn btn-secondary">Back to Home Page</a>
    </div>

    <footer>
        <p>Created by James Fallouh</p>
    </footer>

    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></scri
pt>
</body>
</html>
```

employee/add-order.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
    <title>Add Order</title>
```

```
    <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<style>
```

```
    header {
```

```
        background-color: #007bff;
```

```
        color: white;
```

```
        padding: 20px;
```

```
        text-align: center;
```

```
    }
```

```
    footer {
```

```
        background-color: #6c757d;
```

```
        color: white;
```

```
        padding: 20px;
```

```
        text-align: center;
```

```
    }
```

```
    .container {
```

```
        margin-top: 20px;
```

```
    }
```

```
    .btn {
```

```
        margin-top: 20px;
```



```
}

.button-container {
    margin-bottom: 20px;
}

</style>
</head>
<body>
    <header>
        <h1>Add Order</h1>
    </header>
    <div class="container">
        <h2>Add New Order</h2>
        <form th:action="@{/employee/orders/add}" method="post">
            <div class="mb-3">
                <label for="bookId" class="form-label">Book ID</label>
                <input type="text" class="form-control" id="bookId" name="bookId" required>
            </div>
            <div class="mb-3">
                <label for="username" class="form-label">Username</label>
                <input type="text" class="form-control" id="username" name="username"
required>
            </div>
            <button type="submit" class="btn btn-success">Add Order</button>
        </form>
        <div class="button-container">
            <a th:href="@{/employee/orders}" class="btn btn-primary">Back to Orders</a>
```

</div>

</div>

<footer>

<p>Created by James Fallouh</p>

</footer>

</body>

</html>

employee/edit-order.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
    <title>Add Order</title>
```

```
    <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
    <style>
```

```
        header {
```

```
            background-color: #007bff;
```

```
            color: white;
```

```
            padding: 20px;
```

```
            text-align: center;
```

```
        }
```

```
        footer {
```

```
            background-color: #6c757d;
```

```
            color: white;
```

```
            padding: 20px;
```

```
            text-align: center;
```

```
        }
```

```
        .container {
```

```
            margin-top: 20px;
```

```
        }
```

```
        .btn {
```

```
            margin-top: 20px;
```

```

    }

    .button-container {
        margin-bottom: 20px;
    }
</style>
</head>
<body>
    <header>
        <h1>Add Order</h1>
    </header>
    <div class="container">
        <h2>Add New Order</h2>
        <form th:action="@{/employee/orders/add}" method="post">
            <div class="mb-3">
                <label for="bookId" class="form-label">Book ID</label>
                <input type="text" class="form-control" id="bookId" name="bookId" required>
            </div>
            <div class="mb-3">
                <label for="username" class="form-label">Username</label>
                <input type="text" class="form-control" id="username" name="username"
required>
            </div>
            <button type="submit" class="btn btn-success">Add Order</button>
        </form>
        <div class="button-container">
            <a th:href="@{/employee/orders}" class="btn btn-primary">Back to Orders</a>

```

</div>

</div>

<footer>

<p>Created by James Fallouh</p>

</footer>

</body>

</html>

employee/order.list.html

```
<!DOCTYPE html>
```

```
<html xmlns:th="http://www.thymeleaf.org">
```

```
<head>
```

```
    <title>Order Management</title>
```

```
    <link rel="stylesheet" th:href="@{/css/bootstrap.min.css}" />
```

```
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<style>
```

```
    header {
```

```
        background-color: #007bff;
```

```
        color: white;
```

```
        padding: 20px;
```

```
        text-align: center;
```

```
    }
```

```
    footer {
```

```
        background-color: #6c757d;
```

```
        color: white;
```

```
        padding: 20px;
```

```
        text-align: center;
```

```
    }
```

```
    .container {
```

```
        margin-top: 20px;
```

```
    }
```

```
    .btn {
```

```
        margin-top: 20px;
```

```
}

.button-container {
    margin-bottom: 20px;
}

</style>

</head>

<body>

    <header>

        <h1>Order Management</h1>

    </header>

    <div class="container">

        <h2>Orders</h2>

        <table class="table table-striped">

            <thead>

                <tr>

                    <th>Order ID</th>

                    <th>Book ID</th>

                    <th>Username</th>

                    <th>Action</th>

                </tr>

            </thead>

            <tbody>

                <tr th:each="order : ${orders}">

                    <td th:text="${order.id}"></td>

                    <td th:text="${order.bookId}"></td>

                    <td th:text="${order.username}"></td>
```

```
<td>

    <a th:href="@{/employee/orders/edit/' + ${order.id}}" class="btn btn-
primary">Edit</a>

    <a th:href="@{/employee/orders/delete/' + ${order.id}}" class="btn btn-
danger">Delete</a>

</td>

</tr>

</tbody>

</table>

<div class="button-container">

    <a th:href="@{/employee/orders/add}" class="btn btn-success">Add Order</a>

</div>

<div class="button-container">

    <a th:href="@{/}" class="btn btn-primary">Return Home</a>

</div>

</div>

<footer>

    <p>Created by James Fallouh</p>

</footer>

</body>

</html>
```