

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Busy Day Schedule</title>
  <style>
    /* General Table Styles */
    table {
      width: 80%;
      border-collapse: collapse;
      margin: 20px auto;
      font-family: Arial, sans-serif;
      background-color: #e3f2fd; /* Light blue background for the table */
    }

    /* Table Header Styles */
    th {
      background-color: #1976d2; /* Dark blue background for headers */
      color: white;
      padding: 10px;
    }

    /* Table Row Styles */
    tr:nth-child(even) {
      background-color: #bbdefb; /* Light blue for even rows */
    }

    tr:nth-child(odd) {
      background-color: #ffffff; /* White for odd rows */
    }

    /* Table Cell Styles */
    td {
      text-align: center;
      padding: 10px;
      border: 1px solid #90caf9; /* Lighter blue border around cells */
    }

    /* Column Styling for Time */
    .time-column {
      width: 15%;
      background-color: #bbdefb; /* Light blue background for time column */
    }
  </style>
</head>
<body>
  <table>
    <tr>
      <th>Time</th>
      <th>Activity</th>
    </tr>
    <tr>
      <td>7:00 AM</td>
      <td>Wake up</td>
    </tr>
    <tr>
      <td>7:30 AM</td>
      <td>Get dressed</td>
    </tr>
    <tr>
      <td>8:00 AM</td>
      <td>Breakfast</td>
    </tr>
    <tr>
      <td>8:30 AM</td>
      <td>Commute to work</td>
    </tr>
    <tr>
      <td>9:00 AM</td>
      <td>Start work</td>
    </tr>
    <tr>
      <td>12:00 PM</td>
      <td>Lunch break</td>
    </tr>
    <tr>
      <td>1:00 PM</td>
      <td>Continue work</td>
    </tr>
    <tr>
      <td>4:00 PM</td>
      <td>End work</td>
    </tr>
    <tr>
      <td>5:00 PM</td>
      <td>Commute home</td>
    </tr>
    <tr>
      <td>6:00 PM</td>
      <td>Dinner</td>
    </tr>
    <tr>
      <td>7:00 PM</td>
      <td>Family time</td>
    </tr>
    <tr>
      <td>8:00 PM</td>
      <td>Homework</td>
    </tr>
    <tr>
      <td>9:00 PM</td>
      <td>Bedtime</td>
    </tr>
  </table>
</body>
</html>
```

```

/* Column Styling for Events */
.event-column {
    width: 70%;
}

/* Relaxing Task Styling (italicized) */
.relaxing {
    font-style: italic;
    color: #1565c0; /* Darker blue for relaxing tasks */
}

/* Important Row Highlighting (for unique tasks) */
.highlight-row {
    background-color: #81d4fa; /* Light blue background for important rows */
}

/* Mistake: Missing border for this row */
.missing-border td {
    border: none;
}

/* Mistake: Class name typo ("event-colum" instead of "event-column") */
.event-colum {
    font-weight: bold;
}
</style>
</head>
<body>

<h1>My Busy Day Schedule</h1>

<table>
  <thead>
    <tr>
      <th>Time</th>
      <th>Event</th>
    </tr>
  </thead>
  <tbody>
    <!-- Event Rows -->
    <tr>
      <td class="time-column">7:30 AM</td>
      <td class="event-column">Wake up and stretch</td>

```

```

</tr>
<tr>
  <td class="time-column">8:00 AM</td>
  <td class="event-column">Breakfast</td>
</tr>
<tr class="missing-border"> <!-- Mistake: Row missing border -->
  <td class="time-column">8:30 AM</td>
  <td class="event-column">Do chores (clean room, make bed)</td>
</tr>
<tr>
  <td class="time-column">9:00 AM</td>
  <td class="event-column">Work on homework</td>
</tr>
<tr>
  <td class="time-column">11:30 AM</td>
  <td class="event-column relaxing">Watch a movie with my brothers</td> <!-- Mistake:
Typo in class name -->
</tr>
<tr>
  <td class="time-column">1:00 PM</td>
  <td class="event-column">Lunch</td>
</tr>
<tr>
  <td class="time-column">2:00 PM</td>
  <td class="event-column relaxing">Relax and chill</td> <!-- More relaxing time -->
</tr>
<tr>
  <td class="time-column">4:00 PM</td>
  <td class="event-column">Continue relaxing or play games</td> <!-- Just unwinding
-->
  </tr>
</tbody>
</table>

</body>
</html>

```