

මධ්‍යම පරිසර අධිකාරිය
மத்திய சுற்றாடல் அதிகாரசபை
Central Environmental Authority



පරිසර පිහිට, 104, ඩෙන්සිල් කොබ්බෑකඩුව මාවත, බත්තරමුල්ල, ශ්‍රී ලංකාව.

"பரிசர பியச", 104, டென்சில் கொப்பேகடுவ மாவத்தை, பத்தரமுல்லை, இலங்கை.

"Parisara Piyasa", 104, Denzil Kobbekaduwa Mawatha, Battaramulla, Sri Lanka. Web: www.cea.lk

අපේ ලේඛන
எமது தொடர்பு
Our Ref.

CEA/NO/JA/PWM/SL/B59/13286/2015

ඔබේ ලේඛන
உமது தொடர்பு
Your Ref.

දිනය
திகதி
Date

16.05.2024

District Office, Jaffna, T.P. 021 2224050

Rt. Rev. Dr. V. Pathmathayalan
Green Memorial Hospital
Jaffna Road
Manipay.

Dear Sir,

ENVIRONMENTAL PROTECTION LICENCE

With reference to your renewal application received on **28.03.2024** for the above licence enclosed herewith is the Environmental Protection Licence bearing No. **B10910(R9)** dated **16.05.2024**.

Contravention or failure to comply with any condition stipulated in this licence, is an offence punishable under the National Environmental Act No. 47 of 1980 as amended by Act No. 56 of 1988 have been further amended by the National Environmental Act (Amendment) No. 53 of 2000.

An application for renewal of this licence shall be submitted to this Authority **three (03) months prior to the date of expiry** as stipulated in the licence. Application forms for renewal could be obtained from the Central Environmental Authority or the relevant Local Authorities and can be downloaded from CEA web site (www.cea.lk).

Failure to submit the renewal application within the above said time period shall be required to submit a fresh Environmental Protection Licence (EPL) application along with the relevant inspection fee.

Please state our reference in all correspondence directed to this Authority, in connection with the above licence.

Yours faithfully,

R.Mahesh jaltota

Director

Central Environmental Authority
Northern Provincial Office,
Kilinochchi.

Chairman/Director General/Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

Copies: 1. Secretary - Valikamam South West Pradeshiya Sabha, Manipay.
2. Director - EPC/CEA.

Chairman	Tel : 2872361, 2872348 Fax : 2872347	Director General	Tel : 2872359 Fax : 2872608	General Office	Tel : 2872278, 2873447, 2872419, 2873448, 7877277-280	Complaint : 2888999
D. D. G	HRD. Admin. & Finance Tel : 2865296 Fax : 2877515	Envt. Pollution Control	Envt. Mgt. & Assess.	Envt. Edu. & Awareness	Waste Mgt.	Regional Oper.
	Tel : 2873453 Fax : 2872605	Tel : 2872388 Fax : 2872296	Tel : 2872297 Fax : 2872609	Tel : 2872409 Fax : 2882152	Tel : 2872370	



82263

Our Ref: CEA/NO/JA/PWM/SL/B59/13286/2015

No. CEA B
Licence No: B10910(R9)

**NATIONAL ENVIRONMENTAL ACT NO. 47 OF 1980
ENVIRONMENTAL PROTECTION LICENCE ISSUED UNDER SECTION 23B**

M/s. Green Memorial Hospital, Jaffna Road, Manipay situated within the area of authority of the **Valikamam South West Pradeshiya Sabha, Manipay** is hereby authorized to discharge / deposit effluents / waste and or emit noise/vibrations/air emissions which may arise as a result of the operation of the said industry/process, in accordance with the standards and criteria prescribed by the National Environmental (Protection and Quality) Regulations No.1 of 2008, published in the gazette No. 1534/18 dated 01.02.2008 and the National Environmental (Noise Control) Regulation No. 01 of 1996, published in the gazette No. 924/12 dated 23.05.1996.

This licence shall be in force from **10.06.2024** to **09.06.2025** unless it is earlier cancelled or suspended.

This licence is subject to the general terms and conditions stated overleaf and to the additional terms and conditions stated below.

Noise Control

01. Noise level at the boundary of the Hospital during the operation should be maintained at or below 55dB (A) during day (between 0600 hrs and 1800 hrs) and at or below 45dB (A) during night. (1800 hrs and 0600 hrs).

Water Pollution Control

02. All effluent arising from the operation of the Hospital shall be disinfected and collected into a properly designed sealed pit and disposed with the consultation of **Valikamam** South West Pradeshiya Sabha, Manipay. Such effluent shall not be released into freely environment at any time.

Air Pollution Control

03. 3.1 Appropriate control mechanism should be adopted to control air emissions arising from Hospital activities
3.2 According to the regulation No. 2034/36 dated 01.09.2017 published under the National Environmental Act as amended, no open burning of refuse or other combustible matters inclusive of plastics shall be carried out.


Solid Waste Management

04. 4.1 Solid waste such as polythene, plastic, paper shall not be disposed of into any water body or at a site where it is likely to enter a water body.
4.2 All the solid waste other than clinical waste generated shall be collected into a central place within the premises and shall be removed and disposed at regular intervals in an environmentally safe and nuisance free manner in consultation with the **Valikamam** South West Pradeshiya Sabha, Manipay.
4.3 Clinical waste/Infectious waste generated from the hospital should be separated from the normal garbage.
4.4 All the infectious solid waste shall be disposed at regular intervals after disinfection in an environmentally safe and nuisance free manner with consultation with RDHS.
4.5 According to the regulation No.2211/51 dated 21.01.2021 and No.2341/30 dated 19.07.2023 published under the National Environmental Act as amended, the using of plastic, plastic products, any plastic derivative or plastic derivative products shall be strictly adhered to.
05. According to the Part II of Gazette Extraordinary No.1534/18 dated 01.02.2008 shall obtain separate Licence for the management of waste under the scheduled VIII, No.28 of Part II waste from specific sources.

R.Mahesh Jaltota
Director

Central Environmental Authority
Northern Provincial Office,
Kilinochchi.

16.05.2024


Chairman / Director General / Authorized Officer
Central Environmental Authority




General Conditions

06. Precautions should be taken to prevent the occurrence of fire and adequate measures shall be adopted to extinguish an accidental fire in consultation with the Fire Service Department.
07. Cleanliness and good housekeeping practices shall be adopted within the premises and prevent any mosquito breeding sites within the hospital.
08. Health and safety of workers shall be ensured as stipulated in the factories Ordinance.
09. Installation and operation of any machinery other than those stated in the renewal application received on **28.03.2024** should not be carried out without obtaining prior approval of the Central Environmental Authority.
10. Any expansion to the Hospital or change in Hospital process shall be affected only with prior approval of the Central Environmental Authority.
11. Any additional conditions stipulated by the Central Environmental Authority as and when required for controlling any kind of pollution arising from the operations of the Hospital shall be strictly adhered to.
12. The Environmental Protection Licence issued for this hospital should not be considered as an approval for carrying out this hospital/ process at this location. It is only a permit for the discharge of effluents/emissions or emitting of noise levels according to stipulated standards. The written approval of the **Valikamam South West Pradeshiya Sabha, Manipay** should be obtained for the operation of the hospital at this location.
13. This Environmental Protection Licence is issued only with respect to this **Green Memorial Hospital** situated at **Jaffna Road, Manipay**.
14. This Environmental Protection Licence is issued to carry on only the permitted activities stated therein; it shall not and is not intended to confer the recipient thereof any right to assert ownership to the land where the permitted activities are carried on.
15. If this licence is suspended, cancelled or hold validity by the Central Environmental Authority or suspended due to any filing actions, the original of this licence shall be submitted to the Deputy Director General, Environmental Pollution Control of the Central Environmental Authority by the owner of this licence.
16. The Central Environmental Authority reserves the right to suspend or cancel this licence in the event that since the issue of this licence, the receiving environment has been altered or changed due to natural factors or otherwise or where the continued discharge, deposition or emission of waste into the environment will or could affect any beneficial use adversely.
17. When any kind of litigatory action is filed or and pending in any court of law regarding the land or ownership of the land in which the industry is located, immediate steps shall be taken to inform this Authority and in such circumstance it shall be consider as the licence is automatically cancelled.
18. This licence is granted on the basis that all information provided by the applicant is true and accurate. If at any time it is found that any information furnished by the applicant in the Environmental Protection Licence (EPL) Application Form is incorrect, this Authority reserves the right to cancel the licence.

16.05.2024

R. Mahesh Jaltota
Director
Central Environmental Authority
Northern Provincial Office,
Kilinochchi.


Chairman / Director General / Authorized Officer
Central Environmental Authority