

**BOARD OF INVESTMENT OF SRI LANKA**

P.O. Box 1768, World Trade Centre – West Tower, Echelon Square, Colombo 1, Sri Lanka

Date : 03/11/2022  
Our Ref : EC/18/LE/1330  
Your Ref:

Chief Financial Officer  
Durdans Heart Centre (Pvt) Ltd  
No.3, Alfred Place  
Colombo 3

Dear sir

**RENEWAL OF ENVIRONMENTAL PROTECTION LICENCE (EPL)**


We refer to your EPL renewal application submitted to the BOI in respect of your hospital at No.3, Alfred Place, Colombo 3

The Environmental Protection Licence bearing No CEA B 134095/2022 issued for the period from 10 June 2022 to 09 June 2023 under the National Environmental Act is sent herewith.

Please note you will be required to submit

- i. an application for renewal of the EPL three(03) months prior to the expiry date stated above.
- ii. test reports as per conditions stipulated in the EPL.

Yours faithfully



(Ms) A S Beling

**Director (Environment Management)**

**BOARD OF INVESTMENT OF SRI LANKA**

cc: Hon Mayor  
Municipal Council  
Colombo

Director  
Western Provincial Office/CEA



**NATIONAL ENVIRONMENT ACT NO.47 OF 1980**  
**ENVIRONMENTAL PROTECTION LICENCE ISSUED UNDER SECTION 23B**

M/s Durdans Heart Centre (Pvt) Ltd

Of No.3, Alfred Place, Colombo 3

situated within the area of authority of the Municipal Council of Colombo is/are hereby authorized to discharge/deposit effluents/waste and/or emit noise/vibrations/air emissions which may arise as a result of the operation of the said industry/process, in accordance with the gazette notification No. 2264/17 dated 27.01.2022 made under the Provision of National Environmental Act.


This Licence shall be in force from **10 June 2022 to 09 June 2023** unless it is earlier cancelled or suspended.

This Licence is subject to the General Terms and Conditions stated overleaf and to the additional Terms and Conditions stated below.

- (1) a. All wastewater and domestic sewage arising from the activities of the hospital shall be discharged into the Colombo Municipal Council sewerage network in consultation with the Colombo Municipal Council (CMC).
- b. All wastewater generated from the laboratories shall be properly disinfected prior to discharge.
- c. Storm water shall be properly directed to storm water drainage scheme in consultation with the Colombo Municipal Council.
- d. No wastewater discharges within the premises or freely into the environment shall be allowed.
- e. Activities generating cytotoxic waste should not be carried out within this hospital premises.
- (2) a. The hospital management shall ensure that Bio-medical and healthcare waste generated from the Hospital are not mixed with its general wastes.
- b. For the management of bio medical and health care waste, the Scheduled Waste Management Licence shall be obtained from the CEA in accordance to the Part II of the National Environmental (Protection & Quality) Regulation No.01 of 2008. Management shall ensure that the conditions specified in the said Licence are strictly adhered to.

This Licence is issued in consultation with and the concurrence of the **Central Environmental Authority** obtained by the BOI.

03 November 2022

  
.....  
Director (Environment Management)  
(Ms) A S Beling ...2/-  
Director (Environment Management)  
BOARD OF INVESTMENT OF SRI LANKA



## BOARD OF INVESTMENT OF SRI LANKA

Continuation Sheet

- c. All radio active waste generated from the hospital activities shall be stored securely and disposed in consultation with the Atomic Energy Authority of Sri Lanka.
- (3) a. The general wastes generated shall be collected to a central place and got rid of periodically in an environmentally safe and nuisance-free manner in consultation with the Colombo Municipal Council.
- b. No open air burning of refuse or other combustibles inclusive plastics shall be carried out within or outside the premises. This is not permitted activity in terms of Gazette Extraordinary No.2034/36 dated 01.09.2017 published under the National Environmental Act.
- c. No solid waste shall be dumped into any water body or at a site where it is likely to enter a water body.
- (4) All bio medical and clinical waste shall be disposed/recycled/recovered through the facility/facilities which have obtained necessary authorization from the CEA. Such disposal records shall be submitted to the BOI and the CEA.
- (5) Noise levels at the boundary of this premises during the operation should be maintained at or below 63 dB(A) from 0600 am to 0600 pm and 50 dB(A) from 0600 pm to 0600 am.
- (6) The operation of incinerator at the above location is strictly prohibited.
- (7) As per the undertaking letter submitted with time bound plan dated 29.06.2022, the incinerator shall be fully dismantled from the above location within three months period of time.
- (8) If an electricity generator is envisaged to be used, it shall be located in a sound proof chamber and exhaust line of the generator shall be directed upwards from the top of the sound proof chamber where the generator to be installed. According to the gazette extraordinary No. 2126/36 dated 05.06.2019, stack emission from stand by generator shall be within the limits specified in Part II of Schedule II of Stationary Source Emission Control standards as stated below.

Type of Pollutant	Emission Limit
Particulate Matter (PM), Sulphur Dioxide (SO <sub>2</sub> ), Nitrogen Oxides (NO <sub>x</sub> )	Shall be controlled by stack height and fuel quality as set out in Regulation 11 and 12.
Smoke	10% Opacity

03 November 2022

*AS Beling*  
 .....  
 Director (Environment Management)  
 ...3/-

(Ms) AS Beling  
 Director (Environment Management)  
 BOARD OF INVESTMENT OF SRI LANKA

## BOARD OF INVESTMENT OF SRI LANKA

Continuation Sheet

- (9) Emergency preparedness plan should be prepared and available within the industry and posting of signs on "Emergency Instructions" should be displayed on relevant locations.
- (10) The provisions of the Gazette Extraordinary Nos. 2034/33, 2034/34, 2034/35, 2034/37 and 2034/38 dated 01.09.2017 published under section 23W of the National Environmental Act.47 of 1980 as amended shall be adhered to in usage of polythene & its products. (These gazette notifications can be downloaded from the CEA web site [www.cea.lk](http://www.cea.lk).)
- (11) In consultation with the Fire Brigade;
- i. adequate precautions shall be taken to prevent the occurrence of accidental fires.
  - ii. adequate number of fire extinguishers shall be installed at strategic points to extinguish any accidental fires.
- (12) Vehicles shall be parked in such a way as not to obstruct pedestrians, neighbours and the smooth flow of traffic on the roads.
- (13) Health and safety of workers shall be ensured as stipulated in the Factories Ordinance and its amendments.
- (14) Cleanliness and good housekeeping practices shall be adopted within the premises and prevent any mosquito breeding sites within the industry.
- (15) Any expansion to the hospital, operation or process shall not be effected without prior approval of the CEA and BOI.
- (16) Any additional conditions stipulated by the Central Environmental Authority and the BOI as and when required for controlling any kind of pollution arising from the operation of this hospital shall be strictly adhered to.
- (17) This EPL is issued to carry out only the permitted activities stated therein, it shall not and is not intended to confer the recipient thereof any right to assert ownership to the land where the permitted activities are carried on.
- (18) i. The BOI reserves the right to suspend or cancel this Licence in the event that since the issue of this Licence, the receiving environment has been altered or changed due to natural factors or otherwise or where the continued discharge, deposition or emission of waste into the environment will or could affect any beneficial use adversely.
- ii. This Licence is granted on the basis that all information provided by the applicant is true and accurate. If at any time it is found that any information furnished by the applicant in the Environmental Protection Licence (EPL) Application is incorrect, the BOI reserves the right to cancel the Licence.
- (19) This Licence is issued only in respect of the operation of Durdans Heart Centre (Pvt) Ltd situated at the location indicated above.

\*\*\*\*\*

03 November 2022

  
 .....  
 Director (Environment Management)

(Ms) A S Belling  
 Director (Environment Management)



**BOARD OF INVESTMENT OF SRI LANKA**

P.O. Box 1768, World Trade Centre – West Tower, Echelon Square, Colombo 1, Sri Lanka

Date : 03/11/2022  
Our Ref : EC/18/LE/1330A  
Your Ref:

Chief Financial Officer  
Durdans Medical And Surgical Hospital (Pvt) Ltd  
No.3, Alfred Place  
Colombo 3

Dear sir

**RENEWAL OF ENVIRONMENTAL PROTECTION LICENCE (EPL)**


We refer to your EPL renewal application submitted to the BOI in respect of your hospital at No.3, Alfred Place, Colombo 3

The Environmental Protection Licence bearing No CEA B 134096/2022 issued for the period from 10 May 2022 to 09 May 2023 under the National Environmental Act is sent herewith.

Please note you will be required to submit

- i. an application for renewal of the EPL three(03) months prior to the expiry date stated above.
- ii. test reports as per conditions stipulated in the EPL.

Yours faithfully



(Ms) A S Beling

**Director (Environment Management)**

**BOARD OF INVESTMENT OF SRI LANKA**

cc: Hon Mayor  
Municipal Council  
Colombo

Director  
Western Provincial Office/CEA



**NATIONAL ENVIRONMENT ACT NO.47 OF 1980**  
**ENVIRONMENTAL PROTECTION LICENCE ISSUED UNDER SECTION 23B**

M/s Durdans Medical And Surgical Hospital (Pvt) Ltd

Of No.03, Alfred Place, Colombo 3.

situated within the area of authority of the Municipal Council of Colombo is/are hereby authorized to discharge/deposit effluents/waste and/or emit noise/vibrations/air emissions which may arise as a result of the operation of the said industry/process, in accordance with the gazette notification No. 2264/17 dated 27.01.2022 made under the Provision of National Environmental Act.


This Licence shall be in force from **10 May 2022 to 09 May 2023** unless it is earlier cancelled or suspended.

This Licence is subject to the General Terms and Conditions stated overleaf and to the additional Terms and Conditions stated below.

1. (a) All wastewater and domestic sewage arising from the activities of the hospital shall be discharged into the Colombo Municipal Council sewer network in consultation with the Colombo Municipal Council.
- (b) All wastewater generated from the laboratories shall be properly disinfected prior to discharge.
- (c) Activities generating cytotoxic waste should not be carried out within this hospital premises.
- (d) No wastewater shall be discharged within the premises or freely into the environment.
2. (a) All bio medical and clinical waste shall be disposed / recycled / recovered through the facility / facilities which had obtained necessary authorization from the CEA.
- (b) All non clinical/non toxic solid wastes generated shall be collected to a central place and got rid of periodically in an environmentally safe and nuisance-free manner in consultation with the CMC.
- (c) No open air burning of refuse or other combustibles inclusive plastics shall be carried out within or outside the premises. This is not permitted activity in terms of Gazette Extraordinary No.2034/36 dated 01.09.2017 published under the National Environmental Act.
- (d) No solid wastes shall be dumped into any water body or at a site where it is likely to enter a water body.

This Licence is issued in consultation with and the concurrence of the **Central Environmental Authority** obtained by the BOI.

03 November 2022

  
.....  
Director (Environment Management)  
(Ms) A.S. Beling ...2/-  
Director (Environment Management)  
BOARD OF INVESTMENT OF SRI LANKA



## BOARD OF INVESTMENT OF SRI LANKA

Continuation Sheet

- (e) As per the Part II of the National Environmental (Protection & Quality) Regulation No. 01 of 2008, the hospital shall obtain the Schedule Waste Management Licence for management of clinical waste and should fulfill the requirements of the Schedule Waste Management Licence and should be adhered to the conditions stipulated there in.
- (f) All radio active waste generated from the hospital shall be stored securely and disposed in consultation with the Atomic Energy Authority of Sri Lanka.
3. (a) All equipment/generator which are likely to generate excessive noise shall be installed on resilient foundations and preferably enclosed areas to reduce generation and spread of noise.
- (b) Management shall ensure that the noise level at the boundary due to operation of the machinery does not exceed a maximum level of 63 dB(A) from 6.00 am to 6.00 pm and 50 dB(A) from 6.00 pm to 6.00 am.
4. All bio medical and clinical waste shall be disposed/recycled/recovered through the facility/facilities which have obtained necessary authorization from the CEA. Such disposal records shall be submitted to the BOI and the CEA.
5. The operation of incinerator at the above location is strictly prohibited.
6. As per the undertaking letter submitted with time bound plan dated 29.06.2022, the incinerator shall be fully dismantled from the above location within three months period of time.
7. If an electricity generator is envisaged to be used, it shall be located in a sound proof chamber and exhaust line of the generator shall be directed upwards from the top of the sound proof chamber where the generator to be installed. According to the gazette extraordinary No. 2126/36 dated 05.06.2019, stack emission from stand by generator shall be within the limits specified in Part II of Schedule II of Stationary Source Emission Control standards as stated below.

Type of Pollutant	Emission Limit
Particulate Matter (PM), Sulphur Dioxide (SO <sub>2</sub> ), Nitrogen Oxides (NO <sub>x</sub> )	Shall be controlled by stack height and fuel quality as set out in Regulation 11 and 12.
Smoke	10% Opacity

8. Emergency preparedness plan should be prepared and available within the industry and posting of signs on "Emergency Instructions" should be displayed on relevant locations.

03 November 2022

*As Beling*  
 .....  
 Director (Environment Management)  
 ...3/-  
 (Ms) A S Beling  
 Director (Environment Management)  
 BOARD OF INVESTMENT OF SRI LANKA

- \*\*\*\*\*

.....  
 Director (Environment Management)  
 (Ms) A S Beling  
 Director (Environment Management)  
 BOARD OF INVESTMENT OF SRI LANKA