



NATIONAL ENVIRONMENTAL ACT NO. 47 OF 1980
ENVIRONMENTAL PROTECTION LICENCE ISSUED UNDER SECTION 23B

M/s. New Yarl Hospital, No: 315, Palaly Road, Thirunelvely, Jaffna situated within the area of authority of the Municipal Council, Jaffna is hereby authorized to discharge / deposit effluents / waste and or emit noise/vibrations/air emissions which may arise as a result of the operation of the said industry/process, in accordance with the standards and criteria prescribed by the National Environmental (Protection and Quality) Regulations No.1 of 2008, published in the gazette No. 1534/18 dated 01.02.2008 and the National Environmental (Noise Control) Regulation No. 01 of 1996, published in the gazette No. 924/12 dated 23.05.1996.

This licence shall be in force from 29.11.2021 to 28.11.2022 unless it is earlier cancelled or suspended. This licence is subject to the general terms and conditions stated overleaf and to the additional terms and conditions stated below.

Noise Control

- Noise level at the boundary of the hospital during the operation should be maintained at or below 63dB (A) during day (between 0600 hrs and 1800 hrs) and at or below 50dB (A) during night (1800 hrs and 0600 hrs).

Water Pollution Control

- All effluent arising from the operation of the hospital shall be disinfected and collected into a properly constructed sealed pit and disposed with the consultation of hazardous waste collectors. Such effluent shall not be released freely into environment at any time.

Air Pollution Control

- Appropriate control mechanism should be adopted to control air emissions arising from hospital activities.

Solid Waste Management

- 4.1 Solid waste such as polythene, plastic, paper shall not be disposed into any water body or at a site where it is likely to enter a water body.
- 4.2 Clinical waste/infectious waste generated from the hospital should be separated from the normal garbage.
- 4.3 All the solid waste other than clinical waste generated shall be collected into a central place within the premises and shall be removed and disposed at regular intervals in an environmentally safe and nuisance free manner in consultation with the relevant local authority.
- 4.4 All the infectious solid waste shall be transported and disposed at regular intervals after disinfection in an environmentally safe and nuisance free manner consultation with Sanicare Services (Pvt) Ltd.
- 4.5 According to the Gazette Extraordinary No. 2034/33 dated 01/09/2017 polythene or any polythene product which is twenty (20) microns or below in thickness shall not be used for the industrial / domestic activities and provided that polythene or any polythene product of twenty (20) microns or below in thickness may be permitted to be used with the prior written approval of the Authority for the purposes specified in the schedule.

29.11.2021

Chairman/Director General/Authorize Officer
Central Environmental Authority

T. Suboharan
Director (Act.)
Central Environmental Authority
Northern Provincial Office
Kilinochchi.