



8. Precautions shall be taken to prevent the occurrence of fire and adequate measures shall be adopted to extinguish an accidental fire.
9. Cleanliness and Good house keeping practices shall be adopted within the premises.
10. Any expansion to the hospital or change in the Hospital process shall be affected only with prior approval of the Central Environmental Authority.
11. Any additional recommendations stipulated by the Central Environmental Authority as and when required for controlling any kind of pollution likely to arise from the operations of the hospital shall strictly be adhered to.
12. This Environmental Protection Licence is issued only with respect to Hospital carried out by Arogya Hospitals (Pvt) Ltd. situated at No. 250, Colombo Road, Gampaha.
13. The Environmental Protection Licence issued for this hospital should not be considered as an approval for carrying out this hospital at this location. It is only a permit for the discharge of effluents/emissions or emitting noise levels according to stipulated standards. The written approval of the Municipal Council of Gampaha should be obtained for the operation of this Hospital at this location.
14. This Environmental Protection License is issued to carry on only the permitted activities state therein; It shall not and is not intended to confer the recipient there of any right to assert ownership to the land where the permitted activities are carried on.
15. When any kind of litigatory action is filed or/and pending in any Court of Law regarding the land or ownership of the land in which the industry is located, immediate steps shall be taken to inform this Authority.
16. If at any time it is found that any information furnished by the applicant in the Environmental Protection License (EPL) Application form is incorrect, this authority reserves the right to cancel the License.
17. If this license is suspended, cancelled or hold validity by the Central Environmental Authority or suspended due to any filing actions, the original of this license shall be submitted to the Director (Gampaha District Office) of the Central Environmental Authority by the owner of this license.

18.05.2022

Chairman/Director General/ Authorized Officer
Central Environmental Authority

H.L. Kamal Priyantha
Director
Gampaha District Office
Central Environmental Authority