

SRI LANKA ATOMIC ENERGY REGULATORY COUNCIL

Ministry of Power & Renewable Energy

ICENCE





CamScanner

For the Medical Radiography Using Ionizing Radiation

CO/121/A/MR-01/L/01/2022

2. Effective date . . 01.06.2022

Licence No

4 Name of the applicant . . **Managing Director**

Address of the institute where the machine is used . . Park Hospitals (Pvt) Ltd, No. 186, Park Road, Colombo 05

5

3

Date of expiry

. .

6 Name of the radiation protection officer . . Mr. S.T. Kokawala

7 Personnel authorized to operate the under mentioned Mr. K.A.S.D. Kolonne Mr. S.T. Kokawala

 α Personnel authorized to work in the controlled area of Mr. M. Sivaraman

9 X-ray equipment authorized to be used

Dept. of X-ray Room No. 30 Static	Location of the Type Equipment
Toshiba	Make
DRX-190H	Model No.
77339	Tube Serial No.
120/500	Max. tube Voltage/ Current (kVp/mAs)
Use & Possession	Nature of Authorization

the diagnostic purposes at the place(s) and to use these equipment by the persons, authorized as indicated above. This heence is subject to all Pirsuant to the section 22 of the Sri Lanka Atomic Energy Act No. 40 of 2014 and Atomic Energy Safety Regulations No. 1 of 1999 and in rehance or conditions specified in Annexure I statements and representation made by the applicant, a licence is hereby issued to the above applicant to possess the above irradiating apparatus for and Codes of Practices of the Sri Lanka Atomic Energy Regulatory Council (Council) now or hereafter will be in effect and to the

SRI LANKA ATOMIC ENERGY ACT NO. 40 OF 2014 AND ATOMIC ENERGY SAFETY REGULATIONS NO A OF 1989 UNDER WHICH THIS LICENCE IS

IT IS THE RESPONSIBILITY OF THE LICENCED HOLDER TO BE FULLY AWARE OF ALL RESPONSIBILITIES AND OBLICATIONS IMPOSED BY THE

THE LICENCE IS NOT VALID FOR IMPORTATION OF ANY TYPE OF X-RAY M.! CHINES AND THE LICENCE IS NOT TRANSFERRABL



Date: 25.05.2022

uairman

Sri Lanka Atomic Energy Regulatory Council

Sydney Gajanayake Chairman

mic Energy Regulatory Council

Sri Lanka Atomic Energy Regulatory Council, No.977/18, Kandy Road, Bulugaha Junction, Kelaniya. Fax: 94-11-2987857 Email: officialmail@aerc.gov.lk Web: www.aerc.gov.lk

Tel: 94-11-2987860