

මධ්‍යම පරිසර අධිකාරිය

மத்திய சுற்றாடல் அதிகாரசபை

Central Environmental Authority



පරිසර පියස, 104, ඩෙන්සිල් කොබ්බෑකඩුව මාවත, බත්තරමුල්ල, ශ්‍රී ලංකාව.

"Parisara Piyasa", 104, ධෙන්සිල් කොබ්බෑකඩුව මාවත, බත්තරමුල්ල, ශ්‍රී ලංකාව.

"Parisara Piyasa", 104, Denzil Kobbekaduwa Mawatha, Battaramulla, Sri Lanka. Web: www.cca.lk

අපේ යෙදුම්
எமது தொடர்பு
Our Ref.

EA/SU/HB/PWT/SL/B59/24153/2022

ඔබේ යෙදුම්
உமது தொடர்பு
Your Ref.

දිනය
திகதி
14.09.2022

Registered Post

Mr. G.A.R.P. Dissanayaka
Dakshina Healthcare Hospital,
Beliatte Road,
Muduna,
Beliatta.

ENVIRONMENTAL PROTECTION LICENCE

With reference to your application dated 01.08.2022 for the above licence enclosed herewith is the Environmental Protection Licence bearing No. B 20872 (R0) dated 14.09.2022.

Contravention or failure to comply with any condition stipulated in this licence, is an offence punishable under the National Environmental Act No 47 of 1980 as amended by Act No.56 of 1988 have been further amended by the National Environmental Act (Amendment) No.53 of 2000.

In addition the provisions of Gazette Extra-ordinary No. 2034/33, 2034/34, 2034/35, 2034/37 and 2034/38 dated 01.09.2017 published under 23 W of the National Environmental Act No. 47 of 1980 shall be adhered to.

An application for renewal of this licence shall be submitted to this Authority three (03) months prior to the date of expire stipulated in the licence. Application forms for renewal could be obtained from the relevant Local Authority or from the Central Environmental Authority.

Please state our reference in all correspondence directed to this Authority, in connection with the above licence.

Yours truly,


Chairman/ Director General /Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

CC:

01. Chairman,
Pradheshiya Sabha, Weeraketiya.
02. Director (Envl. Pollution Control)
Central Environmental Authority.

| | | | | | | |
|-----------------|---|---|--|--|--|---|
| Chairman | Tel : 2872361, 2872348 Fax : 2872347 | Director General | Tel : 2872359 Fax : 2872608 | General Office | Tel : 2872278, 2873447, 2872419, 7877277-280 | Complaint 2888999 Emergency Hot Line : 1981 |
| D.D.G | HRD, Admin. & Finance Tel : 2865296 Fax : 2877515 | Envl. Pollution Control Tel : 2873453 Fax : 2872605 | Envl. Mgt. & Assess. Tel : 2872388 Fax : 2872296 | Envl. Edu. & Awareness Tel : 2872297 Fax : 2872609 | Waste Mgt. Tel : 2872409 Fax : 2882152 | Regional Oper. Tel : 2872370 |



No. CEA ~~A~~ ^B 131960

Ref No: CEA/SU/PWT/SL/B59/24153/2022

License No: B 20872 (R0)

**NATIONAL ENVIRONMENTAL ACT NO. 47 OF 1980
ENVIRONMENTAL PROTECTION LICENCE ISSUED UNDER SECTION 23B**


Dakshina Healthcare Hospital at Beliatta Road, Muduna, Walasmulla situated within the area of authority of the Weeraketiya Pradheshiya Sabha is hereby authorized to discharge/deposit effluents/waste and or emit noise/vibrations/air emissions which may arise as a result of the operation of the said industry/process, in accordance with the standards and criteria prescribed by the National Environmental (Protection and Quality) Regulation No. 1 of 2008 published in the Gazette No.1534/18 dated 01.02.2008 amended by Gazette No. 2264/17 dated 27.01.2022 and National Environmental (Protection and Quality) Regulations No.1 of 2008 and the National Environmental (Noise Control) Regulation No 01 of 1996.

This license shall be in force from 14.09.2022 to 13.09.2023 unless it is earlier cancelled or suspended.

This licence is subject to the general terms and conditions stated overleaf and to the additional terms and conditions stated below.

01. The noise level at the boundary due to operation of the machinery shall be maintained at or below 50 dB (A) from 06.00 a.m. to 06.00 p.m. and 45 dB (A) from 06.00 p.m. to 06.00 a.m.
02. 2.1 All the solid waste other than clinical waste generated shall be collected into a central place within the premises and shall be removed and disposed at regular intervals in an environmentally safe and nuisance free manner in consultation with the relevant local authority.
2.2 All clinical waste arising from the hospital shall be collected separately and given to the Sisili Hanaro Encare (Pvt) Ltd for final disposal.
03. 3.1 All non-toxic waste shall be collected in a central place and shall be disposed in consultation with the Weeraketiya Pradheshiya Sabha.
3.2 No open burning of solid waste shall be carried out within or outside the premises.

14.09.2022



Chairman/ Director General/ Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

SUSANTHA WEDA
Director - Southern Pro
Central Environmental A...



- 3.3 No solid waste shall be dumped into any water body or at a site where it is likely to enter a water body.
- 3.4 According to the Gazette Extra-ordinary No. 2034/36 dated 01.09.2017 burning openly or cause to allow or permit the open burning of refuse or other combustible matters inclusive of plastics is prohibited within the industrial premises or surroundings.
04. According to the Part II of Extra Ordinary Gazette Notification No. 1534/18 and dated 01.02.2008, separate license shall be obtained for the management of waste under the Schedule VIII, No. 28 of Part II waste from specific sources.
05. Precautions should be taken to prevent the occurrence of fire and adequate measures shall be adopted to extinguish an accidental fire in consultation with the Fire Service Department.
06. Cleanliness and good house keeping practices shall be adapted.
07. Health and safety of works shall be ensured as stipulated in the factories Ordinance.
08. Installation and operation of any machinery other than those stated in the application dated 01.08.2022 should not be carried out without obtaining prior approval of the Central Environmental Authority.
09. Any expansion to the hospital or change in the hospital process shall be affected only with prior approval of the Central Environmental Authority.
10. Any additional conditions stipulated by the Central Environmental Authority as and when required for controlling any kind of pollution arising from the operations of this Hospital shall be strictly adhered to.
11. A copy of the approval of the Ministry of Health as a private hospital must be submitted to this authority within one month from the date mentioned in this license.
12. A copy of the business registration certificate should be submitted to this authority within a period of one month from the date mentioned in this license.
13. The Environmental Protection Licence issued for this Hospital should not be considered as an approval for carrying out this Industry at this location. It is only a permit for the discharge of effluents/emitting of noise levels according to stipulated standards. The written approval of Weeraketiya Pradheshiya Sabha should be obtained for the operation of this Industry at this location.

14.09.2022


Chairman/ Director General/ Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

SUSANTHA WEDAGAMAGE
Director - Southern Province
Central Environmental Authority



14. This Environmental Protection License is issued only with respect to Dakshina Healthcare Hospital, Beliatta Road, Muduna, Walasmulla.
15. The Central Environmental Authority reserves the right to suspend or cancel this license in the event that since the issue of this license, the receiving environment has been altered or changed due to natural factors or otherwise or where the continued discharge, deposition or emission of waste into the environment will or could affect any beneficial use adversely.
16. This license is granted on the basis that all information provided by the Project Proponent is true and accurate. If at any time it is found that any information furnished by the project proponent in the Environmental Protection License application form is incorrect, this authority reserves the right to cancel the license.
17. When any kind litigatory action is filed or/and pending in any court of law regarding the land or ownership of the land in which the industry is located. Immediate steps shall be taken to inform this authority and in such circumstance it shall be considered as the license is automatically cancelled.
18. This Environmental protection License is issued to carry on only the permitted activities stated therein, It shall not and is not intended to confer the recipient thereof any right to assert ownership to the land where the permitted activities are carried on.

SUSANTHA WEDAGAMA
Director - Southern Province
Central Environmental Authority


Chairman/ Director General /Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

14.09.2022