

මධ්‍යම පරිසර අධිකාරිය
மத்திய சுற்றாடல் அதிகாரசபை
Central Environmental Authority



පරිසර පියස, 104, ඩෙන්සිල් කොබ්බෑකඩුව මාවත, බත්තරමුල්ල, ශ්‍රී ලංකාව.

“பரிசர பியச”, 104, டென்சில் கொப்பேகடுவ மாவத்தை, பத்தரமுல்லை, இலங்கை.

“Parisara Piyasa”, 104, Denzil Kobbekaduwa Mawatha, Battaramulla, Sri Lanka. Web: www.cea.lk

අපේ යොමුව
எமது தொடர்பு
Our Ref.

WE/KT/UPD/SL/B59/4088/09

ඔබේ යොමුව
உமது தொடர்பு
Your Ref.

දිනය
திகதி
Date

2022.03.03

Mr. Sarath Kahapolarachchi,
Chairman,
Sachitra Hospital (Pvt) Ltd,
76, Horana Rd,
Panadura.

Dear Sir,

ENVIRONMENTAL PROTECTION LICENCE

With reference to your application for the above license dated 31.12.2021 enclosed herewith is the Environmental Protection License bearing No. B02811 (R12) dated 03.03.2022.

Contravention failure with any condition stipulated in this license, is an offence punishable under the National Environmental Act No. 47 of 1980 as amended by Act.56 of 1988 have been further amended by the National Environmental Act (Amendment) No. 53 of 2000.

An application for renewal of this license shall be submitted to this authority **three (03) months prior to the date of expire** stipulated in the license. Application forms for renewal could be obtained from the Central Environmental Authority or the relevant Local authorities.

Please state our reference in all correspondence directed to this Authority, in connection with the above license.

Yours faithfully,

**Chairman/Director General/ Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY**

CC: 1. Chairman, Panadura Urban Council, Panadura.
2. Director (EPC)/CEA

\\pendocument-1\\Pendocument-1\\miss thilini\\EPL - Sachitra Hospital.doc

Chairman Tel : 2872361, 2872348 Fax : 2872347	Director General Tel : 2872359 Fax : 2872608	General Office Tel : 2872278, 2873447, 2872419, 7877277-280	Complaint : 2888999 Emergency Hot Line : 1981
D.D.G Tel : 2865296 Fax: 2877515	HRD. Admin. & Finance Tel : 2873453 Fax : 2872605	Env. Pollution Control Tel : 2873453 Fax : 2872605	Env. Mgt. & Assess. Tel : 2872388 Fax: 2872296
Env. Edu. & Awareness Tel : 2872297 Fax : 2872609	Waste Mgt. Te. 2872409 Fax: 2882152	Regional Oper. Tel : 2872370	



No. CEA A 125168

Our Ref: WE/KT/UPD/SL/B59/4088/09

Licence No: No. B02811 (R12)

NATIONAL ENVIRONMENTAL ACT NO. 47 OF 1980
ENVIRONMENTAL PROTECTION LICENCE ISSUED UNDER SECTION 23B

Sachitra Hospital (Pvt) Ltd of No.76, Horana Rd, Panadura situated within the area of authority of the **Urban Council of Panadura** is hereby authorized to discharge/ deposit effluents/waste and / or emit noise/ vibrations/ air emissions which may arise as a result of the operation of the said industry / process, in accordance with the standards and criteria prescribed by the National environmental (Protection and Quality) Regulations No. 1 of 2008, published in the gazette No 2264/18 dated 27.01.2022 and the National Environmental (Noise Control) Regulation No. 01 of 1996, published in the gazette No. 924/12 dated 23.05.1996.


This license shall be in force from **02.03.2022** to **01.03.2023** unless it is earlier cancelled or suspended.

This license is subject to the general terms and conditions stated overleaf and to the additional terms and conditions stated below.

Conditions:-

01. Noise level at the boundary of the Hospital during the operation shall be maintained at or below 63dB (A) during day (between 0600 hrs and 1800 hrs) and at or below 50dB (A) during night (1800hrs to 0600 hrs).
02. 2.1 Effluent generated from Operation of the hospital shall be confirm to the General standards for Discharge of Effluent into inland surface waster prior to discharge in to the Environment.
2.2 Effluent generated from domestic activities shall not be released into any waterway or at a site where it in likely to enter a water body. Such waste water shall be directed into a properly designed septic tank/soakage pit.
03. Adequate control mechanism should be adopted to control air emissions arising from laboratory activities.

03.03.2022


Chairman/Director General/ Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

GENERAL TERMS AND CONDITIONS

1. The licence shall be valid for such period as may be specified in the licence, provided it shall not be for more than a period of three years from the date of issue. - An application for renewal of the licence shall be made at least three months prior to the date of expiry of the licence.
2. The holder of the Licence shall permit the Director General or any other officer duly authorized in writing by him at any time to enter the premises in respect of which the Licence is issued to examine and inspect any equipment or industrial plant; and
 - a) To take samples of any pollutants that are emitted, discharged or deposited from or by such equipment or industrial plant,
 - b) to examine books, records or documents relating to the performance of use or such equipment or industrial plant or relating to the emission, discharge or deposition from such industrial plant;
 - c) to take photographs of such equipment or industrial plants as he considers necessary or make copies of any books, records or documents seen in the course of such examination; and
 - d) to take samples of any fuel, substance or material used, in such trade, industry or process carried on in or on such premises.
3. The holder of the Licence shall comply with any requirement communicated from time to time by the Authority as regards:
 - a) the use of any techniques or installations in the production / process, handling and storage of goods, material, fuel and waste products with a view to minimizing environmental pollution and hazards; and
 - b) any additional technical measure for preventing or mitigating environmental pollution and hazards.
4. The holder of the Licence shall ensure that monitoring of environmental pollution or other acts that the authority considers necessary to protect the environment, including the following are done;
 - a) measurements, calculation, registration of samples to determine actual level of pollution and risk of exposure;
 - b) recording and sorting of data and reporting to the Authority;
 - c) issuing written instructions to persons employed with regard to handling of hazardous material and installations to protect the environment;
 - d) assigning duties and responsibilities to management and staff with regard to protection of the environment; and
 - e) ensuring that persons referred to in (c) above, and charged with duties and responsibilities referred to in (d) above are properly qualified persons.
5. The Licence is valid only for the type and nature of the industry / process / operation as stated in the preliminary application and to the information submitted by the Licensee.
6. Any alteration or extension made to the industry, process of operation should be indicated forthwith to the Authority.

.....
Date

.....
Chairman / Director General / Authorized Officer
Central Environmental Authority



04. 4.1 Solid waste such as polythene, plastic, paper shall not be disposed of into any water body or at a site where it is likely to enter a water body.
- 4.2 Solid waste segregation plan and temporary storage system must be established and maintained according to the colour code (As per the General Circular No: 01-12-2006 of Director General of Health Service)
- 4.3 All solid waste other than clinical waste generated shall be collected into a central place within the premises and shall be removed and disposed at regular intervals in an environmentally safe and nuisance free manner in consultation with the relevant local authority.
- 4.4 Clinical waste/infectious waste (needles, medical dressings, etc) shall be disposed by Sisili Hanaro Encare (Pvt) Ltd at No: 05, Rhine land place, Colombo 03 and relevant agreement should be submitted to this authority.
05. According to the Gazette Extraordinary No 2034/36 dated 01.09.2017 burning openly or cause to, allow or permit the open burning of refuse or other combustible matters inclusive of plastics is prohibited within the industrial premises or surrounding
06. According to the Part II of Gazette Extraordinary No.1534/18 dated 01.02.2008 shall obtain separate License for the management of waste under the scheduled VIII, No.28 of Part II waste from specific sources.
07. The provisions of the Gazette Extraordinary No. 2034/33, 2034/34, 2034/35, 2034/37 and 2034/38 as dated 01.09.2017 published under section 23 W of the National Environmental Act No.47 of 1980 as amended shall be adhered to.
08. Precautions should be taken to prevent the occurrence of fire and adequate measures shall be adopted to extinguish an accidental fire in consultation with the Fire Service Department.
09. Cleanliness and good housekeeping practices shall be adapted.
10. Health and safety of workers shall be ensured as stipulated in the factories Ordinance.
11. Installation and operation of any machinery other than those stated in the application dated 31.12.2021 should not be carried out without obtaining prior approval of the Central Environmental Authority.

03.03.2022


Chairman/Director General/ Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

H. S. Premachandra
Director - Western Province
Central Environmental Authority



12. Any expansion to the Health or change in the Hospital Process shall be affected only with prior approval of the Central Environmental Authority.
13. Cleanliness and good house keeping practices shall be adopted within the premises and prevent any mosquito breeding sites within the hospital premises.
14. Any additional condition stipulated by the Central Environmental Authority as and when required for controlling any kind of pollution arising from the operations of the hospital shall be strictly adhered to.
15. The Environmental Protection License issued for this medical centre should not be considered as an approval for carrying out this industry/ process at this location, It is only a permit for the discharge of effluents/emissions or emitting of noise levels according to stipulated standards. The written approval of relevant local authority (Panadura Urban Council) should be obtained for the operation of the hospital at this location.
16. This Environmental Protection License is issued only with respect to Sachitra Hospital (Pvt) Ltd, No.76, Horana Road, Panadura.
17. The Central Environmental Authority reserves the right to suspend or cancel this license in the event since the issue of this license, the receiving environment has been altered or changed due to natural factors or otherwise or where the continued discharge, deposition or emission of waste into the environment will or could affect any beneficial use adversely.
18. This license is granted on the basis that all information provided by the industrialist is true and accurate. If at any time it is found that any information furnished by the industrialist in the Environmental Protection License Application form is incorrect, this Authority reserves the right to cancel the license.
19. This Environmental Protection Licence is issued to carry on only the permitted activities stated therein; It shall not and is not intended to confer the recipient thereof any right to assert ownership to the land where the permitted activities are carried on.

03.03.2022


Chairman/Director General/ Authorized Officer
CENTRAL ENVIRONMENTAL AUTHORITY

H. S. Premachandra
Director - Western Province
Central Environmental Authority