

## General Conditions

- Precautions should be taken to prevent the occurrence of fire and adequate measures shall be adopted to extinguish an accidental fire in consultation with the Fire Service Department 06
- Cleanliness and good housekeeping practices shall be adopted within the premises and prevent any mosquito breeding 07 sites within the Health Care Service Centre.
- Health and safely of workers shall be ensured as stipulated in the factories Ordinance.
- Installation and operation of any machinery other than those stated in the renewal application received on 20.01.2022 08. should not be carried out without obtaining prior approval of the Central Environmental Authority. 09.
- Any expansion to the Hospital or change in Health Care Service Centre process shall be effected only with prior approval 10. of the Central Environmental Authority.
- Any additional conditions stipulated by the Central Environmental Authority as and when required for controlling any kind of pollution arising from the operations of the Health Care Service Centre shall be strictly adhered to 11.
- The Environmental Protection Licence issued for this Health Care Service Centre should not be considered as an approval for carrying out this hospital/ process at this location. It is only a permit for the discharge of effluents/emissions 12. or emitting of noise levels according to stipulated standards. The written approval of the Urban Council, Chavakachcheri should be obtained for the operation of the Health Care Service Centre at this location.
- This Environmental Protection Licence is issued only with respect to this Health Care Service Centre situated at No;63, 13. Kandy Road, Chavakachcheri.
- This Environmental Protection Licence is issued to carry on only the permitted activities stated therein; it shall not and is not intended to confer the recipient thereof any right to assert ownership to the land where the permitted activities are 14.
- If this licence is suspended, cancelled or hold validity by the Central Environmental Authority or suspended due to any filing actions, the original of this licence shall be submitted to the Deputy Director General, Environmental Pollution 15. Control of the Central Environmental Authority by the owner of this licence.
- The Central Environmental Authority reserves the right to suspend or cancel this licence in the event that since the issue of this licence, the receiving environment has been altered or changed due to natural factors or otherwise or 16. where the continued discharge, deposition or emission of waste into the environment will or could affect any beneficial
- When any kind of litigatory action is filed or and pending in any court of law regarding the land or ownership of the land in which the industry is located, immediate steps shall be taken to inform this Authority and in such circumstance it shall 17. be consider as the licence is automatically cancelled.
- This licence is granted on the basis that all information provided by the applicant is true and accurate. If at any time it is found that any information furnished by the applicant in the Environmental Protection Licence (EPL) Application Form 18. is incorrect, this Authority reserves the right to cancel the licence.

22.04.2022

Chairman / Director General / Authorized Officer **Central Environmental Authority**