


No. CEA - B 50637

**NATIONAL ENVIRONMENTAL ACT NO. 47 OF 1980
ENVIRONMENTAL PROTECTION LICENCE ISSUED UNDER SECTION 23B**

M/s. Health Care Service Centre, No.63, Kandy Road, Chavakachcheri situated within the area of authority of the Urban Council, Chavakachcheri is hereby authorized to discharge / deposit effluents / waste and or emit noise/vibrations/air emissions which may arise as a result of the operation of the said industry/process, in accordance with the standards and criteria prescribed by the National Environmental (Protection and Quality) Regulations No.1 of 2008, published in the gazette No. 1534/18 dated 01.02.2008 amended by gazette No. 2264/17 dated 27.01.2022 and the National Environmental (Noise Control) Regulation No. 01 of 1996, published in the gazette No. 924/12 dated 23.05.1996.

This licence shall be in force from **30.04.2022 to 29.04.2023** unless it is earlier cancelled or suspended.

This licence is subject to the general terms and conditions stated overleaf and to the additional terms and conditions stated below.

Noise Control

01. Noise level at the boundary of the Health Care Service Centre during the operation should be maintained at or below 63dB (A) during day (between 0600 hrs and 1800 hrs) and at or below 50dB (A) during night. (1800 hrs and 0600 hrs).

Water Pollution Control

02. All effluent arising from the operation of the Hospital shall be disinfected and collected into a properly designed sealed pit and disposed with the consultation of **Urban Council, Chavakachcheri**. Such effluent shall not be released into freely environmental at any time.

Air Pollution Control

03. Appropriate control mechanism should be adopted to control air emissions arising from Health Care Centre activities.

Solid Waste Management

04. 4.1 Solid waste such as polythene, plastic, paper shall not be disposed of into any water body or at a site where it is likely to enter a water body.
- 4.2 All the solid waste other than clinical waste generated shall be collected into a central place within the premises and shall be removed and disposed at regular intervals in an environmentally safe and nuisance free manner in consultation with the **Urban Council, Chavakachcheri**.
- 4.3 Clinical waste/Infectious waste generated from the hospital should be separated from the normal garbage.
- 4.4 All the infectious solid waste shall be disposed at regular intervals after disinfection in an environmentally safe and nuisance free manner with consultation with RDHS.
- 4.5 According to the Gazette Extraordinary No 2034/33 dated 01/09/2017 polythene or any polythene product which is twenty (20) microns or below in thickness shall not be used for the industrial / domestic activities and Provided that polythene or any polythene product of twenty (20) microns or below in thickness may be permitted to be used with the prior written approval of the Authority for the purposes specified in the Schedule.
- 4.6 According to the Gazette Extraordinary No 2034/36 dated 01/09/2017 burning openly or cause to, allow or permit the open burning of refuse or other combustible matters inclusive of plastic is prohibited within the industrial premises or surroundings.
- 4.7 The provision of the Gazette Extraordinary No. 2211/50 and 2211/51 dated 21.01.2021 published under section 23W of the National Environmental Act No. 47 of 1980 as amended shall be adhered to.
05. According to the Part II of Gazette Extraordinary No.1534/18 dated 01.02.2008 shall obtain separate Licence for the management of waste under the scheduled VIII, No.28 of Part II waste from specific sources.

22.04.2022

Chairman / Director General / Authorized Officer
Central Environmental Authority