

මධ්‍යම පරිසර අධිකාරිය

மத்திய சுற்றாடல் அதிகாரசபை

Central Environmental Authority



"පරිසර පියස", 104, ඩෙන්සිල් කොබ්බෑකඩුව මාවත, බත්තරමුල්ල, ශ්‍රී ලංකාව

"பரிசர பியச", 104, டென்சில் கொப்பேகடுவ மாவத்தை, பத்தரமுல்லை, இலங்கை.

"Parisara Piyasa", 104, Denzil Kobbekaduwa Mawatha, Battaramulla, Sri Lanka. Web : www.cca.lk

අපේ යොමුව
எமது தொடர்பு
Our Ref.

ඔබේ යොමුව
உமது தொடர்பு
Your Ref.

දිනය
திகதி
Date

CEA/CE/KY/MKY/SL/B59/22873/2021

05-11-2024

Central Provincial Office,
Dam Site, Polgolla.

T.P. /Fax 0812-494884.

Email: ccapo@gmail.com

Dr. D.M.P. Dissanayake

No.312/10,

Warathenna,

Halloluwa.

Dear Sir,

Environmental Protection Licence


With reference to your renewal application dated 25-07-2024 for the above licence, enclosed herewith is the Environmental Protection Licence bearing No. **B 19658 (R3)** dated **05-11-2024**.

Contravention or failure to comply with any condition stipulated in this license is an offence punishable under the provision of the National Environmental Act No. 47 of 1980 as amended by Act No. 56 of 1988 has been further amended by the National Environmental Act (Amendment) No. 53 of 2000.





An application for renewal of this licence shall be submitted to this Authority three (03) months prior to the date of expire stipulated in the license. Application forms for renewal could be obtained from the Central Environmental Authority or from the relevant Local Authorities.

Please state our reference in all correspondence directed to this Authority in connection with the above license.

Yours faithfully,


Geethanjali Seneviratne
Director,
Central Environmental Authority.
Central Provincial Office
Polgolla

- CC: 1. Commissioner, Municipal Council Kandy.
2. Director (Environmental Pollution Control) Central Environmental Authority

Chairman Tel : 2872361, 2124605 Fax : 2872347	Director General Tel : 2872359, 2124613 Fax : 2872347	General Office Tel : 2872278, 2873447, 2888999, 2124600	Complaints Hotline : 1981				
Deputy Director Generals	HRD, Admin & Finance Tel : 2124610	Env't. Protection Tel : 2124618 Fax : 2872605	Env't. Mgt. & Assessment Tel : 2124626 Fax : 2872296	Env't. Edu. & Awareness Tel : 2124614 Fax : 2872609	Waste Management Tel : 2124634 Fax : 2882152	Regional Operation Tel : 2124638 Fax : 2872275	



No. CEA - B 53848

Our Ref : CEA/CE/KY/MKY/SL/B59/22873/2021

Licence No : B 19658 (R3)

**NATIONAL ENVIRONMENTAL ACT NO. 47 OF 1980
AN ENVIRONMENTAL PROTECTION LICENCE FOR EMISSION AND
DISPOSAL OF WASTE ISSUED UNDER SECTION 23B**

Ferti-Plus (Private Medical Center/ Hospital), No. 875/1, William Gopallawa Mawatha, Kandy situated within the area of authority of the **Municipal Council of Kandy in Kandy District** is hereby authorized to discharge/deposit effluents/ waste and/ or emit noise/vibrations/air emissions which may arise as a result of the operation of the said industry/process, in accordance with the standards and criteria prescribed by the National Environmental (Protection and Quality) Regulations No. 1 of 2008, published in the gazette No 1534/18 dated 01.02.2008 amended by gazette No.2264/17 dated 27.01.2022 and the National Environmental (Noise Control) Regulation No. 01 of 1996, published in the gazette No. 924/12 dated 23.05.1996 and the National Environmental (Stationery Sources Emission Control) Regulations No. 01 of 2019.

This licence shall be in force from **05-11-2024** to **28-10-2025** unless it is earlier cancelled or suspended.

This licence is subject to the general terms and conditions stated overleaf and to the conditions stated below.

Conditions of the Previous Licence :

1. The condition Nos. 01, 02, 03, 04 (4.1,4.2,4.3), 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17 and 19 of the Environmental Protection Licence No **B 19658 (R1)** dated **04-11-2022** shall be complied.

Other Conditions :

1. According to the regulation No 2211/51 dated 21-01-2021 and No 2341/30 dated 19-07-2023 published under the National Environmental Act and its amendments using plastic, plastic products, any plastic derivative or plastic derivative products shall be strictly adhered to.
2. According to the regulation No 2034/36 dated 01-09-2017 published under the National Environmental Act and its amendments no open burning of refuse or other combustible matters inclusive of plastics shall be carried out.
3. If this licence is suspended, cancelled or hold validity by the Central Environmental Authority or suspended due to any filing actions, the original of this license shall be submitted to the Director, Central Provincial Office of the Central Environmental Authority by the owner of this license.

05-11-2024
Date

.....
Chairman/Director-General/ Authorized Officer
Central Environmental Authority

Geethanjali Seneviratne
Director
Central Environmental Authority
Central Provincial Office
Polgolla.