

RECEIVED
24 NOV 2022

23



PRIVATE HEALTH SERVICES REGULATORY COUNCIL

HOSPITAL

1. Name of the Hospital - *Durdunse Hospital, Ceylon Hospital PLC*
2. Address - *3 Alfred Place, Colombo 3*
3. Date of Establishment - *1945*
4. Province - *Western* District - *Colombo*
5. Name of the Owner - *Mr. A. E. Tudawe*
6. Name of the Chief Executive Officer/ Executive Director - *Mr. A. E. Tudawe*
7. Name of the Medical Director - *Dr. Sanjaya Rathnayake*
Sri Lanka Medical Council (SLMC) registration no. - *22478*
8. Number of Full Time Doctors -
[Please attach a list of names and Sri Lanka Medical Council (SLMC) registration numbers of the Full Time Doctors]
9. Name of the Nursing Director/ Nurse In-charge - *Mr. J. P. Kanthi De Silva*
Sri Lanka Medical Council (SLMC) registration no. - *8155*
10. Number of Nurses - *300*
11. Consultation Rooms

a.	Number of consultation rooms	<i>103</i>
	Square area of the each room (Minimum floor area 70 sq.ft. and height 8 ft.)	<i>✓</i>

b. Equipments

Examination bed	✓
Table and chairs	✓
Wash basin	✓
Weighing scale	✓
Adequate ventilation and illumination	✓

c. Waiting Area

Seating facilities for minimum of 10 persons per consultation room with sanitary facilities	✓
Adequate ventilation and illumination	✓

12. Sample Collection Room

a.

Floor area (Minimum floor area 100 sq.ft.)	✓
Adequate sanitary facilities	✓

b. Equipments

Arm chair	✓
Bed	✓
Safe waste disposal	✓
Toilet facilities	✓

Adequate illumination	✓
-----------------------	---

13. Laboratory Facilities

Name of the Pathologist Sri Lanka Medical Council (SLMC) registration no. Whether Full Time/ Part Time	Dr. Mrs. Mala Jayatilake
Name of the Microbiologist Sri Lanka Medical Council (SLMC) registration no. Whether Full Time/ Part Time	Prof. Lalitha Mendis
Name of the Chemical Pathologist Sri Lanka Medical Council (SLMC) registration no. Whether Full Time/ Part Time	Dr. B. K. P. Dissanayake
Name of the Chief Medical Laboratory Technician Sri Lanka Medical Council (SLMC) registration no. Number of Medical Laboratory Technicians	U. U. Sanjeeva 1315 S. M. Prabakaran 1003
Internal and external quality controlling	✓

14. X-Ray Room

Registration number and date of the license issued by the Atomic Energy Authority	
---	--

CO/13/A/WR-01/01/L/2022
Ex Dat 22/12/31

15. Indoor Facilities

a. *Wards*

Number of beds	10
Floor area per bed (Minimum floor area of 70 sq.ft. per bed.)	✓
Toilet facilities (Minimum 01 toilet for 05 patients.)	✓

b. *Single Room*

Number of single rooms	159
Floor area per room (Minimum floor area of 100 sq.ft. with ventilation, illumination and sanitary facilities.)	

c. *Double Room*

Number of double rooms	
Floor area per room (Minimum floor area of 160 sq.ft. with ventilation, illumination and sanitary facilities.)	

d. *Total number of beds*

Total number of beds	188
----------------------	-----

16. Operating Theatre

1. Minor

a.	Floor area (Minimum floor area of 120 sq.ft. with suitable floor and walls.)	
	Easy cleaning and sterilization	
	Adequate ventilation and lighting air conditioning	
	Adequate facilities to hand washing	
	Changing facilities	

b. Equipments

Sucker	
Sterilizer	
BP apparatus	
Ambubag	
Laryngoscope	
Emergency trolley with supplies	
Oxygen	

2. Medium/ Major

a.

Floor area (Minimum floor area 180 sq.ft. (15'*12))	✓
---	---

b. Equipments

Universal operating theatre table	✓
Theatre lights	✓
Anesthetic machine	✓
Oxygen	✓
Nitrogen	✓
Diathermy	✓
Multi para meter or ECG monitor	✓
Pulse oxymeter	✓
Ambubag	✓
BP apparatus	✓
Laryngoscope	✓
Emergency trolley with supplies	✓
Emergency light	✓
All necessary surgical instruments	✓

17. Scrubbing Area

Adequate scrubbing facilities	✓
Changing facilities	✓

18. Recovery

Adjustable trolley or bed	✓
BP Apparatus	✓
Sucker	✓
Oxygen	✓
Emergency trolley with necessary supplies	✓

19. C.S.S.D.

Auto clave	✓
Sterilization facilities	✓

20. Labour Room

a. Floor area (Minimum usable floor area 120 sq.ft. with suitable flooring and walls)	✓
Easy cleaning and sterilization	✓

b. Equipments

Adjustable labour room bed	✓
Table for baby	✓
Weighing scale	✓
Oxygen pediatric sucker	✓
Emergency trolley with supplies	✓
Spot lamp	✓
Pinard stethoscope	✓
Necessary surgical instruments	✓
Adjoining toilet	✓

c. Waste disposal

Adequate waste disposal system	✓
--------------------------------	---

21. Emergency Treatment Unit

a.	Floor area (Minimum of 100 sq.ft. per patient)	✓
	Suitable floor and walls for easy cleaning	✓
	Adequate ventilation and illumination	✓

b. Equipments

Oxygen	✓
ECG recorder	✓
Nebulizer	✓
Sucker	✓
Emergency trolley with supplies	✓
Necessary facilities and equipment for resuscitation	✓
Laryngoscope	✓

22. ICU/ High Dependency Unit

a.

Floor area (Minimum of 100 sq.ft. per patient)	✓
Suitable floor and walls for easy cleaning	✓
Adequate ventilation and illumination	✓

b. Equipments

Ventilator	✓
Defibrillator	✓
Oxygen	✓
ECG recorder	✓
Nebulizer	✓

Sucker	✓
Emergency trolley with supplies	✓
Necessary facilities and equipment for resuscitation	✓
Laryngoscope	✓

23. Dental Surgery

- a.

Name of the Dental Surgeon Sri Lanka Medical Council (SLMC) registration no.	
Name of the Dental Surgery Assistant	
Patient waiting area (at least with four chairs)	✓
Surgery area (Minimum 200 Sq.ft.)	✓
Adequate toilet facilities	✓

Dr. Jayamal Gunawardene
2658

was
was hat?

- ### b. Equipments

Dental Chair + Unit	✓
Sterilizer through autoclaves are preferable	✓
Basic hand instruments and trays	✓
Emergency medical tray/ kit	✓

c. **Disposables and Accessories**

Needles	<input checked="" type="checkbox"/>
Syringes	<input checked="" type="checkbox"/>
Masks	<input checked="" type="checkbox"/>
Gloves	<input checked="" type="checkbox"/>
Cups	<input checked="" type="checkbox"/>
Aprons	<input checked="" type="checkbox"/>

d. **Consumables**

Materials for basic restorative	<input checked="" type="checkbox"/>
Prosthetic and surgical procedures	<input checked="" type="checkbox"/>

e. **Adequate water and electricity facilities**

Hygienic waste disposal	<input checked="" type="checkbox"/>
System of record keeping	<input checked="" type="checkbox"/>

24. a. **Indoor Pharmacy/ Drug Store**

Dry and clean storage facilities with provision to maintain cold chain	<input checked="" type="checkbox"/>
--	-------------------------------------

b. Out door Pharmacy

Floor area (Minimum of 100 sq.ft.)	✓
Name and the Sri Lanka Medical Council (SLMC) registration no. of the Pharmacist	
Dry and clean storage facilities with provision to maintain cold chain	✓

Mr. N. E. Haulten
Fentona
3060

25. Ambulance Services

Number of Ambulances	3
----------------------	---

26. Kitchen/ Pantry

Necessary kitchen equipment	✓
Clean table surfaces	✓
Covered dust bins	✓
Easily cleanable floor	✓
Adequate exhaust system	✓

27. Parking

Number of parking slots	40
-------------------------	----

28. Waste Disposal *Sbhi Hanaro Encard*

Method of Clinical Waste Disposal (According to the Central Environmental Authority requirements)	
--	--


29. UDA approval number and date as a Hospital/ Nursing Home -

30. Provincial Director's Comments -

very well managed
Date of visit - 16/6/2022
can be recommended

Name of the Provincial Director of Health Services -


.....
Signature


.....
Seal

2022/11/20
.....
Date