Table 1. Raster inputs (these have been accessed in June 2018 unless noted otherwise)

Data	Details	Source
Crop yield and	5 arcmin,	Monfreda et al., 2008;
harvested area	175 crops-same as GTAP,	http://www.earthstat.org/data-
	circa 2000,	download/
	area provided as fraction of	
	land area in grid cell	
Cropland	5 arcmin,	Ramankutty et al., 2008;
physical extent	circa 2000,	http://www.earthstat.org/data-
	provided as fraction of land	download/
	area in grid cell	
Irrigated and	5 arcmin, hectares,	Portmann et al., 2010;
rainfed crop	26 crop classes,	https://www.uni-
harvested area	circa 2000	frankfurt.de/45218031/data_download
		/
Crop water	5 arcmin, mm/yr,	Mekonnen and Hoekstra, 2011;
footprint data	18 crop types,	http://waterfootprint.org/en/resources
	3 water types,	/waterstat/product-water-footprint-
	circa 2000	statistics/
Fraction of land	5 arcmin,	D. Plouff and N. Ramankutty provided
area in grid cell	spherical earth with	these data corresponding to the above
for crop and	WGS84 mean radius	cropland data (in late 2013). Note that
water footprint		these are the same data used to
data above		provide the area values in the current
		crop yield and harvested area data
		above
Potential	5 arcmin,	Ramankutty and Foley, 1999;
vegetation	thematic,	http://www.earthstat.org/data-
	15 vegetation types, circa	download/
	2000 if no historical land use	
	had occurred	

Land was aven	Farancia luna ²	Main Coldanniile at al. 2017.
Land use area	5 arcmin, km²,	Klein Goldewijk et al., 2017;
	1700-2016 (decadal up to	ftp://ftp.pbl.nl/hyde/hyde3.2/2017_be
	2000),	ta_release/
	HYDE 3.2.000 baseline,	
	12 land use types	
Land area in grid	5 arcmin, km²,	Klein Goldewijk et al., 2017;
cell	circa 2000,	ftp://ftp.pbl.nl/hyde/hyde3.2/2017_be
	spherical earth with WGS84	ta_release/
	mean radius,	
	with Greenland and several	
	arctic islands added based	
	on fraction of land area in	
	grid cell for crop area and	
	potential vegetation;	
	this is the working grid	
Total grid cell	5 arcmin, km²,	Klein Goldewijk et al., 2017;
area	spherical earth with WGS84	ftp://ftp.pbl.nl/hyde/hyde3.2/2017_be
	mean radius,	ta_release/
	with Greenland and several	
	arctic islands added based	
	on fraction of land area in	
	grid cell for crop area and	
	potential vegetation;	
	this is the working grid	
234 Country	5 arcmin,	VMAP0:
boundaries	from VMAP0 vector data	http://gis.ess.washington.edu/data/ras
	(the source of FAO country	ter/GlobalData/ (last accessed in 2013,
	boundaries),	now restricted to UW, but these data
	added East Timor based on	are currently available in four parts at
	a map,	http://gis-lab.info/qa/vmap0-
	and merged some countries	eng.html);
	to reflect FAO data	

Original AEZ	5 arcmin,	Lee et al., 2005; Lee et al., 2009;
boundaries	1961-1990 data,	Monfreda et al., 2009;
boundaries	160 country boundaries,	https://www.gtap.agecon.purdue.edu/
	GTAP Land Use Database,	resources/res_display.asp?RecordID=1
	Release 2.1	900
Output		
Output	5 arcmin,	Developed for the water module of the
Geographic Land	thematic,	Global Change Assessment Model,
Unit (GLU)	235 water basins	aggregated from a 1/8-degree global
boundaries		watershed data set; updated 30 Sep
		2017
Land cover area	half-degree,	Produced specifically for Moirai using
data	1800-2016 (decadal up to	HYDE 3.2.000 data;
	2000),	http://climate.atmos.uiuc.edu/atuljain/
	23 land cover types,	availabledata.html;
	fraction of grid cell and grid	Previous public version available here:
	cell area	https://www.atmos.illinois.edu/~meiya
		pp2/datasets.htm (Meiyappan and Jain,
		2012)
Soil carbon data	250 m,	Hengl, T., Mendes de Jesus, J.,
- SoilGrids 2.0	circa 2010,	Heuvelink, G. B., Ruiperez Gonzalez, M.,
	0-30 cm,	Kilibarda, M., Blagotić, A., & Guevara,
	MgC/ha,	M. A. (2017). SoilGrids250m: Global
	aggregated to 5 arcmin,	gridded soil information based on
	six carbon states provided	machine learning. PLoS one, 12(2),
	based on the aggregation	e0169748;
		https://data.isric.org/geonetwork/srv/e
		ng/catalog.search#/metadata/ea80098
		c-bb18-44d8-84dc-a8a1fbadc061;
		downloaded Ocotber 2020
Soil carbon data -	30 arcsec,	Fischer, G., F. Nachtergaele, S. Prieler,
FAO harmonized	circa 2010,	H.T. van Velthuizen, L. Verelst, D.
world soil	0-30 cm,	Wiberg, 2008. Global Agro-ecological

database v1.2	MgC/ha,	Zones Assessment for Agriculture
	aggregated to 5 arcmin,	(GAEZ 2008). IIASA, Laxenburg, Austria
	6 carbon states provided	and FAO, Rome, Italy;
	based on the aggregation	http://www.fao.org/soils-portal/soil-
		survey/soil-maps-and-
		databases/harmonized-world-soil-
		database-v12/en/; downloaded
		October 2020
Vegetation	300m,	Spawn, S.A., Sullivan, C.C., Lark, T.J. et
carbon data	circa 2010,	al. Harmonized global maps of above
	above and below ground,	and belowground biomass carbon
	MgC/ha,	density in the year 2010. Sci Data 7,
	aggregated to 5 arcmin,	112 (2020);
	6 carbon states provided	https://doi.org/10.1038/s41597-020-
	based on the aggregation	0444-4; downloaded July 2020
Suitable and	300m,	Provided Jan 2020 by researchers at
protected land	6 thematic categories,	U.S. Environmental Protection Agency
area	aggregated to 5 arcmin as	(EPA) in support of research with the
	fraction of grid cell in each	Global Change Analysis Model (GCAM);
	category	Contact Aaron Sobel
		(Sobel.Aaron@epa.gov) for availability,
		and see
		/moirai/docs/third_party_contributio
		ns_v31.pdf for original data sources
		and their citations