
Summary - absolute difference surface flux of BC surface flux of SO2 $\mathrm{emiso2}\,(\mathrm{kg}\,\mathrm{m}^{-2}\,\mathrm{s}^{-1})$ Δ emibc (kg m⁻² s⁻¹) - land - land 1.276848e-19 2e-12 5.129729e-20 1e-12 0e+00 -2.509021e-20 -1e-12 -1.014777e-19 -2e-12 -3e-12 -1.778652e-19 high SOA at height surface concentration of SO4 surface concentration of BC ∆ mmrso4 (kg kg − 1) Δ mmrbc (kg kg – 1) - land - land 6e-10 5e-13 4e-10 2e-10 -0e+00 0e+00 --5e-13 high so A at height CMR5 502, 1950 surface concentration of SO2 surface concentration of DMS - land - land $\Delta \cos (kg kg - 1)$ ∆dms (kg kg-1) 0.0e+00 3e-13 --5.0e-10 2e-13 **-**-1.0e-09 1e-13 --1.5e-09 -2.0e-09 0e+00 high SOA at height high so A at height OMPS SOL 1950

E3SM

GISS

CESM1




Summary - absolute difference ambient aerosol optical total cloud cover thickness at 550nm - land percentage - land ∆ clt (percent) 0.03 0.02 0.01 0.00 lack0.03 0.05 0.00 -0.05-0.10night so A at the ight right so A at height CMP5 502 convective cloud cover surface cloud cover percentage - land - land Acltc (percent) 0.10 0.000 Acl (percent) * -0.0030.05 -0.0060.00 -0.009-0.05-0.012 ice water path - land Δclivi (kg m⁻²) 0e+00 -5e-04 High SOM at height

CESM1

GISS

E3SM



Summary - absolute difference column mass burden of BC column mass burden of SO2 - land - land $\Delta \log \log (kg \, m^{-2})$ $\Delta loadbc \, (kg \; m^{-2})$ 5.0e-09 1e-06 2.5e-09 5e-07 0.0e+00 0e+00 -2.5e-09 -5e-07 night so Arat Leight CMP5 502 CMB5 502, 1950 ∆ loadso4/(wetso4 + dryso4) (days) column mass burden of SO4 SO4 lifetime - land - land Δ loadso4 (kg m $^{-2}$) 2.0e-06 A 1.5e-06 -1.0e-06 -5.0e-07 -0.0e+00 -6 -3 high SOA at height CMP5 502 ∆ loadso2/emiso2 (days) SO₂ timescale - land ø -8 right so A at height CMR5:502.1950

GISS

E3SM

CESM1