```vb
    Friend WithEvents dgNatTSUnitNationTotals As System.Windows.Forms.DataGridTableStyle
    Friend WithEvents dgNatTSUnits As System.Windows.Forms.DataGridTableStyle

    Private Sub SetupNationsDGTS()
        ' dgNations
        '    dgNatTSNat (Nation)
        Me.dgNatTSNat = New System.Windows.Forms.DataGridTableStyle()
        Me.dgNat.TableStyles.AddRange(New System.Windows.Forms.DataGridTableStyle() _
            {Me.dgNatTSNat})
        Me.dgNatTSNat.DataGrid = Me.dgNat
        Me.dgNatTSNat.GridColumnStyles.AddRange(m_NationsCS)
        Me.dgNatTSNat.HeaderForeColor = System.Drawing.SystemColors.ControlText
        Me.dgNatTSNat.MappingName = "Nation"
        Me.dgNatTSNat.ReadOnly = True
        '    dgNatTSCivs Relation CivColor [m_dr3] Nation to (Civilization)
        Me.dgNatTSCivs = New System.Windows.Forms.DataGridTableStyle()
        Me.dgNat.TableStyles.AddRange(New System.Windows.Forms.DataGridTableStyle() {Me.
dgNatTSCivs})
        Me.dgNatTSCivs.DataGrid = Me.dgNat
        Me.dgNatTSCivs.GridColumnStyles.AddRange(m_CivsCS)
        Me.dgNatTSCivs.HeaderForeColor = System.Drawing.SystemColors.ControlText
        Me.dgNatTSCivs.MappingName = "Civilization"
        Me.dgNatTSCivs.ReadOnly = True
        '    dgNatTSTreaties Relation Treaty [m_dr2] Civilization to (Treaty)
        Me.dgNatTSTreaties = New System.Windows.Forms.DataGridTableStyle()
        dgNat.TableStyles.AddRange(New System.Windows.Forms.DataGridTableStyle() {Me.
dgNatTSTreaties})
        Me.dgNatTSTreaties.DataGrid = dgNat
        Me.dgNatTSTreaties.GridColumnStyles.AddRange(m_TreatiesCS)
        Me.dgNatTSTreaties.HeaderForeColor = System.Drawing.SystemColors.ControlText
        Me.dgNatTSTreaties.MappingName = "Treaty"
        Me.dgNatTSTreaties.ReadOnly = True
        Me.dgNatTSTreaties.RowHeadersVisible = True
        '    dgNatTSTriumphs Relation NationTriumphed [m_dr4] Nation to (Triumph)
        Me.dgNatTSTriumphs = New System.Windows.Forms.DataGridTableStyle()
        Me.dgNat.TableStyles.AddRange(New System.Windows.Forms.DataGridTableStyle() {Me.
dgNatTSTriumphs})
        Me.dgNatTSTriumphs.DataGrid = Me.dgNat
        Me.dgNatTSTriumphs.GridColumnStyles.AddRange(m_TriumphsCS)
        Me.dgNatTSTriumphs.HeaderForeColor = System.Drawing.SystemColors.ControlText
        Me.dgNatTSTriumphs.MappingName = "Triumph"
        Me.dgNatTSTriumphs.ReadOnly = True
        Me.dgNatTSTriumphs.RowHeadersVisible = False
        '    dgNatTSUnitNationTotals  Relation UnitCounts [m_dr6] Nation to (UnitNationTotals
)
        Me.dgNatTSUnitNationTotals = New System.Windows.Forms.DataGridTableStyle()
        Me.dgNat.TableStyles.AddRange(New System.Windows.Forms.DataGridTableStyle()
{dgNatTSUnitNationTotals})
        Me.dgNatTSUnitNationTotals.DataGrid = Me.dgNat
        Me.dgNatTSUnitNationTotals.GridColumnStyles.AddRange(m_UnitNationTotalsCS)
        Me.dgNatTSUnitNationTotals.HeaderForeColor = System.Drawing.SystemColors.ControlText
        Me.dgNatTSUnitNationTotals.MappingName = "UnitNationTotals"
        Me.dgNatTSUnitNationTotals.ReadOnly = True
        Me.dgNatTSUnitNationTotals.RowHeadersVisible = True
        '    dgNatTSTSUnits Relation UnitsForTypeAndNation [m_dr8] UnitNationTotals to (Units
)
        Me.dgNatTSUnits = New System.Windows.Forms.DataGridTableStyle()
        Me.dgNat.TableStyles.AddRange(New System.Windows.Forms.DataGridTableStyle() {Me.
dgNatTSUnits})
        Me.dgNatTSUnits.DataGrid = Me.dgNat
        Me.dgNatTSUnits.GridColumnStyles.AddRange(m_UnitsCS)
        Me.dgNatTSUnits.HeaderForeColor = System.Drawing.SystemColors.ControlText
        Me.dgNatTSUnits.MappingName = "Units"
        Me.dgNatTSUnits.RowHeadersVisible = False
        Me.dgNatTSUnits.ReadOnly = True
    End Sub

#End Region

#Region "Civs"
    Friend WithEvents dgCivsTSCivs As System.Windows.Forms.DataGridTableStyle
    Friend WithEvents dgCivsTSTreaties As System.Windows.Forms.DataGridTableStyle
```