







Pratica 04-Git_rotreiroi_gitlab



Nome: João Gabriel de Souza Madeira



RA:32516329















MINGW64/c/Users/32516329/Desktop/pratica_04/gqs-cm-2026-2 (vendas-01)

```
$ git push origin main
warning: redirecting to https://gitlab.com/nicolas-group3701139/gqs-cm-2026-2.git/
Everything up-to-date

32516329@UNA190TPE000R45 MINGW64 ~/Desktop/pratica_04/gqs-cm-2026-2 (vendas-01)
$ git branch
main
vendas
* vendas-01

32516329@UNA190TPE000R45 MINGW64 ~/Desktop/pratica_04/gqs-cm-2026-2 (vendas-01)
$ git checkout -b feature/novo-produto_01
Switched to a new branch 'feature/novo-produto_01'
warning: redirecting to https://gitlab.com/nicolas-group3701139/gqs-cm-2026-2.git/
To https://gitlab.com/nicolas-group3701139/gqs-cm-2026-2
 ! [rejected]        feature/novo-produto_01 -> feature/novo-produto_01 (fetch first)
error: failed to push some refs to 'https://gitlab.com/nicolas-group3701139/gqs-cm-2026-2'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

32516329@UNA190TPE000R45 MINGW64 ~/Desktop/pratica_04/gqs-cm-2026-2 (feature/novo-produto_01)
$
```

Depois cada um cria seu próprio Merge Request → **main**.

No seu caso, não precisa executar o **git push** novamente, porque a mensagem que você mostrou confirma que ele já foi realizado com sucesso. O próximo passo é criar o Merge Request no GitLab.

O ChatGPT pode cometer erros. Por isso, lembre-se de conferir informações relevantes.

+ Pergunte qualquer coisa

MINGW64/c/Users/32516329/Desktop/pratica_04/gqs-cm-2026-2

```
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author

1 file changed, 1 insertion(+)
create mode 100644 novo-produto.md

32516329@UNA190TPE000R45 MINGW64 ~/Desktop/pratica_04/gqs-cm-2026-2 (feature/novo-produto_01)
$ git push
fatal: The current branch feature/novo-produto_01 has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin feature/novo-produto_01

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetUpRemote' in 'git help config'.

32516329@UNA190TPE000R45 MINGW64 ~/Desktop/pratica_04/gqs-cm-2026-2 (feature/novo-produto_01)
$ git push -u origin feature/novo-produto
error: src refspec feature/novo-produto does not match any
error: failed to push some refs to 'https://gitlab.com/nicolas-group3701139/gqs-cm-2026-2'

32516329@UNA190TPE000R45 MINGW64 ~/Desktop/pratica_04/gqs-cm-2026-2 (feature/novo-produto_01)
$
```

git push

Como você já usou:

```
</ Bash
git push -u origin feature/novo-produto
```

anteriormente, agora **git push** sozinho já sabe para onde enviar.