

CO2mply | Audit Summary

Generated by CO2mply

Confidential report

Auditoria Resumida Isometric

- Total de requisitos avaliados: 48
- Score geral: 87.2%
- Confiança geral: 0.2%

Resumo por status

- Conforme: 27
- Parcialmente conforme: 11
- Erro de análise: 10

Resumo por risco

- alto: 48

Score por módulo

- project_data: 90.8
- protocol_and_monitoring_data: 84.4
- environmental_and_social_impact: 93.1
- stakeholder_input_process: 45.0
- appendix: 100.0

Matriz detalhada

R-NK7R-0 — Protocol eligibility justification

- Módulo: project_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-M858-0 — Legal ownership over removal rights

- Módulo: project_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-7X0X-0 — Technical description of carbon removal activity

- Módulo: project_data
- Status: compliant
- Risco: low

- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-F6R7-0 — Complete list of project participants

- Módulo: project_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-A5B6-0 — Project address and/or geo-coordinates

- Módulo: project_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-XT6V-0 — Net carbon removal capacity estimate

- Módulo: project_data
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.2
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-VHWJ-0 — Temporal and geographic project boundary defined

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.3333
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-2VKW-0 — System boundary with GHG sources defined

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.3333
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-TGBM-0 — GHG statement approach and calculation methodology

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.3333
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-PGFH-0 — Baseline scenario reasoned and evidenced

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-HF2G-0 — Leakage assessment provided

- Módulo: protocol_and_monitoring_data
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.2
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-53Y5-0 — Financial additionality demonstrated

- Módulo: protocol_and_monitoring_data
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.3
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-RRST-0 — Common practice additionality demonstrated

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-CDNF-0 — Environmental additionality (net negative impact) demonstrated

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 1.0
- Gap:

- Recomendação: Maintain current evidence and proceed to validation readiness.

R-983D-0 — Regulatory additionality demonstrated

- Módulo: protocol_and_monitoring_data
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.2
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-KQCS-0 — Regulatory compliance method asserted

- Módulo: protocol_and_monitoring_data
- Status: partial
- Risco: high
- Score:
- Confiança: 0.0
- Gap: Core requirement not met or insufficiently evidenced.
- Recomendação: Establish missing core elements required for compliance.

R-7C8E-0 — Durability threshold selected from protocol

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-1T2Y-0 — Durability in excess of threshold demonstrated

- Módulo: protocol_and_monitoring_data
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-F5RZ-0 — Annual average soil temperature method provided (200-year option)

- Módulo: protocol_and_monitoring_data
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-V143-0 — Reversal risk assessment completed

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low

- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-2AVD-0 — Sensitivity analysis conducted

- Módulo: protocol_and_monitoring_data
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.2667
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-K6MA-0 — Uncertainty treatment method specified

- Módulo: protocol_and_monitoring_data
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.2667
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-Z106-0 — Uncertainty analysis detailed and justified

- Módulo: protocol_and_monitoring_data
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.2667
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-NZQ2-0 — Models described and justified

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-GYA1-0 — Data collection and storage approach described

- Módulo: protocol_and_monitoring_data
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-9MJQ-0 — Environmental regulatory compliance outlined

- Módulo: environmental_and_social_impact
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-X9EC-0 — Environmental and social impact assessment

- Módulo: environmental_and_social_impact
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-4K5P-0 — No net environmental harm demonstrated

- Módulo: environmental_and_social_impact
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-R81B-0 — No net social harm demonstrated

- Módulo: environmental_and_social_impact
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-5KQC-0 — Agricultural productivity and soil quality monitoring documented

- Módulo: environmental_and_social_impact
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-BWX0-0 — Alignment with relevant SDGs demonstrated

- Módulo: environmental_and_social_impact
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:

- Recomendação: Maintain current evidence and proceed to validation readiness.

R-6VFZ-0 — Project closure conditions and plan described

- Módulo: environmental_and_social_impact
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-BC4H-0 — Adaptive management plan: information sharing, emergency response, pause/stop conditions

- Módulo: environmental_and_social_impact
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.25
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-MY64-0 — Pollution prevention: PAHs, heavy metals, PCBs/Dioxins

- Módulo: environmental_and_social_impact
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.1
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Provide missing documentation and strengthen evidence for identified gaps.

R-M760-0 — Baseline soil samples collected prior to biochar spreading

- Módulo: environmental_and_social_impact
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-1YC3-0 — Co-benefits related to soil health reported (optional)

- Módulo: environmental_and_social_impact
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-ZHRN-0 — Stakeholder consultation documented

- Módulo: stakeholder_input_process
- Status: partial

- Risco: medium
- Score:
- Confiança: 0.2
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Strengthen consistency and completeness of existing evidence.

R-E579-0 — Grievance mechanism outlined

- Módulo: stakeholder_input_process
- Status: partial
- Risco: medium
- Score:
- Confiança: 0.2
- Gap: Partial evidence available; some required elements are incomplete.
- Recomendação: Strengthen consistency and completeness of existing evidence.

R-ENZR-0 — Monitoring parameter table provided

- Módulo: appendix
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.5
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-6AQG-0 — Engineering design diagram of pyrolysis reactor

- Módulo: appendix
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.25
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-SZK5-0 — Pyrolysis gas leakage sensors described

- Módulo: appendix
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.25
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-DMET-0 — Reactor material selection justified

- Módulo: appendix
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.25
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-19AF-0 — Reactor maintenance plan evidenced

- Módulo: appendix
- Status: compliant
- Risco: low
- Score:
- Confiança: 0.25
- Gap:
- Recomendação: Maintain current evidence and proceed to validation readiness.

R-S8K1-1 — Sampling procedure described and justified

- Módulo: appendix
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-CXEP-0 — Biochar characterization standards listed

- Módulo: appendix
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-7W1N-0 — Biochar physical properties measured

- Módulo: appendix
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-VGXA-0 — Biochar chemical properties measured

- Módulo: appendix
- Status: not_applicable
- Risco: none
- Score:
- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.

R-2TMM-0 — Analytical laboratory identified and qualified

- Módulo: appendix
- Status: not_applicable
- Risco: none
- Score:

- Confiança: 1.0
- Gap:
- Recomendação: Providencie esta evidência quando o projeto estiver operacional.