# **Description**

This plugin will allow you to redirect the Evolve users to different views when they enter the edit mode. Users can also be redirected to different views depending on their roles.

#### **Installation**

https://github.com/casewise/cpm/wiki

### How to set up

First you need to create a single page for the object you want to preview in Evolve. Then, create
another page where the users will be redirected to:

You can create as many edit pages as you want, provided the fact their name all end with edit


Once this is done, edit the **config.js** file to configure the routing. The structure of the variable should be:

```
var editPageByPageAndRoles = {
  'initial viewname': {
    associationNodeID : {
     cw user 20196 274399564: {
    view: 'pia evaluateur',/*name of the view to be redirected if the cwUser in
                                deny filter is not verified*/
    message: "Cet objet est en cours de validation ou d'initialisation",
    denyPropertyFilter: {
     property: "status",
     operator: "=",
     value: ["Validé","A valider","Initialisé"]
    },
    roleId: 'viewname_edit', /*name of the view to be redirected to*/
   default: 'viewname edit' /*name of the view to be redirected to by default*
};
Example:
var editPageByPageAndRoles = {
  'application': {
   1: 'application edit',
   default: 'application'
} ;
```

#### Result

When a user navigate to the application page, he will see:





## Other Exemple

```
'pia': {
   association: {
       cw user 20196 274399564: {
           view: 'pia evaluateur',
           message: "Cet objet est en cours de validation ou d'initialisat.
            denyPropertyFilter: {
               property: "status",
               operator: "=",
               value: ["Validé","A valider","Initialisé"]
        } ,
        cw user 20195 1319762562: {
           view: 'pia validation',
           message: "Cet objet est en cours d'évaluation",
           denyPropertyFilter: {
               property: "status",
               operator: "=",
               value: ["A réviser","A évaluer"]
            }
```

```
},
},
default: 'pia_modification'
}
```

If this exemple, if the cw\_user is the evaluator of the pia and the pia is not in ["Validé","A valider","Initialisé"], he will go to pia\_evaluateur

if the cw\_user is the validator of the pia and the pia is not in ["A réviser","A évaluer"], he will go to pia validation

If the cw\_user is neither and has the right to access pia\_modification, he will go to pia\_modification If neither, he will stay on the page with an error message telling him he cannot modify the page