```
<script crossorigin="anonymous" defer="defer" integrity="sha512-P2YMkqfXJ00fxTTkNHbblY5ks3U+e9w9tiVyK9syrE5+JmlaCg</pre>
1kUiuT1DfbyJXwaOLaRLT3zam2r+QrxTZ3iw=="type="application/javascript" data-module-id="./chunk-contributions-spider-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linea
 -graph.js \verb| data-src="https://github.githubassets.com/assets/chunk-contributions-spider-graph-3f660c92.js"></script below the following of 
<\!script crossorigin="anonymous" defer="defer" integrity="sha512-obMR8mPKx80vqRe34LgnUcxeJ1qujia4ND3H6UX13ExMla/WfH loop of the content of 
 \texttt{LjEzXRmgGRcRvN/8J1nzc+Z+jgz/PLTFy6zg=="type="application/javascript"} \ \ data-module-id="./chunk-drag-drop.js" \ \ data-super-like the data-super-like the
<\!script crossorigin="anonymous" defer="defer" integrity="sha512-o95wCKf0qL8EX5reoP68bQ/mUPvLnu0T5LaPZLAv0xQALhTP0X respectively. \\
qriKBrnmOXbo6BVVM9eNnesNYw8rA37Ta60w == "type="application/javascript" data-module-id="./chunk-jump-to.js" data-srclear type="application/javascript" data-module-id="./chunk-jump-to.js" data-srclear type="application-javascript" data-module-id="./chunk-jump-to.js" data-srclear type="application-javascript" data-module-id="./chunk-jump-to.js" data-srclear type="application-javascript" data-module-id="./chunk-jump-to.js" data-srclear type="application-javascript" data-srclear t
  ="https://github.githubassets.com/assets/chunk-jump-to-a3de7008.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-tcH4xCRuMBAh1PruDaiwGnRIbHlF6bGLhxyCQ16uqok1cV5QFM</pre>
  guVPWJtN9KI0jGQOgN+Pha3+uOUXhXdfK/qw==" type="application/javascript" data-module-id="./chunk-profile-pins-element
  .js" data-src="https://github.githubassets.com/assets/chunk-profile-pins-element-b5c1f8c4.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-hUprZmPKGx2Ji0cJJ29yrNBTnfcQoEg+Ow0rEG6bVGXu0HcagY</pre>
wf PS9a 5oR doqv k E+nSk4FkIaklk Lvc7Jb5+g == "type="application/javascript" data-module-id="./chunk-randomColor.js" data-mo
 -src="https://github.githubassets.com/assets/chunk-randomColor-854a6b66.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-E+H+wAtjiqutBvn2cnXzDIvmasIhYiS7i7JzOfFUwo+Ej8zT54</pre>
\label{lem:condition} Or \ensuremath{\mathsf{J}} \mathsf{IP}/\mathsf{R} \mathsf{hwixnypgOpCF4JvqzYy6z0t0RDmg} = \texttt{"type="application/javascript" data-module-id="./chunk-runner-groups.js"} \ \mathsf{data-module-id="./chunk-runner-groups.js"} \ \mathsf{data-module-groups.js"} \ \mathsf{data-module-groups.js"} \ \mathsf{data-module-groups.js"} \ \mathsf{data-m
ta-src="https://github.githubassets.com/assets/chunk-runner-groups-13e1fec0.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-pkFKgC9JFth/pgRqBLhELfL0ltqYbv+r++HblYEsbFpg7rCimM</pre>
{\tt CN4Q/8RvPYilY0QMGT0q9vlJj1vzzUXYk3Zw=="type="application/javascript"data-module-id="./chunk-sortable-behavior.js}
  data-src="https://github.githubassets.com/assets/chunk-sortable-behavior-a6414a80.js"></script>
hvWEf1oTil7Z4uckwsZ8q5VgDlEHJNNJ+tNg==" type="application/javascript" data-module-id="./chunk-tweetsodium.js" data
 -src="https://github.githubassets.com/assets/chunk-tweetsodium-1c2118e4.js"></script>
  <script crossorigin="anonymous" defer="defer" integrity="sha512-e+30BriXsBu+fb/LGEU9gAzSwn25wRYzDDPpr2AA8jZJI9034x</pre>
 {\tt zRHYXjA9XhF+7ncBIGJ/uTD11G25/H0XyuZg=="type="application/javascript"data-module-id="./chunk-user-status-submit.jgramset.}
s" data-src="https://github.githubassets.com/assets/chunk-user-status-submit-7bedf406.js"></script>
```

```
<meta property="twitter:site" content="github">
<meta property="twitter:creator" content="13334762">
<meta property="twitter:creator" content="github">
<meta property="twitter:creator:id" content="13334762">
<meta property="twitter:card" content="summary_large_image">
<meta property="twitter:title" content="GitHub">
<meta property="twitter:title" content="GitHub">
<meta property="twitter:description" content="GitHub is where people build software. More than 50 million people u se GitHub to discover, fork, and contribute to over 100 million projects.">
<meta property="twitter:image:src" content="https://github.githubassets.com/images/modules/open_graph/github-logo.png">
```

```
<meta property="twitter:image:width" content="1200">
<meta property="twitter:image:height" content="1200">
<meta name="google-site-verification" content="c1kuD-K2HIVF6351ypcsWPoD4kilo5-jA_wBFyT4uMY">
   <meta name="hostname" content="github.com">
<meta name="user-login" content="">
   <meta name="expected-hostname" content="github.com">
<meta name="enabled-features" content="MARKETPLACE_PENDING_INSTALLATIONS">
   <link crossorigin="anonymous" media="all" integrity="sha512-uP1AMyqEyOPRvRp69YW8vMoZjC+Zl+bvrF+7DpeyLNAlanwBk1G9</pre>
TGFqriK9cju81RQF75NYHIW4a2NZuT/02w=="rel="stylesheet" href="https://github.githubassets.com/assets/site-b8fd40332" https://github.githubassets.com/assets/site-b8fd40332" https://github.githubassets.com/assets/site-b8fd40332" https://github.githubassets.com/assets/site-b8fd40332" https://github.githubassets.com/assets/site-b8fd40332" https://github.githubassets.com/assets/site-b8fd40332" https://githubassets.com/assets/site-b8fd40332" https://githubassets.com/assets/site-b8fd40332" https://githubassets.com/assets/site-b8fd40332" https://githubassets/site-b8fd40332" https://githubassets/site-b8fd
a84c8e3d1bd1a7af585bcbc.css" />
<div class="position-relative js-header-wrapper ">
  <a href="#start-of-content" class="px-2 py-4 bg-blue text-white show-on-focus js-skip-to-content">Skip to content
t</a>
   <span class="progress-pjax-loader width-full js-pjax-loader-bar Progress position-fixed">
<span style="background-color: #79b8ff;width: 0%;" class="Progress-item progress-pjax-loader-bar "></span>
             <header class="Header-old header-logged-out js-details-container Details position-relative f4 py-2" role="</pre>
banner">
             <div class="d-lg-none css-truncate css-truncate-target width-fit p-2">
             </div>
          <div class="d-flex flex-items-center">
                    <a href="/join?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2Fnevakee716%2Fcpm%2Fwik</pre>
    i%2FHome.md&source=header"
                      class="d-inline-block d-lg-none f5 text-white no-underline border border-gray-dark rounded-2 px-2
     py-1 mr-3 mr-sm-5"
                       \label{lem:data-hydro-click="{Quot;event_typeQuot;:} authentication.click", "payload":{Quot;event_type":} & \label{lem:data-hydro-click} \\ \end{tabular}
   quot;location_in_page":"site header","repository_id":null,"auth_type":&quo
   t;SIGN_UP","originating_url":"https://github.com/nevakee716/cpm/wiki/Home.md","
   user_id":null}}" data-hydro-click-hmac="033e29bd449e02b8c846ef39f8f8fb87e0795024539efd26ab13d207439909f8
                       data-ga-click="Sign up, click to sign up for account, ref_page:/nevakee716/cpm/wiki/Home.md;ref_c
   ta:Sign up;ref_loc:header logged out">
                       Sign up
                    </a>
             <button class="btn-link d-lg-none mt-1 js-details-target" type="button" aria-label="Toggle navigation"</pre>
                 <svg height="24" class="octicon octicon-three-bars text-white" viewBox="0 0 16 16" version="1.1" widt</pre>
   h="24" aria-hidden="true"><path fill-rule="evenodd" d="M1 2.75A.75.75 0 011.75 2h12.5a.75.75 0 110 1.5H1.75A.
   75.75 0 011 2.75zm0 5A.75.75 0 011.75 7h12.5a.75.75 0 110 1.5H1.75A.75.75 0 011 7.75zM1.75 12a.75.75 0 100 1.
   5h12.5a.75.75 0 100-1.5H1.75z"></path></svg>
             </button>
          </div>
   </div>
   <div class="HeaderMenu HeaderMenu-logged-out position-fixed top-0 right-0 bottom-0 height-fit position-lg-re</pre>
   lative d-lg-flex flex-justify-between flex-items-center flex-auto">
       <div class="d-flex d-lg-none flex-justify-end border-bottom bg-gray-light p-3">
          <button class="btn-link js-details-target" type="button" aria-label="Toggle navigation" aria-expanded="fa</pre>
   lse">
             <svg height="24" class="oction oction-x text-gray" viewBox="0 0 24 24" version="1.1" width="24" aria-</pre>
```

```
hidden="true"><path fill-rule="evenodd" d="M5.72 5.72a.75.75 0 011.06 0L12 10.9415.22-5.22a.75.75 0 111.06 1.
06L13.06 12l5.22 5.22a.75.75 0 11-1.06 1.06L12 13.06l-5.22 5.22a.75.75 0 01-1.06-1.06L10.94 12 5.72 6.78a.75.
75 0 010-1.06z"></path></svg>
     </button>
   </div>
     <nav class="mt-0 px-3 px-lg-0 mb-5 mb-lg-0" aria-label="Global">
        r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                <details class="HeaderMenu-details details-overlay details-reset width-full">
                   <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli
ne-block">
                     Why GitHub?
                     <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d</pre>
own-mktg position-absolute position-lg-relative">
                        <path d="M1,116.2,6L13,1"></path>
                     </svg>
                   </summary>
                   <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 mt-0 pb-4 p-lg-4 position-relative</pre>
position-lg-absolute left-0 left-lg-n4">
                     <a href="/features" class="py-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bum
p-link--hover" data-ga-click="(Logged out) Header, go to Features">Features <span class="Bump-link-symbol flo
at-right text-normal text-gray-light">→</span></a>
                     <a href="/features/code-review/" class="py-2 lh-condensed-ultra d</pre>
-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Code review">Code review</a>
                        <a href="/features/project-management/" class="py-2 lh-condensed-</pre>
ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Project management">Projec
                        <a href="/features/integrations" class="py-2 lh-condensed-ultra d</pre>
-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Integrations">Integrations</a></l
i>
                        <a href="/features/actions" class="py-2 lh-condensed-ultra d-bloc</pre>
k link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Actions">Actions</a>
                        <a href="/features/packages" class="py-2 lh-condensed-ultra d-blo</pre>
ck link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Packages">Packages</a>
                        class="edge-item-fix"><a href="/features/security" class="py-2 lh-condensed-ultra d-blo</pre>
{\tt ck \; link-gray \; no-underline \; f5" \; data-ga-click="(Logged \; out) \; Header, \; go \; to \; Security"} \\ {\tt Security '/a>}
                        class="edge-item-fix"><a href="/features#team-management" class="py-2 lh-condensed-ultr</pre>
a d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Team management">Team manageme
                        <a href="/features#hosting" class="py-2 lh-condensed-ultra d-bloc</pre>
k link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Code hosting">Hosting</a>
                       <a href="/mobile" class="py-2 lh-condensed-ultra d-block</pre>
link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Mobile">Mobile</da>
                     <a href="/customer-stories" class="py-2 lh-condensed-ultra d-bloc</pre>
k no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Cus
tomer stories">Customer stories <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;
</span></a>
                        <\!\!\text{li class="edge-item-fix"}\!\!<\!\!\text{a href="/security" class="py-2 lh-condensed-ultra d-block no-und labeled labele
erline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Security">S
ecurity <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a>
                     </div>
                </details>
             <a href="/team" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga-click</pre>
="(Logged out) Header, go to Team">Team</a>
             <a href="/enterprise" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga
-click="(Logged out) Header, go to Enterprise">Enterprise</a>
```

```
r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                                    <details class="HeaderMenu-details details-overlay details-reset width-full">
                                         <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli</pre>
ne-block">
                                               Explore
                                               <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" (svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" (svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" (svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" (svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" (svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" (svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" (svg x="0 0 14 8" xml) (svg x=
own-mktg position-absolute position-lg-relative">
                                                    <path d="M1,116.2,6L13,1"></path>
                                               </svg>
                                         </summary>
                                         <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-0 mt-0 pb-4 p-lg-4 position</pre>
 -relative position-lg-absolute left-0 left-lg-n4">
                                               <a href="/explore" class="py-2 lh-condensed-ultra d-block link-gr</pre>
ay-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Explore">Explore GitHub <
span \ class="Bump-link-symbol float-right text-normal text-gray-light">\→</span></a>
                                               <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Learn & text-mono f5 mb-2 border-lg-top pt-lg-1 mb-2 border-lg-top pt-lg-top p
ontribute</h4>
                                               <\!li~class="edge-item-fix"><\!a~href="/topics"~class="py-2~lh-condensed-ultra~d-block~link-gra"><\!a~href="/topics"~class="py-2~lh-condensed-ultra~d-block~link-gra"><\!a~href="/topics"~class="py-2~lh-condensed-ultra~d-block~link-gra"><\!a~href="/topics"~class="py-2~lh-condensed-ultra~d-block~link-gra"><\!a~href="/topics"~class="py-2~lh-condensed-ultra~d-block~link-gra"><<a>href="/topics"~class="py-2~lh-condensed-ultra~d-block~link-gra"><<a>href="/topics"~class="py-2~lh-condensed-ultra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link-gra~d-block~link
y no-underline f5" data-ga-click="(Logged out) Header, go to Topics">Topics</a>
                                                           <a href="/collections" class="py-2 lh-condensed-ultra d-block l</pre>
ink-gray no-underline f5" data-ga-click="(Logged out) Header, go to Collections">Collections</a>
                                                     <\!\!\text{li class="edge-item-fix"}\!\!<\!\!\text{a href="/trending" class="py-2 lh-condensed-ultra d-block link-g}
ray no-underline f5" data-ga-click="(Logged out) Header, go to Trending">Trending</a>
                                                    <\!\!\text{li class="edge-item-fix"}><\!\!\text{a href="https://lab.github.com/" class="py-2 lh-condensed-ultra"}
{\tt d-block\ link-gray\ no-underline\ f5"\ data-ga-click="(Logged\ out)\ Header,\ go\ to\ Learning\ lab">Learning\ Lab</a>
                                                    <a href="https://opensource.guide" class="py-2 lh-condensed-ultra</pre>
   d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Open source guides">Open source
   guides</a>
                                               <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Connect with
others</h4>
                                               <a href="https://github.com/events" class="py-2 lh-condensed-ultr</pre>
a d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Events">Events</a>
                                                    \verb|\class="edge-item-fix"| > <a href="https://github.community" class="py-2 lh-condensed-ultra"| <a href="https://github.community"| <a href="https://github.community" class="py-2 lh-condensed-ultra"| <a href="https://github.community"| <a href="htt
  d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Community forum">Community foru
m</a>
                                                    <a href="https://education.github.com" class="py-2 lh-condensed-u</pre>
ltra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Education">GitHub Ed
ucation</a>
                                                    <a href="https://stars.github.com" class="py-2 pb-0 lh-condensed-</pre>
ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Stars Program">GitH
ub Stars program</a>
                                               </div>
                                   </details>
                              <a href="/marketplace" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-g</pre>
a-click="(Logged out) Header, go to Marketplace">Marketplace</a>
                              r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                                   <details class="HeaderMenu-details details-overlay details-reset width-full">
                                         <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli</pre>
```

```
ne-block">
                         Pricing
                         <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d</pre>
own-mktg position-absolute position-lg-relative">
                             <path d="M1,116.2,6L13,1"></path>
                         </svg>
                      </summary>
                      <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-4 mt-0 p-lg-4 position-rela</pre>
tive position-lg-absolute left-0 left-lg-n4">
                         <a href="/pricing" class="pb-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bump
-link--hover" data-ga-click="(Logged out) Header, go to Pricing">Plans <span class="Bump-link-symbol float-ri
ght text-normal text-gray-light">→</span></a>
                         <a href="/pricing#feature-comparison" class="py-2 lh-condensed-ul</pre>
tra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Compare plans">Compare plans
</a>
                            <a href="https://enterprise.github.com/contact" class="py-2 lh-co"</pre>
ndensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Contact Sales">Con
tact Sales</a>
                         class="edge-item-fix"><a href="/nonprofit" class="py-2 lh-condensed-ultra d-block no-un</pre>
derline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Nonprofits
">Nonprofit <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a>
                            <a href="https://education.github.com" class="py-2 pb-0 lh-conden</pre>
sed-ultra d-block no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out)
Header, go to Education">Education <span class="Bump-link-symbol float-right text-normal text-gray-light">&ra
rr;</span></a>
                         </div>
                  </details>
               </nav>
   <div class="d-lg-flex flex-items-center px-3 px-lg-0 text-center text-lg-left">
         <div class="d-lg-flex mb-3 mb-lg-0">
               <div class="header-search flex-auto js-site-search position-relative flex-self-stretch flex-md-self</pre>
-auto mb-3 mb-md-0 mr-0 mr-md-3 scoped-search site-scoped-search js-jump-to"
role="combobox"
aria-owns="jump-to-results"
aria-label="Search or jump to"
aria-haspopup="listbox"
aria-expanded="false"
  Search
            <div class="Box position-absolute overflow-hidden d-none jump-to-suggestions js-jump-to-suggestions-cont-</pre>
            </div>
   </label>
         </div>
      <a href="/login?return_to=%2Fnevakee716%2Fcpm%2Fwiki%2FHome.md"</pre>
         class="HeaderMenu-link no-underline mr-3"
         data-hydro-click="{"event_type":"authentication.click","payload":{"l
ocation_in_page":"site header menu","repository_id":null,"auth_type":&quot
;SIGN_UP","originating_url":"https://github.com/nevakee716/cpm/wiki/Home.md","u
ser\_id\":null\}\}" \ data-hydro-click-hmac="e8d293696e0b917264bdaee05b89f881fdd7ec01caeeda53777ff4d0619a752f" and the control of the cont
         data-ga-click="(Logged out) Header, clicked Sign in, text:sign-in">
         Sign in
            <a href="/join?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2Fnevakee716%2Fcpm%2Fwiki%</pre>
```

<div>{{ message }}</div>

×

<include-fragment class="js-notification-shelf-include-fragment" data-base-src="https://github.com/notifications/beta/shelf"> </include-fragment>

<div

</div>

class="application-main d-flex flex-auto flex-column"

<div data-pjax-replace id="js-flash-container">

data-commit-hovercards-enabled

data-discussion-hovercards-enabled

data-issue-and-pr-hovercards-enabled

<main>



Find code, projects, and people on GitHub:

Search

 ${\sf Contact\ Support-GitHub\ Status-@githubstatus}$

<footer class="footer mt-6">

GitHub

```
</div>
```

```
<div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-lg-0 pl-lg-4">
  <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Product</h2>
```

```
<a href="/features" data-ga-click="Footer, go to features, text:features"</pre>
  class="link-gray">Features</a>
              class="lh-condensed mb-3"><a href="/security" data-ga-click="Footer, go to security, text:security"</pre>
   class="link-gray">Security</a>
              <a href="/team" data-ga-click="Footer, go to team, text:team" class="link</pre>
 -gray">Team</a>
              <a href="/enterprise" data-ga-click="Footer, go to enterprise, text:enter</pre>
prise" class="link-gray">Enterprise</a>
              class="lh-condensed mb-3"><a href="/customer-stories" data-ga-click="Footer, go to customer stories</pre>
 , text:customer stories" class="link-gray">Customer stories</a>
              class="lh-condensed mb-3"><a href="/readme" data-ga-click="Footer, go to the readme project, text:t</pre>
he readme project" class="link-gray">The ReadME Project</a>
              class="lh-condensed mb-3"><a href="/pricing" data-ga-click="Footer, go to pricing, text:pricing" cl</pre>
ass="link-gray">Pricing</a>
              <a href="https://resources.github.com" data-ga-click="Footer, go to resou</pre>
rces, text:resources" class="link-gray">Resources</a>
              < a href="https://github.com/github/roadmap" data-ga-click="Footer, go to to the condense of the condense o
roadmap, text:roadmap" class="link-gray">Roadmap</a>
         </div>
     <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
         <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Platform</h2>
          class="lh-condensed mb-3"><a href="https://docs.github.com" data-ga-click="Footer, go to api, text:</pre>
api" class="link-gray">Developer API</a>
              <\!1i\ class="lh-condensed mb-3"><\!a\ href="http://partner.github.com/" data-ga-click="Footer, go to partner.github.com/" data-ga-click="Footer, 
 , text:partner" class="link-gray">Partners</a>
              class="lh-condensed mb-3"><a href="https://atom.io" data-ga-click="Footer, go to atom, text:atom" c</pre>
lass="link-gray">Atom</a>
              <a href="http://electronjs.org" data-ga-click="Footer, go to electron, te</pre>
xt:electron" class="link-gray">Electron</a>
              < li\ class = "lh-condensed\ mb-3" >< a\ href="https://desktop.github.com/"\ data-ga-click="Footer,\ go\ to\ desktop.github.com/"\ data-ga-click="footer,"
p, text:desktop" class="link-gray">GitHub Desktop</a>
         </div>
     <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
         <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Support</h2>
          <a data-ga-click="Footer, go to help, text:help" class="link-gray " href=</pre>
 "https://docs.github.com">Help</a>
              <a href="https://github.community" data-ga-click="Footer, go to community</pre>
 , text:community" class="link-gray">Community Forum</a>
              <a href="https://services.github.com/" data-ga-click="Footer, go to profe</pre>
ssional services, text:professional services" class="link-gray">Professional Services</a>
              <a href="https://lab.github.com/" data-ga-click="Footer, go to learning 1</pre>
ab, text:learning lab" class="link-gray">Learning Lab</a>
              <a href="https://githubstatus.com/" data-ga-click="Footer, go to status,</pre>
text:status" class="link-gray">Status</a>
              <a data-ga-click="Footer, go to contact, text:contact" class="link-gray "</pre>
  href="https://github.com/contact">Contact GitHub</a>
         </div>
     <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
          <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Company</h2>
          <a data-ga-click="Footer, go to about, text:about" class="link-gray " hre</pre>
f="https://github.com/about">About</a>
              <a href="https://github.blog" data-ga-click="Footer, go to blog, text:blo</pre>
g Weiചടെ pptianal thirds pagty കാരിസ്ക്രാം cookies to understand how you use GitHub.com so we can build better products.
itton>
impact, text:social impact" class="link-gray">Social Impact</a>
cbutton class="bth btn-outline tlex 1 ml-1 m-md-0 ml-md-2 js-cookie-consent-reject">Reject</butto
<a href="https://shop.github.com" data-ga-click="Footer, go to shop, text</pre>
 :shop" class="link-gray">Shop</a>
```

```
</div>
    </divx/div>
</divx/div>
            <div class="js-cookie-details hx cookie-banner-details" hidden>
                 <div class="d-md-flex flex-items-center pv-3">
                      We use optional ให้เก็บ "party ahalytics" เอืองให้เอรา เอา house of thub.com so we can build better products.
                    ≤a Yogfcähtälwayswupdate⇔yogk sele€tibkbbydelickinglasbanFeläss="textobold@bcobkie@Preferencesa/span
  itle="GitHub on Facebook" style="color: #959da5 at the bottommofisthat@agg/www.w3.org/2000/svg"
                                                                                                                              , /
viewBox="0 0 15.3 15.4" class="d-block" height="18"><pa
    th d="M14For@More Information; seevour @ashrer=@https://dbcs?github/com/eN/ffee-pro2team@latest/github/sit
  e-goligy/github_privacy_statement_13c-1.0-1.15-1.1 1.1v1.5h2

</pr>

                  li class="mr-3">
<divhclass=idoud7flex.flexuitemsm9entenbpydatbogderiteR=>Footer, go to YouTube, text:youtube" titl
    e="GitHvdivncYayJ#bf5 flexe1"mbl2rmb#md9@a5;
    cyg xmlns="nttp://www.w3.org/2000/syg" viewBox="0 0 19.17 13.6" class="d-block" height="16"><p ath d="M18.77cl
          39 2.1339 2.13class="f6 mb@md-0" Neauselessential Cookies tooperform2essentlal website7functions, 7e5g42they'
3.42a57.69 57.69 0 0 0 7.51-.4 2.4 2.4 0 0 0 1.68-1.71 25.63 25.63 0 0 0 .4-4.67 24 24 0 0 0 -.4-4.69zM
  .5.42a57.69 57.69 0 0 0 7.51-.4 2.4 2.4 0 0 0 1.68-1.7:
re.Used.tqvbcg9Ygu2in1z" fill="currentColor"></path></s
                         <a href="https://docs.github.com/en/github/site-policy/github-subprocessors-and-cookies">Learn
<span class="sr-only">YouTube</span>
  more</a><sub>₹/a></sub>
               \[ \frac{11 \cdot \text{15}}{1 \cdot \text{15}} = \text{mr-3} \] flex-self-start"\
\[ \langle \frac{1}{2} \text{15} \text{15} = \text{mr-3} \] flex-self-start"\
\[ \langle \frac{1}{2} \text{15} \t
                                      ="mr-3 flex-self-start">
                 </div_pan class="sr-only">LinkedIn</span>
                    </a>

center py-3 border-top">
                     <adivectaässipf5/flexhubmbo2/mbimdbö"slata-ga-click="Footer, go to github's org, text:github" title
                          ື່ຊຸດrganization" style="color: #959da5;">
<≮02 ດີLasat=mbp1"ໄດ້ຄວາມເຂົ້າເວດຕະມີຄຣາເປິດໄຂກາດ-github d-block" alt="" viewBox="0 0 16 16" version
        "1.1" widphclass="f6ambinde0":"Weudse<anallytics-cooktesvtoodddedstandonow59od dse.our@websites4se.we 6an m
  53 5.47 7.59.4.07.55-.17.55-.38 0-.19-.01-.82-.01-1.49-2.01.37-2.53-.49-2.69-.94-.09-.23-.48-.94-.82-1.
ake them bettem, e.g. they are used to gather information about the pages you visit and show many clicks you
  need 6to .aecomp1ish95 task7.31-1.59.82-2.15-.08-.2-.36-1.02.08-2.12 0 0 .67-.21 2.2.82.64-.18
    ...27.68 0 1.36.09 2 27 1.53-1.04 2.2-.82 2.2-.82,44 1.1.16 1.92.08 2.12.51.56.82 1.27.82 2.15 0 3.07-1.
87 3.75-3.65a3hgef=5https://docs.github.com/en/github/site_policy/github-subprocessors-and-scookies ** Learn
                    more2/a>58-8-8-8z"

<
               li class="mr-3"><a href="/site/terms" data-ga-click="Footer go to terms, text:terms" class="link-
>Terms{button:class="btn btn-outline BtnGroup-item js-accept-analytics-cookies" type="button">Accept<
  /buttoni class="mr-3"><a href="/site/privacy" data-ga-click="Footer, go to privacy, text:privacy" class=
        link-gray">Privacy</a>
link-gray">Privacy</a></a>
class="bttp://property.com/states/listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-listed-lis
  / Copokin Breferences
    Site Map
What is Git?</div>
                    </div>
                  </div>
<button class="btn btn-primary js-save-cookie-preferences" type="button" disabled>Save preferences
  /hutton>
                 </div>
            </div>
    <div class="js-cookie-consent-banner" hidden>
```