

2_0_Dataset_Preparation_with_Original_Split_Balance_FINAL

April 13, 2025

This notebook performs a thorough EDA of the dataset, as well as engineers features, and performs additional QA on these modifications.

We: - Standardize columns

- Search for duplicates and other flaws
- Understand and QA (pre and post-modifications) the distributions of our spans across sub-corpora
- Understand and QA (pre and post-modifications) the quartiles of the continuous outcome variable ‘complexity’, the counts across datasets and subsets, the counts of subcorpora, the quantity of more complex vs. less complex spans—coming to the conclusion that we have a rigorously balanced and consistent dataset
- Eliminate contractions across the data, creating 2 versions of the original X variable, per single and multi set (4 total)
- Create two binarized outcome variables (derived from the continuous ‘complexity’ outcome variable), such that we split on the median of the single set’s train set and apply it to the validation and test set, and repeat the procedure for the multi set’s train set. Then, in order to test for excessive neutrality (given that the continuous label was derived from a 5-increment likert scale, which itself was derived from an average of continuous annotator ratings), we split on the 75th percentile and trained models on that in order to rule out intrinsic issues with the dataset. The resulting dataset balances can be seen in the binomial distribution plots in this notebook. Thus, we create 2 versions of the original Y variable, per single and multi set (4 total), excluding the original continuous variable from consideration for training.
- Enrich and augment the dataset with features derived from SpaCy, creating 4 new purely derived features per set (8 total). We then systematically leverage the derived features to generate 7 new versions of our X variable per dataset (14 total)—such that 3 features per set (6 total) contain concatenations of engineered features and our expanded raw X variable, 3 features per set (6 total) interleave each token of both the SpaCy features and the original X variable, and 1 feature per set was generated concatenating the raw X variable with a SpaCy-derived complexity score (2 total)—thus injecting an alternative continuous value into the input sequence.

At each step, modifications were tested for quality control, and later used systematically in training experiments.

```
[ ]: #@title Install Packages
```

```
[ ]: !pip install -q transformers
!pip install -q torchinfo
!pip install -q datasets
!pip install -q evaluate
!pip install -q nltk
!pip install -q contractions
```

```
[ ]: !sudo apt-get update
! sudo apt-get install tree
```

```
Hit:1 https://developer.download.nvidia.com/compute/cuda/repos/ubuntu2204/x86_64
InRelease
Hit:2 https://cloud.r-project.org/bin/linux/ubuntu jammy-cran40/ InRelease
Hit:3 http://security.ubuntu.com/ubuntu jammy-security InRelease
Hit:4 http://archive.ubuntu.com/ubuntu jammy InRelease
Hit:5 http://archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:6 https://r2u.stat.illinois.edu/ubuntu jammy InRelease
Hit:7 https://ppa.launchpadcontent.net/deadsnakes/ppa/ubuntu jammy InRelease
Hit:8 http://archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:9 https://ppa.launchpadcontent.net/graphics-drivers/ppa/ubuntu jammy
InRelease
Hit:10 https://ppa.launchpadcontent.net/ubuntugis/ppa/ubuntu jammy InRelease
Reading package lists... Done
W: Skipping acquire of configured file 'main/source/Sources' as repository
'https://r2u.stat.illinois.edu/ubuntu jammy InRelease' does not seem to provide
it (sources.list entry misspelt?)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
tree is already the newest version (2.0.2-1).
0 upgraded, 0 newly installed, 0 to remove and 32 not upgraded.
```

```
[ ]: #@title Imports
import nltk
from nltk.tokenize import RegexpTokenizer

import evaluate
import transformers

import contractions

from torchinfo import summary
from datasets import load_dataset

from transformers import AutoTokenizer, AutoModel, \
    AutoModelForSequenceClassification
from transformers import TrainingArguments, Trainer
```

```

import os
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns

import sklearn

import spacy

```

```
[ ]: # @title Mount Google Drive
```

```
[ ]: from google.colab import drive
drive.mount('/content/drive')
```

Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).

```
[ ]: dir_root = '/content/drive/MyDrive/266-final/'
# dir_data = '/content/drive/MyDrive/266-final/data/'
# dir_data = '/content/drive/MyDrive/266-final/data/se21-t1-comp-lex-master/'
dir_data = '/content/drive/MyDrive/266-final/data/266-comp-lex-master'
dir_models = '/content/drive/MyDrive/266-final/models/'
dir_results = '/content/drive/MyDrive/266-final/results/'
```

```
[ ]: !tree /content/drive/MyDrive/266-final/data/266-comp-lex-master/
```

```

/content/drive/MyDrive/266-final/data/266-comp-lex-master/
  fe-test-labels
    test_multi_df.csv
    test_single_df.csv
  fe-train
    train_multi_df.csv
    train_single_df.csv
  fe-trial-val
    trial_val_multi_df.csv
    trial_val_single_df.csv
  test-labels
    lcp_multi_test.tsv
    lcp_single_test.tsv
  train
    lcp_multi_train.tsv
    lcp_single_train.tsv
  trial
    lcp_multi_trial.tsv
    lcp_single_trial.tsv

```

6 directories, 12 files

```
[ ]: !ls -R /content/drive/MyDrive/266-final/data/266-comp-lex-master/

/content/drive/MyDrive/266-final/data/266-comp-lex-master/:
fe-test-labels  fe-train  fe-trial-val  test-labels  train  trial

/content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-test-labels:
test_multi_df.csv  test_single_df.csv

/content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-train:
train_multi_df.csv  train_single_df.csv

/content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-trial-val:
trial_val_multi_df.csv  trial_val_single_df.csv

/content/drive/MyDrive/266-final/data/266-comp-lex-master/test-labels:
lcp_multi_test.tsv  lcp_single_test.tsv

/content/drive/MyDrive/266-final/data/266-comp-lex-master/train:
lcp_multi_train.tsv  lcp_single_train.tsv

/content/drive/MyDrive/266-final/data/266-comp-lex-master/trial:
lcp_multi_trial.tsv  lcp_single_trial.tsv
```

```
[ ]: #@title Import Data
```

```
[ ]: # Load train data into train*_df
train_single_df = pd.read_csv(
    os.path.join(dir_data, "train", "lcp_single_train.tsv"),
    sep = "\t",
    engine = "python",
    quoting = 3
)
train_multi_df = pd.read_csv(
    os.path.join(dir_data, "train", "lcp_multi_train.tsv"),
    sep = "\t",
    engine = "python",
    quoting = 3
)

# Load trial data into trial_val*_df
trial_val_single_df = pd.read_csv(
    os.path.join(dir_data, "trial", "lcp_single_trial.tsv"),
    sep = "\t",
    engine = "python",
    quoting = 3
)
```

```

trial_val_multi_df = pd.read_csv(
    os.path.join(dir_data, "trial", "lcp_multi_trial.tsv"),
    sep = "\t",
    engine = "python",
    quoting = 3
)

# Load test data (with labels) into test_*_df
test_single_df = pd.read_csv(
    os.path.join(dir_data, "test-labels", "lcp_single_test.tsv"),
    sep = "\t",
    engine = "python",
    quoting = 3
)
test_multi_df = pd.read_csv(
    os.path.join(dir_data, "test-labels", "lcp_multi_test.tsv"),
    sep = "\t",
    engine = "python",
    quoting = 3
)

print("Data successfully loaded into train, trial-val, and test variables")

```

Data successfully loaded into train, trial-val, and test variables

```
[ ]: #@title EDA
```

```

[ ]: def print_dataframe_summary(df_name, df):
    # Print section header
    print(f"===== {df_name} =====")

    # Shape and Columns
    print(f"Shape: {df.shape}")
    print(f"Columns: {list(df.columns)}\n")

    # Data Types
    print("Data Types:")
    print(df.dtypes)
    print()

    # Missing Values
    print("Missing Values (by column):")
    print(df.isna().sum())
    print()

    # 'complexity' column stats
    desc = df['complexity'].describe() # count, mean, std, min, 25%, 50%, 75%,
    ↪max

```

```

print("'complexity' Column Stats (incl. quartiles and median):")
print(desc)

# Calculate frequency counts for each quartile range
q1 = desc['25%']
q2 = desc['50%'] # This is the median
q3 = desc['75%']
q_max = desc['max']

# Note: We'll define the ranges as:
#   <= Q1
#   > Q1 and <= Q2
#   > Q2 and <= Q3
#   > Q3

freq_q1 = np.sum(df['complexity'] <= q1)
freq_q2 = np.sum((df['complexity'] > q1) & (df['complexity'] <= q2))
freq_q3 = np.sum((df['complexity'] > q2) & (df['complexity'] <= q3))
freq_q4 = np.sum(df['complexity'] > q3)

print()
print("Quartile Frequency Counts (tab-separated next to each quartile):")
print(f"25%: {q1}\tCount (<= Q1): {freq_q1}")
print(f"50% (Median): {q2}\tCount (Q1 < x <= Q2): {freq_q2}")
print(f"75%: {q3}\tCount (Q2 < x <= Q3): {freq_q3}")
print(f"100% (Max): {q_max}\tCount (Q3 < x <= Max): {freq_q4}")

print("=====\n")

# Now we call this for each of our dataframes
print_dataframe_summary("train_single_df", train_single_df)
print_dataframe_summary("train_multi_df", train_multi_df)
print_dataframe_summary("trial_val_single_df", trial_val_single_df)
print_dataframe_summary("trial_val_multi_df", trial_val_multi_df)
print_dataframe_summary("test_single_df", test_single_df)
print_dataframe_summary("test_multi_df", test_multi_df)

```

```

===== train_single_df =====

```

```

Shape: (7662, 5)

```

```

Columns: ['id', 'corpus', 'sentence', 'token', 'complexity']

```

```

Data Types:

```

```

id          object

```

```

corpus      object

```

```

sentence    object

```

```

token       object

```

```

complexity  float64

```

```

dtype: object

```

Missing Values (by column):

```
id          0
corpus      0
sentence    0
token       7
complexity  0
dtype: int64
```

'complexity' Column Stats (incl. quartiles and median):

```
count      7662.000000
mean        0.302288
std         0.132977
min         0.000000
25%         0.211538
50%         0.279412
75%         0.375000
max         0.861111
```

Name: complexity, dtype: float64

Quartile Frequency Counts (tab-separated next to each quartile):

```
25%: 0.2115384615384615 Count (<= Q1): 1928
50% (Median): 0.2794117647058823      Count (Q1 < x <= Q2): 1937
75%: 0.375      Count (Q2 < x <= Q3): 1984
100% (Max): 0.8611111111111112      Count (Q3 < x <= Max): 1813
```

=====

===== train_multi_df =====

Shape: (1517, 5)

Columns: ['id', 'corpus', 'sentence', 'token', 'complexity']

Data Types:

```
id          object
corpus      object
sentence    object
token       object
complexity  float64
dtype: object
```

Missing Values (by column):

```
id          0
corpus      0
sentence    0
token       0
complexity  0
dtype: int64
```

'complexity' Column Stats (incl. quartiles and median):

```

count      1517.000000
mean       0.418362
std        0.155536
min        0.027778
25%        0.302632
50%        0.409091
75%        0.529412
max        0.975000
Name: complexity, dtype: float64

```

```

Quartile Frequency Counts (tab-separated next to each quartile):
25%: 0.3026315789473685 Count (<= Q1): 382
50% (Median): 0.409090909090909 Count (Q1 < x <= Q2): 377
75%: 0.5294117647058824 Count (Q2 < x <= Q3): 380
100% (Max): 0.975          Count (Q3 < x <= Max): 378
=====

```

```

===== trial_val_single_df =====
Shape: (421, 5)
Columns: ['id', 'subcorpus', 'sentence', 'token', 'complexity']

```

```

Data Types:
id          object
subcorpus   object
sentence    object
token       object
complexity  float64
dtype: object

```

```

Missing Values (by column):
id          0
subcorpus   0
sentence    0
token       0
complexity  0
dtype: int64

```

```

'complexity' Column Stats (incl. quartiles and median):
count      421.000000
mean       0.298631
std        0.137619
min        0.000000
25%        0.214286
50%        0.266667
75%        0.359375
max        0.875000
Name: complexity, dtype: float64

```



```

Quartile Frequency Counts (tab-separated next to each quartile):
25%: 0.2142857142857143 Count (<= Q1): 106
50% (Median): 0.2666666666666667 Count (Q1 < x <= Q2): 107
75%: 0.359375 Count (Q2 < x <= Q3): 103
100% (Max): 0.875 Count (Q3 < x <= Max): 105
=====

```

```

===== trial_val_multi_df =====

```

```

Shape: (99, 5)
Columns: ['id', 'subcorpus', 'sentence', 'token', 'complexity']

```

Data Types:

```

id          object
subcorpus   object
sentence    object
token       object
complexity  float64
dtype: object

```

Missing Values (by column):

```

id          0
subcorpus   0
sentence    0
token       0
complexity  0
dtype: int64

```

'complexity' Column Stats (incl. quartiles and median):

```

count      99.000000
mean       0.417961
std        0.153752
min        0.000000
25%        0.309028
50%        0.421875
75%        0.513932
max        0.825000

```

Name: complexity, dtype: float64

```

Quartile Frequency Counts (tab-separated next to each quartile):

```

```

25%: 0.3090277777777778 Count (<= Q1): 25
50% (Median): 0.421875 Count (Q1 < x <= Q2): 25
75%: 0.5139318885448916 Count (Q2 < x <= Q3): 24
100% (Max): 0.825 Count (Q3 < x <= Max): 25
=====

```

```

===== test_single_df =====

```

```

Shape: (917, 5)
Columns: ['id', 'corpus', 'sentence', 'token', 'complexity']

```

Data Types:

```
id          object
corpus      object
sentence    object
token       object
complexity   float64
dtype: object
```

Missing Values (by column):

```
id          0
corpus      0
sentence    0
token       0
complexity   0
dtype: int64
```

'complexity' Column Stats (incl. quartiles and median):

```
count      917.000000
mean        0.296362
std         0.127290
min         0.000000
25%         0.214286
50%         0.276316
75%         0.357143
max         0.777778
```

Name: complexity, dtype: float64

Quartile Frequency Counts (tab-separated next to each quartile):

```
25%: 0.2142857142857143 Count (<= Q1): 237
50% (Median): 0.2763157894736842      Count (Q1 < x <= Q2): 224
75%: 0.3571428571428571 Count (Q2 < x <= Q3): 229
100% (Max): 0.7777777777777777 Count (Q3 < x <= Max): 227
```

=====

===== test_multi_df =====

Shape: (184, 5)

Columns: ['id', 'corpus', 'sentence', 'token', 'complexity']

Data Types:

```
id          object
corpus      object
sentence    object
token       object
complexity   float64
dtype: object
```

Missing Values (by column):

```
id          0
corpus      0
sentence    0
token       0
complexity  0
dtype: int64
```

'complexity' Column Stats (incl. quartiles and median):

```
count    184.000000
mean      0.422312
std       0.155785
min       0.000000
25%      0.316667
50%      0.428571
75%      0.527778
max       0.800000
```

Name: complexity, dtype: float64

Quartile Frequency Counts (tab-separated next to each quartile):

```
25%: 0.31666666666666666 Count (<= Q1): 47
50% (Median): 0.4285714285714286      Count (Q1 < x <= Q2): 46
75%: 0.5277777777777778 Count (Q2 < x <= Q3): 46
100% (Max): 0.8 Count (Q3 < x <= Max): 45
=====
```

```
[ ]: print(train_single_df.head())
```

```
          id corpus
sentence  token  complexity
0  3ZLW647WALVGE8EBR50EGUBPU4P32A  bible  Behold, there came up out of the river
seven c...  river    0.000000
1  34ROBODSP1ZBN3DVY8J8XSIY551E5C  bible  I am a fellow bondservant with you and
with yo...  brothers    0.000000
2  3S1WOPCJFGTJU2SGNAN2Y213N6WJE3  bible  The man, the lord of the land, said to
us, 'By...  brothers    0.050000
3  3BFNCI9LYKQN09BHXHH9CLSX5KP738  bible  Shimei had sixteen sons and six
daughters; but...  brothers    0.150000
4  3G5RUKN2EC3YIWSKUXZ8ZVH95R49N2  bible  "He has put my brothers
far from me.  brothers    0.263889
```

```
[ ]: print(train_multi_df.head())
```

```
          id corpus
sentence  token  complexity
0  3S37Y8CWI80N8KVM53U4E6JKCDC4WE  bible  but the seventh day is a Sabbath to
Yahweh you...  seventh day    0.027778
1  3WGCNLZJKF877FYC1Q6COKNWDWD11  bible  But let each man test his own work,
and then h...  own work    0.050000
```

```

2 3UOMW19E6D6WQ5TH2HDD74IVKTP5CB bible To him who by understanding made the
heavens; ... loving kindness 0.050000
3 36JW4WBR06KF9AXMUL4N476OMF8FHD bible Remember to me, my God, this also, and
spare m... loving kindness 0.050000
4 3HRWUH63QU2FH9Q8R7MRNFC7JX2N5A bible Because your loving kindness is better
than li... loving kindness 0.075000

```

```
[ ]: #@title Data Engineering
```

```

[ ]: # Assuming you have already loaded the DataFrames:
# train_single_df, train_multi_df, trial_val_single_df, trial_val_multi_df,
↳ test_single_df, test_multi_df

def print_distinct_values(df, column_name):
    """Prints the distinct values of a specified column in a DataFrame."""
    distinct_values = df[column_name].unique()
    print(f"Distinct values in '{column_name}' column:")
    for value in distinct_values:
        print(value)
    print("-" * 30) # Separator

# Print distinct values for each DataFrame
print_distinct_values(train_single_df, "corpus")
print_distinct_values(train_multi_df, "corpus")
print_distinct_values(trial_val_single_df, "subcorpus")
print_distinct_values(trial_val_multi_df, "subcorpus")
print_distinct_values(test_single_df, "corpus")
print_distinct_values(test_multi_df, "corpus")

```

Distinct values in 'corpus' column:

```

bible
biomed
europarl
-----

```

Distinct values in 'corpus' column:

```

bible
biomed
europarl
-----

```

Distinct values in 'subcorpus' column:

```

bible
biomed
europarl
-----

```

Distinct values in 'subcorpus' column:

```

bible
biomed
europarl

```

```
-----  
Distinct values in 'corpus' column:
```

```
bible  
biomed  
europarl  
-----
```

```
Distinct values in 'corpus' column:
```

```
bible  
biomed  
europarl  
-----
```

0.1 standardize column headers: convert trial_val header from ‘subcorpus’ to ‘corpus’

```
[ ]: # Rename the 'subcorpus' column to 'corpus'  
trial_val_single_df = trial_val_single_df.rename(columns={'subcorpus':  
    ↳ 'corpus'})  
trial_val_multi_df = trial_val_multi_df.rename(columns={'subcorpus': 'corpus'})  
  
# Verify the change (optional)  
print(trial_val_single_df.columns)  
print(trial_val_multi_df.columns)
```

```
Index(['id', 'corpus', 'sentence', 'token', 'complexity'], dtype='object')
```

```
Index(['id', 'corpus', 'sentence', 'token', 'complexity'], dtype='object')
```

```
[ ]: dataframes = [train_single_df, train_multi_df, trial_val_single_df,  
    ↳ trial_val_multi_df, test_single_df, test_multi_df]  
  
# Get the headers (column names) of the first DataFrame as a reference  
reference_headers = list(dataframes[0].columns)  
  
# Loop through the remaining DataFrames and compare headers  
all_headers_match = True  
for df in dataframes[1:]:  
    if list(df.columns) != reference_headers:  
        all_headers_match = False  
        print(f"Headers do not match for DataFrame: {df.head(0)}") # Print  
    ↳ which DataFrame has different headers  
        break # Exit the loop if a mismatch is found  
  
# Print the result  
if all_headers_match:  
    print("All DataFrames have matching headers.")  
else:  
    print("Headers do not match for all DataFrames.")
```

All DataFrames have matching headers.

0.2 Interrogate Span Length by Corpus Value by Data Split

```
[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile(dfs_dict):
    """
    Analyze sentence spans (length metrics) grouped by corpus and complexity_
    ↪ quartile
    for multiple dataframes.
    """
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name}...")

        q1 = df['complexity'].quantile(0.25)
        q2 = df['complexity'].quantile(0.50)
        q3 = df['complexity'].quantile(0.75)

        def get_quartile(x):
            if x <= q1:
                return 'Q1'
            elif x <= q2:
                return 'Q2'
            elif x <= q3:
                return 'Q3'
            else:
                return 'Q4'

        df = df.copy()
        df['quartile'] = df['complexity'].apply(get_quartile)

        def compute_span_metrics(sentence):
            if pd.isna(sentence):
                return pd.Series({'word_count': 0, 'char_count': 0,
                ↪ 'avg_word_len': 0})

            words = tokenizer.tokenize(sentence)
            word_count = len(words)
            char_count = len(sentence)
            avg_word_len = np.mean([len(word) for word in words]) if word_count
            ↪ 0 else 0
            return pd.Series({'word_count': word_count, 'char_count':
            ↪ char_count, 'avg_word_len': avg_word_len})
```

```

span_metrics = df['sentence'].apply(compute_span_metrics)
df = pd.concat([df, span_metrics], axis=1)

corpus_col = 'corpus' if 'corpus' in df.columns else 'subcorpus'

for corpus_name, corpus_df in df.groupby(corpus_col):
    for quartile, quartile_df in corpus_df.groupby('quartile'):
        complexity_range = f"{quartile_df['complexity'].min():.3f}--{quartile_df['complexity'].max():.3f}"
        stats = {
            'Dataframe': df_name,
            'Corpus': corpus_name,
            'Quartile': quartile,
            'Complexity Range': complexity_range,
            'Count': len(quartile_df),
            'Avg Words': quartile_df['word_count'].mean(),
            'Median Words': quartile_df['word_count'].median(),
            'Min Words': quartile_df['word_count'].min(),
            'Max Words': quartile_df['word_count'].max(),
            'Std Words': quartile_df['word_count'].std(),
            'Avg Chars': quartile_df['char_count'].mean(),
            'Avg Word Len': quartile_df['avg_word_len'].mean()
        }
        results.append(stats)

results_df = pd.DataFrame(results)
results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])

return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis = analyze_sentence_spans_by_corpus_and_quartile(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
display(span_analysis)

results_path = os.path.join(dir_results, 'sentence_span_analysis.csv')

```

```
span_analysis.to_csv(results_path, index=False)
print(f"Analysis saved to: {results_path}")
```

```
Processing train_single_df...
Processing train_multi_df...
Processing trial_val_single_df...
Processing trial_val_multi_df...
Processing test_single_df...
Processing test_multi_df...
```

	Dataframe	Corpus	Quartile	Complexity	Range	Count	Avg Words	
	Median Words	Min Words	Max Words	Std Words	Avg Chars	Avg Word Len		
60	test_multi_df	bible	Q1	0.025-0.317	26	23.076923		
↪	22.0	4.0	48.0	11.831900	118.653846	4.128898		
61	test_multi_df	bible	Q2	0.325-0.417	11	20.545455		
↪	17.0	7.0	47.0	12.917923	109.545455	4.209752		
62	test_multi_df	bible	Q3	0.432-0.528	18	21.111111		
↪	21.5	4.0	43.0	10.889222	112.777778	4.474206		
63	test_multi_df	bible	Q4	0.542-0.694	11	22.363636		
↪	20.0	7.0	51.0	11.935432	126.181818	4.605062		
64	test_multi_df	biomed	Q1	0.000-0.312	11	29.818182		
↪	29.0	17.0	47.0	8.388304	195.727273	5.491145		
65	test_multi_df	biomed	Q2	0.324-0.417	11	27.090909		
↪	24.0	9.0	47.0	11.449494	171.818182	5.436237		
66	test_multi_df	biomed	Q3	0.456-0.528	10	26.900000		
↪	26.5	10.0	49.0	10.712921	177.500000	5.497409		
67	test_multi_df	biomed	Q4	0.562-0.800	21	32.285714		
↪	34.0	14.0	56.0	13.598319	209.285714	5.460101		
68	test_multi_df	europarl	Q1	0.214-0.303	10	24.700000		
↪	24.5	7.0	56.0	14.189589	146.900000	5.049688		
69	test_multi_df	europarl	Q2	0.321-0.429	24	27.833333		
↪	27.0	9.0	73.0	15.352855	172.291667	5.269610		
70	test_multi_df	europarl	Q3	0.432-0.516	18	32.944444		
↪	32.0	6.0	68.0	19.129504	209.888889	5.512245		
71	test_multi_df	europarl	Q4	0.531-0.562	13	39.000000		
↪	36.0	6.0	95.0	29.631065	237.076923	5.100616		
48	test_single_df	bible	Q1	0.000-0.214	79	22.835443		
↪	22.0	7.0	49.0	10.602891	116.797468	4.031532		
49	test_single_df	bible	Q2	0.217-0.276	68	24.176471		
↪	21.0	2.0	77.0	14.393138	125.955882	4.167352		
50	test_single_df	bible	Q3	0.278-0.353	67	22.388060		
↪	20.0	4.0	63.0	11.306950	119.731343	4.254090		
51	test_single_df	bible	Q4	0.359-0.732	69	20.579710		
↪	19.0	1.0	55.0	11.264736	110.550725	4.337010		
52	test_single_df	biomed	Q1	0.000-0.214	75	27.080000		
↪	25.0	10.0	84.0	12.025603	172.893333	5.271985		

53	test_single_df	biomed	Q2	0.217-0.275	58	30.275862	┐
↩	26.0	10.0	83.0	15.856587	197.775862	5.434573	
54	test_single_df	biomed	Q3	0.278-0.357	66	29.833333	┐
↩	29.0	13.0	85.0	11.754650	191.863636	5.334048	
55	test_single_df	biomed	Q4	0.359-0.778	90	31.144444	┐
↩	30.0	14.0	83.0	12.089146	203.055556	5.393138	
56	test_single_df	europarl	Q1	0.000-0.214	83	25.337349	┐
↩	21.0	3.0	82.0	16.032191	151.891566	5.044222	
57	test_single_df	europarl	Q2	0.217-0.276	98	32.326531	┐
↩	30.0	1.0	97.0	18.707061	195.653061	5.062296	
58	test_single_df	europarl	Q3	0.278-0.357	96	33.000000	┐
↩	30.0	3.0	141.0	21.404377	201.760417	5.124551	
59	test_single_df	europarl	Q4	0.361-0.583	68	33.235294	┐
↩	29.0	1.0	130.0	20.440023	206.514706	5.164123	
12	train_multi_df	bible	Q1	0.028-0.300	163	23.588957	┐
↩	22.0	3.0	67.0	12.429421	124.834356	4.232989	
13	train_multi_df	bible	Q2	0.304-0.409	132	24.053030	┐
↩	22.0	6.0	65.0	11.738444	129.575758	4.302615	
14	train_multi_df	bible	Q3	0.411-0.529	131	23.770992	┐
↩	23.0	4.0	50.0	11.158691	127.389313	4.324088	
15	train_multi_df	bible	Q4	0.533-0.778	79	25.481013	┐
↩	24.0	3.0	81.0	13.490605	139.240506	4.486716	
16	train_multi_df	biomed	Q1	0.028-0.303	87	29.091954	┐
↩	28.0	9.0	77.0	11.882792	185.954023	5.276290	
17	train_multi_df	biomed	Q2	0.304-0.408	74	30.716216	┐
↩	28.0	11.0	85.0	13.521693	195.864865	5.370313	
18	train_multi_df	biomed	Q3	0.411-0.529	111	29.783784	┐
↩	29.0	8.0	61.0	10.912383	193.855856	5.430133	
19	train_multi_df	biomed	Q4	0.531-0.975	242	29.595041	┐
↩	28.0	10.0	75.0	12.040443	194.995868	5.534629	
20	train_multi_df	europarl	Q1	0.118-0.303	132	29.363636	┐
↩	27.0	3.0	101.0	17.874146	176.553030	5.002618	
21	train_multi_df	europarl	Q2	0.304-0.409	171	31.654971	┐
↩	28.0	3.0	108.0	19.099221	195.152047	5.176834	
22	train_multi_df	europarl	Q3	0.411-0.529	138	33.398551	┐
↩	30.0	7.0	101.0	18.992715	208.304348	5.286607	
23	train_multi_df	europarl	Q4	0.533-0.750	57	34.596491	┐
↩	31.0	6.0	96.0	20.318763	218.350877	5.345891	
0	train_single_df	bible	Q1	0.000-0.212	701	23.275321	┐
↩	22.0	4.0	61.0	11.760701	121.607703	4.126789	
1	train_single_df	bible	Q2	0.212-0.279	640	23.753125	┐
↩	22.0	3.0	60.0	11.577932	124.576562	4.148961	
2	train_single_df	bible	Q3	0.281-0.375	624	23.823718	┐
↩	22.0	3.0	70.0	11.958906	126.230769	4.208102	
3	train_single_df	bible	Q4	0.380-0.861	609	23.577997	┐
↩	21.0	3.0	69.0	12.461688	126.518883	4.295608	

4	train_single_df	biomed	Q1	0.000-0.212	586	28.534130	␣
↩	27.0	2.0	85.0	12.115387	182.011945	5.319754	
5	train_single_df	biomed	Q2	0.212-0.279	583	30.435678	␣
↩	29.0	7.0	92.0	11.872558	193.789022	5.285758	
6	train_single_df	biomed	Q3	0.281-0.375	659	29.860395	␣
↩	28.0	4.0	77.0	11.591263	191.050076	5.328161	
7	train_single_df	biomed	Q4	0.381-0.861	748	29.176471	␣
↩	28.0	3.0	85.0	12.246613	186.909091	5.298112	
8	train_single_df	europarl	Q1	0.025-0.212	641	26.761310	␣
↩	24.0	2.0	107.0	15.230853	159.180967	4.942557	
9	train_single_df	europarl	Q2	0.212-0.279	714	30.420168	␣
↩	27.0	1.0	129.0	18.383783	183.093838	4.995672	
10	train_single_df	europarl	Q3	0.281-0.375	701	30.523538	␣
↩	28.0	1.0	122.0	18.163026	185.840228	5.114587	
11	train_single_df	europarl	Q4	0.381-0.775	456	33.528509	␣
↩	31.0	2.0	235.0	21.704693	203.592105	5.054701	
36	trial_val_multi_df	bible	Q1	0.000-0.292	11	26.272727	␣
↩	21.0	13.0	64.0	13.950562	141.363636	4.282457	
37	trial_val_multi_df	bible	Q2	0.333-0.400	7	20.571429	␣
↩	23.0	5.0	28.0	7.412987	110.857143	4.279406	
38	trial_val_multi_df	bible	Q3	0.425-0.500	5	19.600000	␣
↩	19.0	9.0	32.0	8.905055	109.200000	4.431391	
39	trial_val_multi_df	bible	Q4	0.525-0.661	6	22.333333	␣
↩	20.5	9.0	44.0	12.242004	117.833333	4.178525	
40	trial_val_multi_df	biomed	Q1	0.083-0.303	6	26.833333	␣
↩	25.0	15.0	49.0	11.771434	159.166667	4.899969	
41	trial_val_multi_df	biomed	Q2	0.317-0.422	7	25.428571	␣
↩	21.0	15.0	48.0	11.588171	156.000000	5.194383	
42	trial_val_multi_df	biomed	Q3	0.438-0.513	6	37.833333	␣
↩	39.5	26.0	44.0	6.675827	247.500000	5.438593	
43	trial_val_multi_df	biomed	Q4	0.537-0.825	14	30.642857	␣
↩	29.5	17.0	43.0	9.849695	211.428571	5.730623	
44	trial_val_multi_df	europarl	Q1	0.176-0.306	8	30.000000	␣
↩	25.5	4.0	64.0	20.361027	186.750000	5.306837	
45	trial_val_multi_df	europarl	Q2	0.312-0.412	11	47.909091	␣
↩	46.0	24.0	78.0	18.651834	296.909091	5.058375	
46	trial_val_multi_df	europarl	Q3	0.432-0.500	13	26.307692	␣
↩	26.0	5.0	66.0	18.167666	166.153846	5.263847	
47	trial_val_multi_df	europarl	Q4	0.515-0.714	5	26.400000	␣
↩	15.0	6.0	66.0	24.316661	164.600000	4.998182	
24	trial_val_single_df	bible	Q1	0.000-0.214	52	26.750000	␣
↩	26.0	5.0	73.0	15.530962	137.230769	4.071006	
25	trial_val_single_df	bible	Q2	0.217-0.266	38	24.868421	␣
↩	23.0	7.0	50.0	10.768249	131.236842	4.195550	
26	trial_val_single_df	bible	Q3	0.268-0.355	26	22.884615	␣
↩	20.5	5.0	44.0	9.961233	121.269231	4.312026	

27	trial_val_single_df	bible	Q4	0.361-0.633	27	25.666667	␣
↪	23.0	6.0	49.0	12.554497	137.555556	4.212685	
28	trial_val_single_df	biomed	Q1	0.028-0.214	21	25.571429	␣
↪	21.0	13.0	65.0	11.543706	163.904762	5.305404	
29	trial_val_single_df	biomed	Q2	0.217-0.267	28	30.571429	␣
↪	27.5	11.0	57.0	12.099674	198.142857	5.315287	
30	trial_val_single_df	biomed	Q3	0.268-0.359	38	32.105263	␣
↪	29.0	11.0	61.0	12.710476	206.947368	5.364934	
31	trial_val_single_df	biomed	Q4	0.364-0.875	48	25.145833	␣
↪	25.5	6.0	56.0	11.721937	163.979167	5.439709	
32	trial_val_single_df	europarl	Q1	0.050-0.214	33	31.969697	␣
↪	28.0	5.0	81.0	20.356947	185.969697	4.799024	
33	trial_val_single_df	europarl	Q2	0.217-0.267	41	28.463415	␣
↪	28.0	4.0	71.0	15.386841	172.780488	4.997706	
34	trial_val_single_df	europarl	Q3	0.268-0.359	39	30.282051	␣
↪	28.0	3.0	99.0	20.040681	184.358974	5.086945	
35	trial_val_single_df	europarl	Q4	0.367-0.605	30	35.700000	␣
↪	30.5	5.0	77.0	20.142852	215.400000	4.910759	

Analysis saved to:


/content/drive/MyDrive/266-final/results/sentence_span_analysis.csv

```
[ ]: from matplotlib import pyplot as plt
import seaborn as sns
figsize = (12, 1.2 * len(span_analysis['Dataframe'].unique()))
plt.figure(figsize=figsize)
sns.violinplot(span_analysis, x='Avg Words', y='Dataframe', inner='stick',
↪palette='Dark2')
sns.despine(top=True, right=True, bottom=True, left=True)
```


<ipython-input-56-00a8ad5642c1>:5: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
sns.violinplot(span_analysis, x='Avg Words', y='Dataframe', inner='stick',
palette='Dark2')
```



```
[ ]: from matplotlib import pyplot as plt
span_analysis.plot(kind='scatter', x='Count', y='Avg Words', s=32, alpha=.8)
plt.gca().spines[['top', 'right']].set_visible(False)
```




```
[ ]: from matplotlib import pyplot as plt
import seaborn as sns
figsize = (12, 1.2 * len(span_analysis['Dataframe'].unique()))
plt.figure(figsize=figsize)
sns.violinplot(span_analysis, x='Max Words', y='Dataframe', inner='stick',
               palette='Dark2')
sns.despine(top=True, right=True, bottom=True, left=True)
```

<ipython-input-58-01bf0c89d620>:5: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
sns.violinplot(span_analysis, x='Max Words', y='Dataframe', inner='stick',
               palette='Dark2')
```



```
[ ]: g = sns.FacetGrid(span_analysis, col="Corpus", col_wrap=3, height=4, aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()
```

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an

incorrect plot.

```
warnings.warn(warning)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.


```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
func(*plot_args, **plot_kwargs)
```



- decision: no modifications to sentence spans will be applied, except for Contraction standardization

0.3 Normalize / Eliminate Contractions

```
[ ]: def expand_contractions_in_df(df):
    """
    1) Creates a new column 'sentence_no_contractions' by expanding any
    ↪ contractions.
    2) Identifies rows where a contraction was actually expanded (the text
    ↪ changed).
    3) Returns the updated DataFrame and a grouped subset of rows for printing
    ↪ examples.
```

```

"""
df = df.copy()
df['sentence_no_contractions'] = df['sentence'].apply(
    lambda s: contractions.fix(s) if pd.notna(s) else s
)

df['contraction_expanded'] = df.apply(
    lambda row: row['sentence'] != row['sentence_no_contractions'], axis=1
)

results_by_corpus = {}
for corpus_val, group in df.groupby('corpus'):
    changed_rows = group[group['contraction_expanded']]
    first_three = changed_rows.head(3)
    results_by_corpus[corpus_val] = first_three
return df, results_by_corpus

dataframes_info = [
    ("train_single_df", train_single_df),
    ("train_multi_df", train_multi_df),
    ("trial_val_single_df", trial_val_single_df),
    ("trial_val_multi_df", trial_val_multi_df),
    ("test_single_df", test_single_df),
    ("test_multi_df", test_multi_df),
]

for df_name, df in dataframes_info:
    updated_df, corpus_examples = expand_contractions_in_df(df)
    globals()[df_name] = updated_df

    print(f"\n{'='*60}")
    print(f"DataFrame: {df_name}")
    print(f"{'='*60}")

    for corpus_val in sorted(corpus_examples.keys()):
        subset = corpus_examples[corpus_val]
        if len(subset) == 0:
            continue
        print(f"\n Corpus: {corpus_val}")
        print("    -- BEFORE --")
        for _, row in subset.iterrows():
            print(f"        {row['sentence']}")
        print("    -- AFTER --")
        for _, row in subset.iterrows():
            print(f"        {row['sentence_no_contractions']}")

```

```
=====
DataFrame: train_single_df
=====
```

Corpus: bible

-- BEFORE --

Shimei had sixteen sons and six daughters; but his brothers didn't have many children, neither did all their family multiply like the children of Judah.

When his speech is charming, don't believe him; for there are seven abominations in his heart.

Jesus said, "Father, forgive them, for they don't know what they are doing."

-- AFTER --

Shimei had sixteen sons and six daughters; but his brothers did not have many children, neither did all their family multiply like the children of Judah.

When his speech is charming, do not believe him; for there are seven abominations in his heart.

Jesus said, "Father, forgive them, for they do not know what they are doing."

Corpus: biomed

-- BEFORE --

Although missense mutation of ITPR1 had previously been ruled out [2] and the mode of inheritance was inconsistent with that seen in the Itpr1 Δ 18 and Itpr1opt mice, the phenotypic presence of ataxia in the mice led us to reexamine this candidate gene as a possible cause of SCA15.

Human germline mutations in APC cause FAP [4,5], which is characterized by hundreds of adenomatous colorectal polyps, with an almost inevitable progression to colorectal cancer in the third and fourth decades of life.

Null mutations in Bmpr1a cause early embryonic lethality, with defects in gastrulation similar to those seen in mice with mutations in Bmp4 (Mishina et al. 1995; Winnier et al. 1995).

-- AFTER --

Although missense mutation of ITPR1 had previously been ruled out [2] and the mode of inheritance was inconsistent with that seen in the Itpr1 Δ 18 and Itpr1opt mice, the phenotypic presence of ataxia in the mice led us to reexamine this candidate gene as a possible because of SCA15.

Human germline mutations in APC because FAP [4,5], which is characterized by hundreds of adenomatous colorectal polyps, with an almost inevitable progression to colorectal cancer in the third and fourth decades of life.

Null mutations in Bmpr1a because early embryonic lethality, with defects in gastrulation similar to those seen in mice with mutations in Bmp4 (Mishina et al. 1995; Winnier et al. 1995).

Corpus: europarl

-- BEFORE --

At the same time, you will also have an important role in winning over the general public of the Member States to the cause of enlargement, of

enlargement based on conditionality.

the recommendation for second reading from the Committee on Transport and Tourism on the common position adopted by the Council with a view to the adoption of a Regulation of the European Parliament and of the Council establishing common rules concerning the conditions to be complied with to pursue the occupation of road transport operator and repealing Council Directive 96/26/EC (11783/1/2008 - C6-0015/2009 - (Rapporteur: Silvia-Adriana Țicău), and

Yet, although credit rating agencies were not the main cause of the recent financial crisis, they did have a harmful influence.

-- AFTER --

At the same time, you will also have an important role in winning over the general public of the Member States to the because of enlargement, of enlargement based on conditionality.

the recommendation for second reading from the Committee on Transport and Tourism on the common position adopted by the Council with a view to the adoption of a Regulation of the European Parliament and of the Council establishing common rules concerning the conditions to be complied with to pursue the occupation of road transport operator and repealing Council Directive 96/26/EC (11783/1/2008 - C6-0015/2009 - (Rapporteur: Silvia-Adriana Țicăyou), and

Yet, although credit rating agencies were not the main because of the recent financial crisis, they did have a harmful influence.

=====
DataFrame: train_multi_df
=====

Corpus: bible

-- BEFORE --

Jahath was the chief, and Zizah the second: but Jeush and Beriah didn't have many sons; therefore they became a fathers' house in one reckoning.

But Yahweh said to Samuel, "Don't look on his face, or on the height of his stature; because I have rejected him: for I see not as man sees; for man looks at the outward appearance, but Yahweh looks at the heart."

Because indeed a notable miracle has been done through them, as can be plainly seen by all who dwell in Jerusalem, and we can't deny it.

-- AFTER --

Jahath was the chief, and Zizah the second: but Jeush and Beriah did not have many sons; therefore they became a fathers' house in one reckoning.

But Yahweh said to Samuel, "Do not look on his face, or on the height of his stature; because I have rejected him: for I see not as man sees; for man looks at the outward appearance, but Yahweh looks at the heart."

Because indeed a notable miracle has been done through them, as can be plainly seen by all who dwell in Jerusalem, and we cannot deny it.

Corpus: biomed

-- BEFORE --

The aim in the present study was to determine the location of pendrin and

the cause of deafness in Slc26a4-/- mice.

These characteristics should make RMCE-ASAP a robust and general technology for analysis of mammalian genes under conditions that preserve normal control mechanisms in different tissues.

It was also demonstrated that mutations leading to abolishment of the enzymatic activity of CLN2 were the direct cause of a fatal inherited neurodegenerative disease, classical late-infantile neuronal ceroid lipofuscinosis [2].

-- AFTER --

The aim in the present study was to determine the location of pendrin and the because of deafness in Slc26a4-/- mice.

These characteristics should make RMCE-AS SOON AS POSSIBLE a robust and general technology for analysis of mammalian genes under conditions that preserve normal control mechanisms in different tissues.

It was also demonstrated that mutations leading to abolishment of the enzymatic activity of CLN2 were the direct because of a fatal inherited neurodegenerative disease, classical late-infantile neuronal ceroid lipofuscinosis [2].

Corpus: europarl

-- BEFORE --

Account must also be taken of the costs to health, the environment and the climate of the fact that vehicles emit different types of particles and that, in burning fossil fuels, they cause increased pollution and thus more global warming.

However, this unequal trade relationship is not the only cause for concern; another is the case of unsafe products coming from China.

(IT) Madam President, ladies and gentlemen, the oral amendment that our Group is proposing involves replacing the words 'all forms of glorifying' by the word 'apology'.

-- AFTER --

Account must also be taken of the costs to health, the environment and the climate of the fact that vehicles emit different types of particles and that, in burning fossil fuels, they because increased pollution and thus more global warming.

However, this unequal trade relationship is not the only because for concern; another is the case of unsafe products coming from China.

(IT) Madam President, ladies and gentlemen, the oral amendment that our Group is proposing involves replacing the words forms of glorifying' by the word 'apology'.

=====
DataFrame: trial_val_single_df
=====

Corpus: bible

-- BEFORE --

Don't curse the king, no, not in your thoughts; and don't curse the rich

in your bedroom: for a bird of the sky may carry your voice, and that which has wings may tell the matter.

The young man didn't wait to do this thing, because he had delight in Jacob's daughter, and he was honored above all the house of his father.

If the axe is blunt, and one doesn't sharpen the edge, then he must use more strength; but skill brings success.

-- AFTER --

Do not curse the king, no, not in your thoughts; and do not curse the rich in your bedroom: for a bird of the sky may carry your voice, and that which has wings may tell the matter.

The young man did not wait to do this thing, because he had delight in Jacob's daughter, and he was honored above all the house of his father.

If the axe is blunt, and one does not sharpen the edge, then he must use more strength; but skill brings success.

Corpus: biomed

-- BEFORE --

For example, the non-BC individual and BC individual groups are not perfectly matched with respect to age, gender or smoking history (Table 1) and each of these factors could contribute to the observed difference in correlation between groups.

EM and ER conducted transmission electron microscopy.

-- AFTER --

For example, the non-BECAUSE individual and BECAUSE individual groups are not perfectly matched with respect to age, gender or smoking history (Table 1) and each of these factors could contribute to the observed difference in correlation between groups.

THEM and ER conducted transmission electron microscopy.

Corpus: europarl

-- BEFORE --

With their help, John has sought to shed light on what has been a very murky area, and to bring clarity where uncertainty prevailed before, based consistently on the twin principles that the patient must always come first and that patient choice should be determined by needs and not by means.

-- AFTER --

With their help, John has sought to she would light on what has been a very murky area, and to bring clarity where uncertainty prevailed before, based consistently on the twin principles that the patient must always come first and that patient choice should be determined by needs and not by means.

=====
DataFrame: trial_val_multi_df
=====

=====
DataFrame: test_single_df
=====

Corpus: bible

-- BEFORE --

the ten sons of Haman the son of Hammedatha, the Jew's enemy, but they didn't lay their hand on the plunder.

Hezekiah listened to them, and showed them all the house of his precious things, the silver, and the gold, and the spices, and the precious oil, and the house of his armor, and all that was found in his treasures: there was nothing in his house, nor in all his dominion, that Hezekiah didn't show them.

Of Manasseh also there fell away some to David, when he came with the Philistines against Saul to battle; but they didn't help them; for the lords of the Philistines sent him away after consultation, saying, "He will fall away to his master Saul to the jeopardy of our heads."

-- AFTER --

the ten sons of Haman the son of Hammedatha, the Jew's enemy, but they did not lay their hand on the plunder.

Hezekiah listened to them, and showed them all the house of his precious things, the silver, and the gold, and the spices, and the precious oil, and the house of his armor, and all that was found in his treasures: there was nothing in his house, nor in all his dominion, that Hezekiah did not show them.

Of Manasseh also there fell away some to David, when he came with the Philistines against Saul to battle; but they did not help them; for the lords of the Philistines sent him away after consultation, saying, "He will fall away to his master Saul to the jeopardy of our heads."

Corpus: biomed

-- BEFORE --

In that study, there was a tendency towards correlation in transcript abundance between several pairs of antioxidant or DNA repair genes in non-BC individuals, but not in BC individuals.

This, in turn, leads to increased representation among BC individuals of individuals with lack of correlation between CEBPG and each of the affected antioxidant and/or DNA repair genes.

The 'pregnancy rate' in mice is defined as successful pregnancies per detected vaginal plug, a phenotype associated with early pregnancy failure, which in turn possibly could have an inflammatory cause.

-- AFTER --

In that study, there was a tendency towards correlation in transcript abundance between several pairs of antioxidant or DNA repair genes in non-BECAUSE individuals, but not in BECAUSE individuals.

This, in turn, leads to increased representation among BECAUSE individuals of individuals with lack of correlation between CEBPG and each of the affected antioxidant and/or DNA repair genes.

The 'pregnancy rate' in mice is defined as successful pregnancies per detected vaginal plug, a phenotype associated with early pregnancy failure, which in turn possibly could have an inflammatory because.

Corpus: europarl

-- BEFORE --

The next item is the oral question to the Commission (B7-0240/2009) by Silvia-Adriana Țicău, Brian Simpson, János Áder, Hannes Swoboda, Eva Lichtenberger, Michael Cramer, Saïd El Khadraoui, Mathieu Grosch, Iuliu Winkler, Victor Boștinăru, Ioan Mircea Pașcu, Marian-Jean Marinescu, Ivailo Kalfin, Norica Nicolai, Dirk Sterckx, Csaba Sándor Tabajdi, Michael Theurer, Ismail Ertug, Inés Ayala Sender, Jiří Havel, Edit Herczog, Stanimir Ilchev, Iliana Malinova Iotova, Jelko Kacin, Evgeni Kirilov, Ádám Kósa, Ioan Enciu, Eduard Kukan, Gesine Meissner, Alajos Mészáros, Nadezhda Neynsky, Katarína Neveďalová, Daciana Octavia Sârbu, Vilja Savisaar, Olga Sehnalová, Catherine Stihler, Peter van Dalen, Louis Grech, Corina Crețu, George Sabin Cutaș, Vasilica Viorica Dăncilă, Cătălin Sorin Ivan, Tanja Fajon, Kinga Göncz, Antonia Parvanova, Adina-Ioana Vălean and Rovana Plumb, on the European Strategy for the Danube Region.

-- AFTER --

The next item is the oral question to the Commission (B7-0240/2009) by Silvia-Adriana Țicău, Brian Simpson, János Áder, Hannes Swoboda, Eva Lichtenberger, Michael Cramer, Saïd El Khadraoui, Mathieu Grosch, Iuliu Winkler, Victor Boștinăru, Ioan Mircea Pașcu, Marian-Jean Marinescu, Ivailo Kalfin, Norica Nicolai, Dirk Sterckx, Csaba Sándor Tabajdi, Michael Theurer, Ismail Ertug, Inés Ayala Sender, Jiří Havel, Edit Herczog, Stanimir Ilchev, Iliana Malinova Iotova, Jelko Kacin, Evgeni Kirilov, Ádám Kósa, Ioan Enciu, Eduard Kukan, Gesine Meissner, Alajos Mészáros, Nadezhda Neynsky, Katarína Neveďalová, Daciana Octavia Sârbu, Vilja Savisaar, Olga Sehnalová, Catherine Stihler, Peter van Dalen, Louis Grech, Corina Crețu, George Sabin Cutaș, Vasilica Viorica Dăncilă, Cătălin Sorin Ivan, Tanja Fajon, Kinga Göncz, Antonia Parvanova, Adina-Ioana Vălean and Rovana Plumb, on the European Strategy for the Danube Region.

```
=====
DataFrame: test_multi_df
=====
```

Corpus: bible

-- BEFORE --

Yet he didn't leave himself without witness, in that he did good and gave you rains from the sky and fruitful seasons, filling our hearts with food and gladness."

When he has leveled its surface, doesn't he plant the dill, and scatter the cumin seed, and put in the wheat in rows, the barley in the appointed place, and the spelt in its place?

Don't count your handmaid for a wicked woman; for I have been speaking out of the abundance of my complaint and my provocation."

-- AFTER --

Yet he did not leave himself without witness, in that he did good and gave you rains from the sky and fruitful seasons, filling our hearts with food and gladness."

When he has leveled its surface, does not he plant the dill, and scatter

the cumin seed, and put in the wheat in rows, the barley in the appointed place, and the spelt in its place?

Do not count your handmaid for a wicked woman; for I have been speaking out of the abundance of my complaint and my provocation."

```
[ ]: # check for null values
```

```
dataframes = [train_single_df, train_multi_df, trial_val_single_df,
               trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df['sentence_no_contractions'].isnull().values.any())
```

False

False

False

False

False

False

```
[ ]: dataframes = {
    "train_single_df": train_single_df,
    "train_multi_df": train_multi_df,
    "trial_val_single_df": trial_val_single_df,
    "trial_val_multi_df": trial_val_multi_df,
    "test_single_df": test_single_df,
    "test_multi_df": test_multi_df
}

total_true_counts = 0
for df_name, df in dataframes.items():
    true_count = df['contraction_expanded'].sum()
    print(f"{df_name}: {true_count} True values in 'contraction_expanded'")
    total_true_counts += true_count

print(f"\nTotal True values across all dataframes: {total_true_counts}")
```

train_single_df: 254 True values in 'contraction_expanded'

train_multi_df: 54 True values in 'contraction_expanded'

trial_val_single_df: 16 True values in 'contraction_expanded'

trial_val_multi_df: 0 True values in 'contraction_expanded'

test_single_df: 31 True values in 'contraction_expanded'

test_multi_df: 7 True values in 'contraction_expanded'

Total True values across all dataframes: 362

```
[ ]: # verify column headers
```

```
dataframes = [train_single_df, train_multi_df, trial_val_single_df,
               trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.info())
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 7662 entries, 0 to 7661
Data columns (total 7 columns):
#   Column                Non-Null Count  Dtype
---  -
0   id                    7662 non-null  object
1   corpus                7662 non-null  object
2   sentence              7662 non-null  object
3   token                 7655 non-null  object
4   complexity            7662 non-null  float64
5   sentence_no_contractions 7662 non-null  object
6   contraction_expanded   7662 non-null  bool
dtypes: bool(1), float64(1), object(5)
memory usage: 366.8+ KB
None
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1517 entries, 0 to 1516
Data columns (total 7 columns):
#   Column                Non-Null Count  Dtype
---  -
0   id                    1517 non-null  object
1   corpus                1517 non-null  object
2   sentence              1517 non-null  object
3   token                 1517 non-null  object
4   complexity            1517 non-null  float64
5   sentence_no_contractions 1517 non-null  object
6   contraction_expanded   1517 non-null  bool
dtypes: bool(1), float64(1), object(5)
memory usage: 72.7+ KB
None
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 421 entries, 0 to 420
Data columns (total 7 columns):
#   Column                Non-Null Count  Dtype
---  -
0   id                    421 non-null  object
1   corpus                421 non-null  object
2   sentence              421 non-null  object
3   token                 421 non-null  object
4   complexity            421 non-null  float64
5   sentence_no_contractions 421 non-null  object
6   contraction_expanded   421 non-null  bool
dtypes: bool(1), float64(1), object(5)
```

memory usage: 20.3+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 99 entries, 0 to 98

Data columns (total 7 columns):

#	Column	Non-Null Count	Dtype
0	id	99 non-null	object
1	corpus	99 non-null	object
2	sentence	99 non-null	object
3	token	99 non-null	object
4	complexity	99 non-null	float64
5	sentence_no_contractions	99 non-null	object
6	contraction_expanded	99 non-null	bool

dtypes: bool(1), float64(1), object(5)

memory usage: 4.9+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 917 entries, 0 to 916

Data columns (total 7 columns):

#	Column	Non-Null Count	Dtype
0	id	917 non-null	object
1	corpus	917 non-null	object
2	sentence	917 non-null	object
3	token	917 non-null	object
4	complexity	917 non-null	float64
5	sentence_no_contractions	917 non-null	object
6	contraction_expanded	917 non-null	bool

dtypes: bool(1), float64(1), object(5)

memory usage: 44.0+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 184 entries, 0 to 183

Data columns (total 7 columns):

#	Column	Non-Null Count	Dtype
0	id	184 non-null	object
1	corpus	184 non-null	object
2	sentence	184 non-null	object
3	token	184 non-null	object
4	complexity	184 non-null	float64
5	sentence_no_contractions	184 non-null	object
6	contraction_expanded	184 non-null	bool

dtypes: bool(1), float64(1), object(5)

memory usage: 8.9+ KB

None


```
[ ]: # inspect each df
```

```
dataframes = [train_single_df, train_multi_df, trial_val_single_df,
               trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.head())
```

```

                                id corpus
sentence      token  complexity
sentence_no_contractions  contraction_expanded
0  3ZLW647WALVGE8EBR50EGUBPU4P32A  bible  Behold, there came up out of the river
seven c...      river      0.000000  Behold, there came up out of the river seven
c...                                False
1  34ROBODSP1ZEN3DVMY8J8XSIY551E5C  bible  I am a fellow bondservant with you and
with yo...  brothers      0.000000  I am a fellow bondservant with you and with
yo...                                False
2  3S1WOPCJFGTJU2SGNAN2Y213N6WJE3  bible  The man, the lord of the land, said to
us, 'By...  brothers      0.050000  The man, the lord of the land, said to us,
'By...                                False
3  3BFNCI9LYKQN09BHXHH9CLSX5KP738  bible  Shimei had sixteen sons and six
daughters; but...  brothers      0.150000  Shimei had sixteen sons and six
daughters; but...                                True
4  3G5RUKN2EC3YIWSKUXZ8ZVH95R49N2  bible                                "He has put my brothers
far from me.  brothers      0.263889                                "He has put my brothers far
from me.                                False

```

```

                                id corpus
sentence      token  complexity
sentence_no_contractions  contraction_expanded
0  3S37Y8CWI80N8KVM53U4E6JKCDC4WE  bible  but the seventh day is a Sabbath to
Yahweh you...  seventh day      0.027778  but the seventh day is a Sabbath to
Yahweh you...                                False
1  3WGCNLZJKF877FYC1Q6COKNWDWD11  bible  But let each man test his own work,
and then h...      own work      0.050000  But let each man test his own work,
and then h...                                False
2  3UOMW19E6D6WQ5TH2HDD74IVKTP5CB  bible  To him who by understanding made the
heavens; ...  loving kindness      0.050000  To him who by understanding made the
heavens; ...                                False
3  36JW4WBR06KF9AXMUL4N476OMF8FHD  bible  Remember to me, my God, this also, and
spare m...  loving kindness      0.050000  Remember to me, my God, this also, and
spare m...                                False
4  3HRWUH63QU2FH9Q8R7MRNFC7JX2N5A  bible  Because your loving kindness is better
than li...  loving kindness      0.075000  Because your loving kindness is better
than li...                                False

```

```

                                id corpus
sentence token  complexity                                sentence_no_contractions
contraction_expanded
0  3QI9WAYOGQB8GQIR4MDIEFOD2RLS67  bible  They will not hurt nor destroy in all
my holy ...  sea      0.000000  They will not hurt nor destroy in all my holy ...

```

False

1 3T8DUCXYON6WD9X4RTLK8UN1U929TF bible that sends ambassadors by the sea, even in ves... sea 0.102941 that sends ambassadors by the sea, even in ves... False

2 3I7KR83SNADXAQ7HXXK7S7305BYB9KD bible and they entered into the boat, and were going... sea 0.109375 and they entered into the boat, and were going... False

3 3B03NEOQMOHK9ERYPN0GQIWCPC4IAQ bible Joseph laid up grain as the sand of the sea, v... sea 0.160714 Joseph laid up grain as the sand of the sea, v... False

4 3Y3CZJSZ9KTOW7IOKE38WZHHKSW5RH bible There will be a highway for the remnant that i... land 0.000000 There will be a highway for the remnant that i... False

id corpus

sentence token complexity

sentence_no_contractions contraction_expanded

0 31HLTCK4BLVQ5B01AUR91TX9V9IVGH bible The name of one son was Gershom, for Moses sai... foreign land 0.000000 The name of one son was Gershom, for Moses sai... False

1 389A2A3040IXVY7G5B71Q9M43LEOCL bible unleavened bread, unleavened cakes mixed with ... wheat flour 0.157895 unleavened bread, unleavened cakes mixed with ... False

2 31N9JPQXIPIRX2A3S9NOCCFX06TNHR bible However the high places were not taken away; t... burnt incense 0.200000 However the high places were not taken away; t... False

3 3JVP4ZJHDPS081TGXL3N1CKZGQY0IN bible and he burnt incense of sweet spices on it, as... burnt incense 0.250000 and he burnt incense of sweet spices on it, as... False

4 3JAOYN9IHL25ZQAUV5EJZ4GHOKL33L bible The same day the king made the middle of the c... bronze altar 0.214286 The same day the king made the middle of the c... False

id corpus

sentence token complexity

sentence_no_contractions contraction_expanded

0 3K8CQCU3KE19US5SN890DFPK3SANWR bible But he, beckoning to them with his hand to be ... hand 0.000000 But he, beckoning to them with his hand to be ... False

1 3Q2T3FDOON86LCI41NJYV3PN0BW3MV bible If I forget you, Jerusalem, let my right hand ... hand 0.197368 If I forget you, Jerusalem, let my right hand ... False

2 3ULIZOH1VA5C32JJKOTQ8Z4GUS51B bible the ten sons of Haman the son of Hammedatha, t... hand 0.200000 the ten sons of Haman the son of Hammedatha, t... True

3 3BFFODJK8XCEIOT30ZLBPPSRMZQTSD bible Let your hand be lifted up above your adversar... hand 0.267857 Let your hand be lifted up above your adversar... False

4 3QREJ3J433XSBS8QMHAICCR0BQ1LKR bible Abimelech chased him, and he fled before him, ... entrance 0.000000 Abimelech chased him, and he fled before

him, ...	False		
		id corpus	
sentence	token	complexity	
sentence_no_contractions	contraction_expanded		
0	3UXQ63NLAAMRIP4WG4XPD98A0YOB LX	bible	for he had an only daughter, about twelve year... only daughter 0.025000 for he had an only daughter, about twelve year... False
1	3FJ2RVH25Z62TA3R8E1077EBUYU92W	bible	All these were cities fortified with high wall... high walls 0.100000 All these were cities fortified with high wall... False
2	3Y04AH2FPDK1PZH ZAT8WAE BL7OEQOF	bible	In the morning, 'It will be foul weather today... weather today 0.125000 In the morning, 'It will be foul weather today... False
3	3X52SWXE0X5Q3081YIOMX4V84QTCWZ	bible	Her young children also were dashed in pieces ... young children 0.160714 Her young children also were dashed in pieces ... False
4	32K26U12DNONTREA84Q1V8UCIH2VD7	bible	All king Solomon's drinking vessels were of go... pure gold 0.178571 All king Solomon's drinking vessels were of go... False

```
[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    """
    Analyze sentence spans (length metrics) grouped by corpus and complexity_
    ↪ quartile
    for multiple dataframes, but this time using the 'sentence_no_contractions'_
    ↪ column
    instead of the original 'sentence'.
    """
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name} on 'sentence_no_contractions'...")
        df = df.copy()

        q1 = df['complexity'].quantile(0.25)
        q2 = df['complexity'].quantile(0.50)
        q3 = df['complexity'].quantile(0.75)

        def get_quartile(x):
            if x <= q1:
                return 'Q1'
            elif x <= q2:
                return 'Q2'
            elif x <= q3:
                return 'Q3'
```

```

        else:
            return 'Q4'

df['quartile'] = df['complexity'].apply(get_quartile)

def compute_span_metrics_no_contracts(sentence):
    if pd.isna(sentence):
        return pd.Series({'word_count': 0, 'char_count': 0,
↪ 'avg_word_len': 0})

    words = tokenizer.tokenize(sentence)
    word_count = len(words)
    char_count = len(sentence)
    avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
↪ else 0

    return pd.Series({
        'word_count': word_count,
        'char_count': char_count,
        'avg_word_len': avg_word_len
    })

span_metrics_nc = df['sentence_no_contractions'].
↪ apply(compute_span_metrics_no_contracts)
df = pd.concat([df, span_metrics_nc], axis=1)

corpus_col = 'corpus'
for corpus_name, corpus_df in df.groupby(corpus_col):
    for quartile, quartile_df in corpus_df.groupby('quartile'):
        complexity_range = f"{quartile_df['complexity'].min():.
↪ 3f}-{quartile_df['complexity'].max():.3f}"
        stats = {
            'Dataframe': df_name,
            'Corpus': corpus_name,
            'Quartile': quartile,
            'Complexity Range': complexity_range,
            'Count': len(quartile_df),
            'Avg Words': quartile_df['word_count'].mean(),
            'Median Words': quartile_df['word_count'].median(),
            'Min Words': quartile_df['word_count'].min(),
            'Max Words': quartile_df['word_count'].max(),
            'Std Words': quartile_df['word_count'].std(),
            'Avg Chars': quartile_df['char_count'].mean(),
            'Avg Word Len': quartile_df['avg_word_len'].mean()
        }
        results.append(stats)

```

```

results_df = pd.DataFrame(results)
results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis_nc = □
    ↪analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
display(span_analysis_nc)

```

Processing train_single_df on 'sentence_no_contractions'...

Processing train_multi_df on 'sentence_no_contractions'...

Processing trial_val_single_df on 'sentence_no_contractions'...

Processing trial_val_multi_df on 'sentence_no_contractions'...

Processing test_single_df on 'sentence_no_contractions'...

Processing test_multi_df on 'sentence_no_contractions'...

	Dataframe	Corpus	Quartile	Complexity Range	Count	Avg Words	□
↪	Median Words	Min Words	Max Words	Std Words	Avg Chars	Avg Word Len	
60	test_multi_df	bible	Q1	0.025-0.317	26	23.076923	□
↪	22.0	4.0	48.0	11.831900	118.730769	4.131249	
61	test_multi_df	bible	Q2	0.325-0.417	11	20.545455	□
↪	17.0	7.0	47.0	12.917923	109.636364	4.213539	
62	test_multi_df	bible	Q3	0.432-0.528	18	21.055556	□
↪	21.5	4.0	43.0	10.843660	113.166667	4.498610	
63	test_multi_df	bible	Q4	0.542-0.694	11	22.363636	□
↪	20.0	7.0	51.0	11.935432	126.181818	4.605062	
64	test_multi_df	biomed	Q1	0.000-0.312	11	29.818182	□
↪	29.0	17.0	47.0	8.388304	195.727273	5.491145	
65	test_multi_df	biomed	Q2	0.324-0.417	11	27.090909	□
↪	24.0	9.0	47.0	11.449494	171.818182	5.436237	
66	test_multi_df	biomed	Q3	0.456-0.528	10	26.900000	□
↪	26.5	10.0	49.0	10.712921	177.500000	5.497409	
67	test_multi_df	biomed	Q4	0.562-0.800	21	32.285714	□
↪	34.0	14.0	56.0	13.598319	209.285714	5.460101	

68	test_multi_df	europarl	Q1	0.214-0.303	10	24.700000	┘
↩	24.5	7.0	56.0	14.189589	146.900000	5.049688	
69	test_multi_df	europarl	Q2	0.321-0.429	24	27.833333	┘
↩	27.0	9.0	73.0	15.352855	172.291667	5.269610	
70	test_multi_df	europarl	Q3	0.432-0.516	18	32.944444	┘
↩	32.0	6.0	68.0	19.129504	209.888889	5.512245	
71	test_multi_df	europarl	Q4	0.531-0.562	13	39.000000	┘
↩	36.0	6.0	95.0	29.631065	237.076923	5.100616	
48	test_single_df	bible	Q1	0.000-0.214	79	22.822785	┘
↩	22.0	7.0	49.0	10.585137	116.924051	4.040893	
49	test_single_df	bible	Q2	0.217-0.276	68	24.176471	┘
↩	21.0	2.0	77.0	14.393138	126.088235	4.172273	
50	test_single_df	bible	Q3	0.278-0.353	67	22.388060	┘
↩	20.0	4.0	63.0	11.306950	119.776119	4.256042	
51	test_single_df	bible	Q4	0.359-0.732	69	20.579710	┘
↩	19.0	1.0	55.0	11.264736	110.637681	4.341070	
52	test_single_df	biomed	Q1	0.000-0.214	75	27.080000	┘
↩	25.0	10.0	84.0	12.025603	172.986667	5.277318	
53	test_single_df	biomed	Q2	0.217-0.275	58	30.275862	┘
↩	26.0	10.0	83.0	15.856587	198.293103	5.446788	
54	test_single_df	biomed	Q3	0.278-0.357	66	29.833333	┘
↩	29.0	13.0	85.0	11.754650	191.863636	5.334048	
55	test_single_df	biomed	Q4	0.359-0.778	90	31.144444	┘
↩	30.0	14.0	83.0	12.089146	203.077778	5.393791	
56	test_single_df	europarl	Q1	0.000-0.214	83	25.337349	┘
↩	21.0	3.0	82.0	16.032191	151.891566	5.044222	
57	test_single_df	europarl	Q2	0.217-0.276	98	32.326531	┘
↩	30.0	1.0	97.0	18.707061	195.653061	5.062296	
58	test_single_df	europarl	Q3	0.278-0.357	96	33.000000	┘
↩	30.0	3.0	141.0	21.404377	201.760417	5.124551	
59	test_single_df	europarl	Q4	0.361-0.583	68	33.235294	┘
↩	29.0	1.0	130.0	20.440023	206.573529	5.164576	
12	train_multi_df	bible	Q1	0.028-0.300	163	23.570552	┘
↩	22.0	3.0	67.0	12.429043	124.871166	4.237932	
13	train_multi_df	bible	Q2	0.304-0.409	132	24.053030	┘
↩	22.0	6.0	65.0	11.738444	129.659091	4.305703	
14	train_multi_df	bible	Q3	0.411-0.529	131	23.778626	┘
↩	23.0	4.0	50.0	11.179163	127.564885	4.331458	
15	train_multi_df	bible	Q4	0.533-0.778	79	25.481013	┘
↩	24.0	3.0	81.0	13.490605	139.405063	4.491816	
16	train_multi_df	biomed	Q1	0.028-0.303	87	29.091954	┘
↩	28.0	9.0	77.0	11.882792	185.977011	5.277384	
17	train_multi_df	biomed	Q2	0.304-0.408	74	30.756757	┘
↩	28.0	11.0	85.0	13.511853	196.067568	5.367302	
18	train_multi_df	biomed	Q3	0.411-0.529	111	29.783784	┘
↩	29.0	8.0	61.0	10.912383	193.873874	5.430754	

19	train_multi_df	biomed	Q4	0.531-0.975	242	29.607438	␣
↪	28.0	10.0	75.0	12.029995	195.107438	5.535387	
20	train_multi_df	europarl	Q1	0.118-0.303	132	29.363636	␣
↪	27.0	3.0	101.0	17.874146	176.583333	5.003685	
21	train_multi_df	europarl	Q2	0.304-0.409	171	31.666667	␣
↪	28.0	3.0	108.0	19.112977	195.198830	5.176456	
22	train_multi_df	europarl	Q3	0.411-0.529	138	33.398551	␣
↪	30.0	7.0	101.0	18.992715	208.304348	5.286607	
23	train_multi_df	europarl	Q4	0.533-0.750	57	34.596491	␣
↪	31.0	6.0	96.0	20.318763	218.350877	5.345891	
0	train_single_df	bible	Q1	0.000-0.212	701	23.269615	␣
↪	22.0	4.0	61.0	11.764113	121.714693	4.135685	
1	train_single_df	bible	Q2	0.212-0.279	640	23.750000	␣
↪	22.0	3.0	60.0	11.579622	124.671875	4.153925	
2	train_single_df	bible	Q3	0.281-0.375	624	23.825321	␣
↪	22.0	3.0	70.0	11.963291	126.338141	4.213931	
3	train_single_df	bible	Q4	0.380-0.861	609	23.586207	␣
↪	21.0	3.0	69.0	12.460182	126.602627	4.298065	
4	train_single_df	biomed	Q1	0.000-0.212	586	28.534130	␣
↪	27.0	2.0	85.0	12.115387	182.076792	5.322266	
5	train_single_df	biomed	Q2	0.212-0.279	583	30.442539	␣
↪	29.0	7.0	92.0	11.863182	193.921098	5.289166	
6	train_single_df	biomed	Q3	0.281-0.375	659	29.860395	␣
↪	28.0	4.0	77.0	11.591263	191.098634	5.329940	
7	train_single_df	biomed	Q4	0.381-0.861	748	29.181818	␣
↪	28.0	3.0	85.0	12.249267	186.978610	5.299963	
8	train_single_df	europarl	Q1	0.025-0.212	641	26.761310	␣
↪	24.0	2.0	107.0	15.230853	159.190328	4.942926	
9	train_single_df	europarl	Q2	0.212-0.279	714	30.420168	␣
↪	27.0	1.0	129.0	18.383783	183.105042	4.995897	
10	train_single_df	europarl	Q3	0.281-0.375	701	30.523538	␣
↪	28.0	1.0	122.0	18.163026	185.843081	5.114626	
11	train_single_df	europarl	Q4	0.381-0.775	456	33.543860	␣
↪	31.0	2.0	235.0	21.708515	203.664474	5.054387	
36	trial_val_multi_df	bible	Q1	0.000-0.292	11	26.272727	␣
↪	21.0	13.0	64.0	13.950562	141.363636	4.282457	
37	trial_val_multi_df	bible	Q2	0.333-0.400	7	20.571429	␣
↪	23.0	5.0	28.0	7.412987	110.857143	4.279406	
38	trial_val_multi_df	bible	Q3	0.425-0.500	5	19.600000	␣
↪	19.0	9.0	32.0	8.905055	109.200000	4.431391	
39	trial_val_multi_df	bible	Q4	0.525-0.661	6	22.333333	␣
↪	20.5	9.0	44.0	12.242004	117.833333	4.178525	
40	trial_val_multi_df	biomed	Q1	0.083-0.303	6	26.833333	␣
↪	25.0	15.0	49.0	11.771434	159.166667	4.899969	
41	trial_val_multi_df	biomed	Q2	0.317-0.422	7	25.428571	␣
↪	21.0	15.0	48.0	11.588171	156.000000	5.194383	

42	trial_val_multi_df	biomed	Q3	0.438-0.513	6	37.833333	␣
↪	39.5	26.0	44.0	6.675827	247.500000	5.438593	
43	trial_val_multi_df	biomed	Q4	0.537-0.825	14	30.642857	␣
↪	29.5	17.0	43.0	9.849695	211.428571	5.730623	
44	trial_val_multi_df	europarl	Q1	0.176-0.306	8	30.000000	␣
↪	25.5	4.0	64.0	20.361027	186.750000	5.306837	
45	trial_val_multi_df	europarl	Q2	0.312-0.412	11	47.909091	␣
↪	46.0	24.0	78.0	18.651834	296.909091	5.058375	
46	trial_val_multi_df	europarl	Q3	0.432-0.500	13	26.307692	␣
↪	26.0	5.0	66.0	18.167666	166.153846	5.263847	
47	trial_val_multi_df	europarl	Q4	0.515-0.714	5	26.400000	␣
↪	15.0	6.0	66.0	24.316661	164.600000	4.998182	
24	trial_val_single_df	bible	Q1	0.000-0.214	52	26.769231	␣
↪	26.0	5.0	74.0	15.589860	137.423077	4.074456	
25	trial_val_single_df	bible	Q2	0.217-0.266	38	24.868421	␣
↪	23.0	7.0	50.0	10.768249	131.342105	4.200230	
26	trial_val_single_df	bible	Q3	0.268-0.355	26	22.884615	␣
↪	20.5	5.0	44.0	9.961233	121.423077	4.316593	
27	trial_val_single_df	bible	Q4	0.361-0.633	27	25.666667	␣
↪	23.0	6.0	49.0	12.554497	137.592593	4.213842	
28	trial_val_single_df	biomed	Q1	0.028-0.214	21	25.571429	␣
↪	21.0	13.0	65.0	11.543706	164.380952	5.317614	
29	trial_val_single_df	biomed	Q2	0.217-0.267	28	30.571429	␣
↪	27.5	11.0	57.0	12.099674	198.142857	5.315287	
30	trial_val_single_df	biomed	Q3	0.268-0.359	38	32.105263	␣
↪	29.0	11.0	61.0	12.710476	206.947368	5.364934	
31	trial_val_single_df	biomed	Q4	0.364-0.875	48	25.145833	␣
↪	25.5	6.0	56.0	11.721937	164.020833	5.445661	
32	trial_val_single_df	europarl	Q1	0.050-0.214	33	31.969697	␣
↪	28.0	5.0	81.0	20.356947	185.969697	4.799024	
33	trial_val_single_df	europarl	Q2	0.217-0.267	41	28.487805	␣
↪	28.0	4.0	71.0	15.424205	172.902439	4.997384	
34	trial_val_single_df	europarl	Q3	0.268-0.359	39	30.282051	␣
↪	28.0	3.0	99.0	20.040681	184.358974	5.086945	
35	trial_val_single_df	europarl	Q4	0.367-0.605	30	35.700000	␣
↪	30.5	5.0	77.0	20.142852	215.400000	4.910759	

```
[ ]: g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4,␣
↪aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()
```

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an
incorrect plot.


```
warnings.warn(warning)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.


```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
func(*plot_args, **plot_kwargs)
```



- contraction processing successfully, confirmed with Avg Word deltas between ‘sentence’ and ‘sentence_no_contractions’

0.4 Enrich Dataset with PoS Tags, Dependency Parsing, and Morphological Complexity

```
[ ]: # !pip install -q spacy
# !python -m spacy download en_core_web_trf
!python -m spacy download en_core_web_lg
```

Collecting en-core-web-lg==3.8.0

Using cached https://github.com/explosion/spacy-models/releases/download/en_core_web_lg-3.8.0/en_core_web_lg-3.8.0-py3-none-any.whl (400.7 MB)

Download and installation successful

You can now load the package via `spacy.load('en_core_web_lg')`

Restart to reload dependencies

If you are in a Jupyter or Colab notebook, you may need to restart Python in order to load all the package's dependencies. You can do this by selecting the 'Restart kernel' or 'Restart runtime' option.

```
[ ]: nlp = spacy.load("en_core_web_lg")
```

```
[ ]: text = "This is a sample sentence for testing spaCy."

doc = nlp(text)

for token in doc:
    print(f"Token: {token.text}, POS: {token.pos_}, Dependency: {token.dep_}")
```

```
Token: This, POS: PRON, Dependency: nsubj
Token: is, POS: AUX, Dependency: ROOT
Token: a, POS: DET, Dependency: det
Token: sample, POS: NOUN, Dependency: compound
Token: sentence, POS: NOUN, Dependency: attr
Token: for, POS: ADP, Dependency: prep
Token: testing, POS: VERB, Dependency: pcomp
Token: spaCy, POS: PROPN, Dependency: dobj
Token: ., POS: PUNCT, Dependency: punct
```

```
[ ]: def enrich_with_spacy(df, text_col='sentence_no_contractions'):
    """
    Processes the 'text_col' with spaCy and appends:
    pos_sequence, dep_sequence, morph_sequence,
    and morph_complexity (float) per row.
    """
    df = df.copy()

    pos_tags = []
    dep_tags = []
    morph_tags = []
    morph_complexities = []

    for text in df[text_col]:
        if pd.isna(text) or not text.strip():
            pos_tags.append([])
            dep_tags.append([])
            morph_tags.append([])
            morph_complexities.append(0.0)
            continue

        doc = nlp(text)
```

```

pos_seq = [token.pos_ for token in doc]
dep_seq = [token.dep_ for token in doc]
morph_seq = [token.morph for token in doc]

total_features = 0
for token in doc:
    features_dict = token.morph.to_dict()
    total_features += len(features_dict)

avg_morph = total_features / len(doc)

pos_tags.append(pos_seq)
dep_tags.append(dep_seq)
morph_tags.append(morph_seq)
morph_complexities.append(avg_morph)

df['pos_sequence'] = pos_tags
df['dep_sequence'] = dep_tags
df['morph_sequence'] = morph_tags
df['morph_complexity'] = morph_complexities

return df

```

```

[ ]: dataframes_info = [
    ("train_single_df", train_single_df),
    ("train_multi_df", train_multi_df),
    ("trial_val_single_df", trial_val_single_df),
    ("trial_val_multi_df", trial_val_multi_df),
    ("test_single_df", test_single_df),
    ("test_multi_df", test_multi_df),
]

for df_name, df in dataframes_info:
    print(f"Enriching {df_name} with spaCy features...")
    enriched_df = enrich_with_spacy(df, text_col='sentence_no_contractions')
    globals()[df_name] = enriched_df
    print(f"Done! Now '{df_name}' has columns: pos_sequence, dep_sequence, \
morph_sequence, morph_complexity.\n")

```

Enriching train_single_df with spaCy features...

Done! Now 'train_single_df' has columns: pos_sequence, dep_sequence, morph_sequence, morph_complexity.

Enriching train_multi_df with spaCy features...

Done! Now 'train_multi_df' has columns: pos_sequence, dep_sequence, morph_sequence, morph_complexity.

Enriching trial_val_single_df with spaCy features...

Done! Now 'trial_val_single_df' has columns: pos_sequence, dep_sequence, morph_sequence, morph_complexity.

Enriching trial_val_multi_df with spaCy features...

Done! Now 'trial_val_multi_df' has columns: pos_sequence, dep_sequence, morph_sequence, morph_complexity.

Enriching test_single_df with spaCy features...

Done! Now 'test_single_df' has columns: pos_sequence, dep_sequence, morph_sequence, morph_complexity.

Enriching test_multi_df with spaCy features...

Done! Now 'test_multi_df' has columns: pos_sequence, dep_sequence, morph_sequence, morph_complexity.

```
[ ]: for df_name, df in dataframes_info:
    print(f"\n{'='*50}")
    print(f"DataFrame: {df_name}")
    print(f"\n{'='*50}\n")
    sample_df = globals()[df_name].sample(3, random_state=42)
    display(sample_df[['sentence_no_contractions', 'pos_sequence',
↳ 'dep_sequence', 'morph_sequence', 'morph_complexity']])
```

```
=====
DataFrame: train_single_df
=====
```

		sentence_no_contractions	
↳	pos_sequence		dep_sequence ↳
↳		morph_sequence	morph_complexity
5061	The transgenic approach that was used to creat...	[DET, ADJ, NOUN, PRON, ↳	
↳	AUX, VERB, PART, VERB, ... [det, amod, nsubjpass, nsubjpass, auxpass, rel...	↳	
↳	[(Definite=Def, PronType=Art), (Degree=Pos), (...	1.500000	
2471	When the report comes to Egypt, they will be i...	[SCONJ, DET, NOUN, VERB, ↳	
↳	ADP, PROPN, PUNCT, PR... [advmod, det, nsubj, advcl, prep, pobj, punct,...	[(,), ↳	
↳	(Definite=Def, PronType=Art), (Number=Sin...	1.166667	
800	Saul asked counsel of God, "Shall I go down af...	[PROPN, VERB, NOUN, ADP, ↳	
↳	PROPN, PUNCT, PUNCT, ... [nsubj, ROOT, dobj, prep, pobj, punct, punct, ... ↳		
↳	[(Number=Sing), (Tense=Past, VerbForm=Fin), (N...	1.200000	

```
=====
DataFrame: train_multi_df
=====
```

```

                                sentence_no_contractions
↪                                pos_sequence                                dep_sequence
↪                                morph_sequence morph_complexity
724  BRCA2 may thus promote RAD51 assembly into rec... [PROPN, AUX, ADV, VERB,
↪PROPN, NOUN, ADP, ADJ,... [nsubj, aux, advmod, ROOT, compound, dobj, pre...
↪[(Number=Sing), (VerbForm=Fin), (), (VerbForm=... 1.222222
812  Therefore, BMPR1A appears to maintain articula... [ADV, PUNCT, PROPN, VERB,
↪PART, VERB, ADJ, NOU... [advmod, punct, nsubj, ROOT, aux, xcomp, amod,... [(),
↪(PunctType=Comm), (Number=Sing), (Number=... 1.000000
1466 Continued support for the renewal and modernis... [VERB, NOUN, ADP, DET,
↪NOUN, CONJ, NOUN, ADP,... [amod, nsubj, prep, det, pobj, cc, conj, prep,...
↪[(Aspect=Perf, Tense=Past, VerbForm=Part), (Nu... 1.205882

```

```

=====
DataFrame: trial_val_single_df
=====

```

```

                                sentence_no_contractions
↪                                pos_sequence                                dep_sequence
↪                                morph_sequence morph_complexity
145  However, this reduction in bone resorption occ... [ADV, PUNCT, DET, NOUN,
↪ADP, NOUN, NOUN, VERB,... [advmod, punct, det, nsubj, prep, compound, po... [(),
↪(PunctType=Comm), (Number=Sing, PronType=... 1.0000
335  A word of thanks is also due to many non-gover... [DET, NOUN, ADP, NOUN,
↪AUX, ADV, ADJ, ADP, ADJ... [det, nsubj, prep, pobj, ROOT, advmod, prep, p...
↪[(Definite=Ind, PronType=Art), (Number=Sing), ... 1.0625
175  To test the hypothesis that a temporal delay i... [PART, VERB, DET, NOUN,
↪SCONJ, DET, ADJ, NOUN,... [aux, advcl, det, dobj, mark, det, amod, nsubj... [(),
↪(VerbForm=Inf), (Definite=Def, PronType=A... 1.2000

```

```

=====
DataFrame: trial_val_multi_df
=====

```

```

                                sentence_no_contractions
↪                                pos_sequence                                dep_sequence
↪                                morph_sequence morph_complexity
62  by Mr Virrankoski, on behalf of the Committee ... [ADP, PROPN, PROPN, PUNCT,
↪ADP, NOUN, ADP, DET... [prep, compound, pobj, punct, prep, pobj, prep... [(),
↪(Number=Sing), (Number=Sing), (PunctType=... 0.892857
40  Indeed, we recently showed that neural crest c... [ADV, PUNCT, PRON, ADV,
↪VERB, SCONJ, ADJ, PROP... [advmod, punct, nsubj, advmod, ROOT, mark, com... [(),
↪(PunctType=Comm), (Case=Nom, Number=Plur,... 1.108696

```

```

95 It is not an easy task, particularly for the c... [PRON, AUX, PART, DET, ADJ,
↳NOUN, PUNCT, ADV, ... [nsubj, ROOT, neg, det, amod, attr, punct, adv...
↳[(Case=Nom, Gender=Neut, Number=Sing, Person=3... 1.180328

```

```

=====
DataFrame: test_single_df
=====

```

```

                                sentence_no_contractions
↳                                pos_sequence                                dep_sequence
↳                                morph_sequence morph_complexity
668 It is therefore not a matter of indifference h... [PRON, AUX, ADV, PART,
↳DET, NOUN, ADP, NOUN, S... [nsubj, ROOT, advmod, neg, det, attr, prep, po...
↳[(Case=Nom, Gender=Neut, Number=Sing, Person=3... 1.200000
30 then shall he offer with the bull a meal offer... [ADV, AUX, PRON, VERB,
↳ADP, DET, NOUN, DET, NO... [advmod, aux, nsubj, ROOT, prep, det, pobj, de...
↳[(PronType=Dem), (VerbType=Mod), (Case=Nom, Ge... 1.071429
377 While they do have their limitations (e.g. dev... [SCONJ, PRON, AUX, VERB,
↳PRON, NOUN, PUNCT, AD... [mark, nsubj, aux, advcl, poss, dobj, punct, a...
↳(Case=Nom, Number=Plur, Person=3, PronTyp... 1.157895

```

```

=====
DataFrame: test_multi_df
=====

```

```

                                sentence_no_contractions
↳                                pos_sequence                                dep_sequence
↳                                morph_sequence morph_complexity
19 God said, "Let the earth yield grass, herbs yi... [PROPN, VERB, PUNCT,
↳PUNCT, VERB, DET, NOUN, V... [nsubj, ROOT, punct, punct, xcomp, det, nsubj,...
↳[(Number=Sing), (Tense=Past, VerbForm=Fin), (P... 1.564103
42 Moreover I will make a covenant of peace with ... [ADV, PRON, AUX, VERB,
↳DET, NOUN, ADP, NOUN, A... [advmod, nsubj, aux, ccomp, det, dobj, prep, p...
↳[()], (Case=Nom, Number=Sing, Person=1, PronTyp... 1.550000
156 Developing innovation policy is crucial to EU ... [VERB, NOUN, NOUN, AUX,
↳ADJ, ADP, PROPN, NOUN,... [csubj, compound, dobj, ROOT, acomp, prep, com...
↳[(Aspect=Prog, Tense=Pres, VerbForm=Part), (Nu... 1.333333

```

```
[ ]: # verify column headers
```

```

dataframes = [train_single_df, train_multi_df, trial_val_single_df,
↳trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.info())

```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 7662 entries, 0 to 7661
Data columns (total 11 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   id                                    7662 non-null   object
1   corpus                              7662 non-null   object
2   sentence                            7662 non-null   object
3   token                               7655 non-null   object
4   complexity                           7662 non-null   float64
5   sentence_no_contractions            7662 non-null   object
6   contraction_expanded                7662 non-null   bool
7   pos_sequence                        7662 non-null   object
8   dep_sequence                        7662 non-null   object
9   morph_sequence                     7662 non-null   object
10  morph_complexity                    7662 non-null   float64
```

dtypes: bool(1), float64(2), object(8)

memory usage: 606.2+ KB

None

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1517 entries, 0 to 1516
Data columns (total 11 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   id                                    1517 non-null   object
1   corpus                              1517 non-null   object
2   sentence                            1517 non-null   object
3   token                               1517 non-null   object
4   complexity                           1517 non-null   float64
5   sentence_no_contractions            1517 non-null   object
6   contraction_expanded                1517 non-null   bool
7   pos_sequence                        1517 non-null   object
8   dep_sequence                        1517 non-null   object
9   morph_sequence                     1517 non-null   object
10  morph_complexity                    1517 non-null   float64
```

dtypes: bool(1), float64(2), object(8)

memory usage: 120.1+ KB

None

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 421 entries, 0 to 420
Data columns (total 11 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   id                                    421 non-null   object
1   corpus                              421 non-null   object
2   sentence                            421 non-null   object
3   token                               421 non-null   object
4   complexity                           421 non-null   float64
```

```

5  sentence_no_contractions  421 non-null  object
6  contraction_expanded      421 non-null  bool
7  pos_sequence              421 non-null  object
8  dep_sequence              421 non-null  object
9  morph_sequence            421 non-null  object
10 morph_complexity           421 non-null  float64
dtypes: bool(1), float64(2), object(8)
memory usage: 33.4+ KB
None
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 99 entries, 0 to 98
Data columns (total 11 columns):
#   Column                Non-Null Count  Dtype
---  -
0   id                    99 non-null    object
1   corpus                99 non-null    object
2   sentence              99 non-null    object
3   token                 99 non-null    object
4   complexity             99 non-null    float64
5   sentence_no_contractions 99 non-null    object
6   contraction_expanded    99 non-null    bool
7   pos_sequence          99 non-null    object
8   dep_sequence           99 non-null    object
9   morph_sequence         99 non-null    object
10  morph_complexity        99 non-null    float64
dtypes: bool(1), float64(2), object(8)
memory usage: 8.0+ KB
None
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 917 entries, 0 to 916
Data columns (total 11 columns):
#   Column                Non-Null Count  Dtype
---  -
0   id                    917 non-null    object
1   corpus                917 non-null    object
2   sentence              917 non-null    object
3   token                 917 non-null    object
4   complexity             917 non-null    float64
5   sentence_no_contractions 917 non-null    object
6   contraction_expanded    917 non-null    bool
7   pos_sequence          917 non-null    object
8   dep_sequence           917 non-null    object
9   morph_sequence         917 non-null    object
10  morph_complexity        917 non-null    float64
dtypes: bool(1), float64(2), object(8)
memory usage: 72.7+ KB
None
<class 'pandas.core.frame.DataFrame'>

```


RangeIndex: 184 entries, 0 to 183

Data columns (total 11 columns):

#	Column	Non-Null Count	Dtype
0	id	184 non-null	object
1	corpus	184 non-null	object
2	sentence	184 non-null	object
3	token	184 non-null	object
4	complexity	184 non-null	float64
5	sentence_no_contractions	184 non-null	object
6	contraction_expanded	184 non-null	bool
7	pos_sequence	184 non-null	object
8	dep_sequence	184 non-null	object
9	morph_sequence	184 non-null	object
10	morph_complexity	184 non-null	float64

dtypes: bool(1), float64(2), object(8)

memory usage: 14.7+ KB

None

0.5 Create Binarized Outcome Variable, based on train_single_df median and train_multi_df median, applied to trial-val and test

```
[ ]: train_single_median = train_single_df['complexity'].median()

def binarize_complexity(value, threshold):
    """
    If value <= threshold, return 0, else return 1.
    """
    if value <= threshold:
        return 0
    else:
        return 1

train_single_df['binary_complexity'] = train_single_df['complexity'].apply(
    lambda x: binarize_complexity(x, train_single_median)
)
trial_val_single_df['binary_complexity'] = trial_val_single_df['complexity'].
    apply(
        lambda x: binarize_complexity(x, train_single_median)
    )
test_single_df['binary_complexity'] = test_single_df['complexity'].apply(
    lambda x: binarize_complexity(x, train_single_median)
)

train_multi_median = train_multi_df['complexity'].median()

train_multi_df['binary_complexity'] = train_multi_df['complexity'].apply(
```

```

        lambda x: binarize_complexity(x, train_multi_median)
    )
    trial_val_multi_df['binary_complexity'] = trial_val_multi_df['complexity'].
    ↪apply(
        lambda x: binarize_complexity(x, train_multi_median)
    )
    test_multi_df['binary_complexity'] = test_multi_df['complexity'].apply(
        lambda x: binarize_complexity(x, train_multi_median)
    )

    print(f"Median complexity (single): {train_single_median}")
    print(f"Median complexity (multi): {train_multi_median}")

    print("\nSample rows from train_single_df:")
    print(train_single_df[['id', 'complexity', 'binary_complexity']].head())

    print("\nSample rows from train_multi_df:")
    print(train_multi_df[['id', 'complexity', 'binary_complexity']].head())

```

Median complexity (single): 0.2794117647058823

Median complexity (multi): 0.409090909090909

Sample rows from train_single_df:

	id	complexity	binary_complexity
0	3ZLW647WALVGE8EBR50EGUBPU4P32A	0.000000	0
1	34ROBODSP1ZBN3DVY8J8XSIY551E5C	0.000000	0
2	3S1WOPCJFGTJU2SGNAN2Y213N6WJE3	0.050000	0
3	3BFNCI9LYKQNO9BHXHH9CLSX5KP738	0.150000	0
4	3G5RUKN2EC3YIWSKUXZ8ZVH95R49N2	0.263889	0

Sample rows from train_multi_df:

	id	complexity	binary_complexity
0	3S37Y8CWI80N8KVM53U4E6JKCDC4WE	0.027778	0
1	3WGCNLZJKF877FYC1Q6COKNWTWD11	0.050000	0
2	3UOMW19E6D6WQ5TH2HDD74IVKTP5CB	0.050000	0
3	36JW4WBRO6KF9AXMUL4N476OMF8FHD	0.050000	0
4	3HRWUH63QU2FH9Q8R7MRNFC7JX2N5A	0.075000	0

```
[ ]: # verify column headers
```

```

dataframes = [train_single_df, train_multi_df, trial_val_single_df,
    ↪trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.info())

```

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 7662 entries, 0 to 7661

Data columns (total 12 columns):

#	Column	Non-Null Count	Dtype
0	id	7662 non-null	object
1	corpus	7662 non-null	object
2	sentence	7662 non-null	object
3	token	7655 non-null	object
4	complexity	7662 non-null	float64
5	sentence_no_contractions	7662 non-null	object
6	contraction_expanded	7662 non-null	bool
7	pos_sequence	7662 non-null	object
8	dep_sequence	7662 non-null	object
9	morph_sequence	7662 non-null	object
10	morph_complexity	7662 non-null	float64
11	binary_complexity	7662 non-null	int64

dtypes: bool(1), float64(2), int64(1), object(8)

memory usage: 666.1+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 1517 entries, 0 to 1516

Data columns (total 12 columns):

#	Column	Non-Null Count	Dtype
0	id	1517 non-null	object
1	corpus	1517 non-null	object
2	sentence	1517 non-null	object
3	token	1517 non-null	object
4	complexity	1517 non-null	float64
5	sentence_no_contractions	1517 non-null	object
6	contraction_expanded	1517 non-null	bool
7	pos_sequence	1517 non-null	object
8	dep_sequence	1517 non-null	object
9	morph_sequence	1517 non-null	object
10	morph_complexity	1517 non-null	float64
11	binary_complexity	1517 non-null	int64

dtypes: bool(1), float64(2), int64(1), object(8)

memory usage: 132.0+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 421 entries, 0 to 420

Data columns (total 12 columns):

#	Column	Non-Null Count	Dtype
0	id	421 non-null	object
1	corpus	421 non-null	object
2	sentence	421 non-null	object
3	token	421 non-null	object
4	complexity	421 non-null	float64
5	sentence_no_contractions	421 non-null	object

```

6   contraction_expanded      421 non-null    bool
7   pos_sequence              421 non-null    object
8   dep_sequence              421 non-null    object
9   morph_sequence            421 non-null    object
10  morph_complexity           421 non-null    float64
11  binary_complexity          421 non-null    int64
dtypes: bool(1), float64(2), int64(1), object(8)
memory usage: 36.7+ KB
None
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 99 entries, 0 to 98
Data columns (total 12 columns):
#   Column                      Non-Null Count  Dtype
---  ---
0   id                          99 non-null     object
1   corpus                      99 non-null     object
2   sentence                    99 non-null     object
3   token                       99 non-null     object
4   complexity                   99 non-null     float64
5   sentence_no_contractions    99 non-null     object
6   contraction_expanded        99 non-null     bool
7   pos_sequence                99 non-null     object
8   dep_sequence                99 non-null     object
9   morph_sequence              99 non-null     object
10  morph_complexity             99 non-null     float64
11  binary_complexity            99 non-null     int64
dtypes: bool(1), float64(2), int64(1), object(8)
memory usage: 8.7+ KB
None
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 917 entries, 0 to 916
Data columns (total 12 columns):
#   Column                      Non-Null Count  Dtype
---  ---
0   id                          917 non-null     object
1   corpus                      917 non-null     object
2   sentence                    917 non-null     object
3   token                       917 non-null     object
4   complexity                   917 non-null     float64
5   sentence_no_contractions    917 non-null     object
6   contraction_expanded        917 non-null     bool
7   pos_sequence                917 non-null     object
8   dep_sequence                917 non-null     object
9   morph_sequence              917 non-null     object
10  morph_complexity             917 non-null     float64
11  binary_complexity            917 non-null     int64
dtypes: bool(1), float64(2), int64(1), object(8)
memory usage: 79.8+ KB

```

```

None
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 184 entries, 0 to 183
Data columns (total 12 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   id                                     184 non-null    object
1   corpus                               184 non-null    object
2   sentence                             184 non-null    object
3   token                                184 non-null    object
4   complexity                           184 non-null    float64
5   sentence_no_contractions             184 non-null    object
6   contraction_expanded                 184 non-null    bool
7   pos_sequence                         184 non-null    object
8   dep_sequence                         184 non-null    object
9   morph_sequence                      184 non-null    object
10  morph_complexity                     184 non-null    float64
11  binary_complexity                    184 non-null    int64
dtypes: bool(1), float64(2), int64(1), object(8)
memory usage: 16.1+ KB
None

```

```

[ ]: # inspect each df

dataframes = [train_single_df, train_multi_df, trial_val_single_df,
               trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.head())

```

	id	corpus	sentence	token	complexity	sentence_no_contractions	contraction_expanded	pos_sequence	dep_sequence	morph_sequence	morph_complexity	binary_complexity
0	3ZLW647WALVGE8EBR50EGUBPU4P32A	bible	Behold, there came up out of the river seven c...	river	0.000000	Behold, there came up out of the river seven c...	False	[ADV, PUNCT, PRON, VERB, ADP, ADP, ADP, DET, N...	[(), (PunctType=Comm), (), (Tense=Past, VerbFo...	1.041667	0	
1	34ROBODSP1ZBN3DVY8J8XSIY551E5C	bible	I am a fellow bondservant with you and with yo...	brothers	0.000000	I am a fellow bondservant with you and with yo...	False	[PRON, AUX, DET, ADJ, NOUN, ADP, PRON, CCONJ, ...	[nsubj, ROOT, det, amod, attr, prep, pobj, cc,...	1.461538	0	
2	3S1WOPCJFGTJU2SGNAN2Y213N6WJE3	bible	The man, the lord of the land, said to us, 'By...	brothers	0.050000	The man, the lord of the land, said to us, 'By...	False	[DET, NOUN, PUNCT, DET, PROPN, ADP, DET, NOUN,...	[det, nsubj, punct, det, appos, prep, det, pobj...			

PronType=Art), (Number=Sing), ... 1.354167 0
 3 3BFNCI9LYKQNO9BHXHH9CLSX5KP738 bible Shimei had sixteen sons and six
 daughters; but... brothers 0.150000 Shimei had sixteen sons and six
 daughters; but... True [PROPN, VERB, NUM, NOUN, CONJ, NUM,
 NOUN, PUN... [nsubj, ROOT, nummod, dobj, cc, nummod, conj, ... [(Number=Sing),
 (Tense=Past, VerbForm=Fin), (N... 1.275862 0
 4 3G5RUKN2EC3YIWSKUXZ8ZVH95R49N2 bible "He has put my brothers
 far from me. brothers 0.263889 "He has put my brothers far
 from me. False [PUNCT, PRON, AUX, VERB, PRON, NOUN, ADV,
 ADP,... [punct, nsubj, aux, ROOT, poss, dobj, advmod, ... [(PunctSide=Ini,
 PunctType=Quot), (Case=Nom, G... 2.500000 0
 id corpus
 sentence token complexity
 sentence_no_contractions contraction_expanded
 pos_sequence dep_sequence
 morph_sequence morph_complexity binary_complexity
 0 3S37Y8CWI8ON8KVM53U4E6JKCDC4WE bible but the seventh day is a Sabbath to
 Yahweh you... seventh day 0.027778 but the seventh day is a Sabbath to
 Yahweh you... False [CONJ, DET, ADJ, NOUN, AUX, DET, PROPN,
 ADP, ... [cc, det, amod, nsubj, ccomp, det, attr, prep,... [(ConjType=Cmp),
 (Definite=Def, PronType=Art),... 1.341772 0
 1 3WGCNLZJKF877FYC1Q6COKNWDWD11 bible But let each man test his own work,
 and then h... own work 0.050000 But let each man test his own work,
 and then h... False [CONJ, VERB, DET, NOUN, VERB, PRON, ADJ,
 NOUN... [cc, ROOT, det, nsubj, ccomp, poss, amod, dobj... [(ConjType=Cmp),
 (VerbForm=Inf), (), (Number=S... 1.608696 0
 2 3UOMW19E6D6WQ5TH2HDD74IVKTP5CB bible To him who by understanding made the
 heavens; ... loving kindness 0.050000 To him who by understanding made the
 heavens; ... False [ADP, PRON, PRON, ADP, VERB, VERB, DET,
 NOUN, ... [prep, pobj, nsubj, prep, pcomp, advcl, det, d... [()], (Case=Acc,
 Gender=Masc, Number=Sing, Pers... 1.562500 0
 3 36JW4WBRO6KF9AXMUL4N476OMF8FHD bible Remember to me, my God, this also, and
 spare m... loving kindness 0.050000 Remember to me, my God, this also, and
 spare m... False [VERB, ADP, PRON, PUNCT, PRON, PROPN, PUNCT,
 P... [ROOT, prep, pobj, punct, poss, npadvmod, punc... [(VerbForm=Inf), (),
 (Case=Acc, Number=Sing, P... 1.590909 0
 4 3HRWUH63QU2FH9Q8R7MRNFC7JX2N5A bible Because your loving kindness is better
 than li... loving kindness 0.075000 Because your loving kindness is better
 than li... False [SCONJ, PRON, ADJ, NOUN, AUX, ADJ, ADP, NOUN,
 ... [mark, poss, amod, nsubj, advcl, acomp, prep, ... [()], (Person=2,
 Poss=Yes, PronType=Prs), (Degr... 1.600000 0
 id corpus
 sentence token complexity sentence_no_contractions
 contraction_expanded pos_sequence
 dep_sequence morph_sequence
 morph_complexity binary_complexity
 0 3QI9WAYOGQB8GQIR4MDIEFOD2RLS67 bible They will not hurt nor destroy in all
 my holy ... sea 0.000000 They will not hurt nor destroy in all my holy ...

False [PRON, AUX, PART, VERB, CCONJ, VERB, ADP, PRON... [nsubj, aux, neg, ccomp, cc, conj, prep, prede... [(Case=Nom, Number=Plur, Person=3, PronType=Pr... 1.129032 0

1 3T8DUCXYON6WD9X4RTLK8UN1U929TF bible that sends ambassadors by the sea, even in ves... sea 0.102941 that sends ambassadors by the sea, even in ves... False [PRON, VERB, NOUN, ADP, DET, NOUN, PUNCT, ADV,... [nsubj, ROOT, dobj, prep, det, pobj, punct, ad... [(PronType=Rel), (Number=Sing, Person=3, Tense... 1.263158 0

2 3I7KR83SNADXAQ7HXXK7S7305BYB9KD bible and they entered into the boat, and were going... sea 0.109375 and they entered into the boat, and were going... False [CCONJ, PRON, VERB, ADP, DET, NOUN, PUNCT, CCO... [cc, nsubj, ROOT, prep, det, pobj, punct, cc, ... [(ConjType=Cmp), (Case=Nom, Number=Plur, Perso... 1.437500 0

3 3B03NEOQMOHK9ERYPN0GQIWCPC4IAQ bible Joseph laid up grain as the sand of the sea, v... sea 0.160714 Joseph laid up grain as the sand of the sea, v... False [PROPN, VERB, ADP, NOUN, ADP, DET, NOUN, ADP, ... [nsubj, ROOT, prt, dobj, prep, det, pobj, prep... [(Number=Sing), (Tense=Past, VerbForm=Fin), ()... 1.400000 0

4 3Y3CZJSZ9KTOW7IOKE38WZHHKSW5RH bible There will be a highway for the remnant that i... land 0.000000 There will be a highway for the remnant that i... False [PRON, AUX, AUX, DET, NOUN, ADP, DET, NOUN, PR... [expl, aux, ROOT, det, attr, prep, det, pobj, ... [()], (VerbForm=Fin), (VerbForm=Inf), (Definite... 1.277778 0

id corpus

sentence token complexity

sentence_no_contractions contraction_expanded

pos_sequence dep_sequence

morph_sequence morph_complexity binary_complexity

0 31HLTCK4BLVQ5B01AUR91TX9V9IVGH bible The name of one son was Gershom, for Moses sai... foreign land 0.000000 The name of one son was Gershom, for Moses sai... False [DET, NOUN, ADP, NUM, NOUN, AUX, PROPN, PUNCT,... [det, nsubj, prep, nummod, pobj, ROOT, attr, p... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.520000 0

1 389A2A3040IXVY7G5B71Q9M43LEOCL bible unleavened bread, unleavened cakes mixed with ... wheat flour 0.157895 unleavened bread, unleavened cakes mixed with ... False [ADJ, NOUN, PUNCT, ADJ, NOUN, VERB, ADP, NOUN,... [amod, dep, punct, amod, appos, acl, prep, pob... [(Degree=Pos), (Number=Sing), (PunctType=Comm)... 1.200000 0

2 31N9JPQXIPIRX2A3S9NOCCFX06TNHR bible However the high places were not taken away; t... burnt incense 0.200000 However the high places were not taken away; t... False [ADV, DET, ADJ, NOUN, AUX, PART, VERB, ADV, PU... [advmod, det, amod, nsubjpass, auxpass, neg, c... [()], (Definite=Def, PronType=Art), (Degree=Pos... 1.190476 0

3 3JVP4ZJHDP081TGXL3N1CKZGQY0IN bible and he burnt incense of sweet spices on it, as... burnt incense 0.250000 and he burnt incense of sweet spices on it, as... False [CCONJ, PRON, VERB, NOUN, ADP, ADJ, NOUN, ADP,... [cc, nsubj, ROOT, dobj, prep, amod, pobj, prep... [(ConjType=Cmp), (Case=Nom, Gender=Masc, Numbe... 1.466667 0

4 3JAOYN9IHL25ZQAUUV5EJZ4GHOKL33L bible The same day the king made the middle of the c... bronze altar 0.214286 The same day the king made the middle of the c... False [DET, ADJ, NOUN, DET, NOUN, VERB, DET, NOUN, A... [det, amod, npadvmod, det, nsubj, ccomp, det, ... [(Definite=Def, PronType=Art), (Degree=Pos), (... 1.352113 0

id corpus

sentence token complexity
sentence_no_contractions contraction_expanded
pos_sequence dep_sequence
morph_sequence morph_complexity binary_complexity

0 3K8CQCU3KE19US5SN890DFPK3SANWR bible But he, beckoning to them with his hand to be ... hand 0.000000 But he, beckoning to them with his hand to be ... False [CCONJ, PRON, PUNCT, VERB, ADP, PRON, ADP, PRO... [cc, nsubj, punct, advcl, prep, pobj, prep, po... [(ConjType=Cmp), (Case=Nom, Gender=Masc, Numbe... 1.703704 0

1 3Q2T3FD00N86LCI41NJYV3PNOBW3MV bible If I forget you, Jerusalem, let my right hand ... hand 0.197368 If I forget you, Jerusalem, let my right hand ... False [SCONJ, PRON, VERB, PRON, PUNCT, PROPN, PUNCT,... [mark, nsubj, advcl, dobj, punct, npadvmod, pu... [()], (Case=Nom, Number=Sing, Person=1, PronTyp... 1.800000 0

2 3ULIZOH1VA5C32JMKOTQ8Z4GUS51B bible the ten sons of Haman the son of Hammedatha, t... hand 0.200000 the ten sons of Haman the son of Hammedatha, t... True [DET, NUM, NOUN, ADP, PROPN, DET, NOUN, ADP, P... [det, nummod, ROOT, prep, pobj, det, appos, pr... [(Definite=Def, PronType=Art), (NumType=Card),... 1.269231 0

3 3BFFODJK8XCEIOT3OZLBPPSRMZQTSDB bible Let your hand be lifted up above your adversar... hand 0.267857 Let your hand be lifted up above your adversar... False [VERB, PRON, NOUN, AUX, VERB, ADP, ADP, PRON, ... [ROOT, poss, nsubjpass, auxpass, ccomp, prt, p... [(VerbForm=Inf), (Person=2, Poss=Yes, PronType... 1.250000 0

4 3QREJ3J433XSBS8QMHAICCRQBQ1LKR bible Abimelech chased him, and he fled before him, ... entrance 0.000000 Abimelech chased him, and he fled before him, ... False [PROPN, VERB, PRON, PUNCT, CCONJ, PRON, VERB, ... [nsubj, ROOT, dobj, punct, cc, nsubj, conj, pr... [(Number=Sing), (Tense=Past, VerbForm=Fin), (C... 1.652174 0

id corpus

sentence token complexity
sentence_no_contractions contraction_expanded
pos_sequence dep_sequence
morph_sequence morph_complexity binary_complexity

0 3UXQ63NLAAMRIP4WG4XPD98AOYOBXLX bible for he had an only daughter, about twelve year... only daughter 0.025000 for he had an only daughter, about twelve year... False [SCONJ, PRON, VERB, DET, ADJ, NOUN, PUNCT, ADV... [mark, nsubj, ROOT, det, amod, dobj, punct, ad... [()], (Case=Nom, Gender=Masc, Number=Sing, Pers... 1.722222 0

1 3FJ2RVH25Z62TA3R8E1077EBUYU92W bible All these were cities fortified with high wall... high walls 0.100000 All these were cities fortified with high wall... False [DET, PRON, AUX, NOUN, VERB, ADP, ADJ, NOUN,


```

P... [predet, nsubj, ROOT, attr, acl, prep, amod, p... [()], (Number=Plur,
PronType=Dem), (Mood=Ind, T... 1.136364 0
2 3Y04AH2FPDK1PZHZAT8WAEBL70EQOF bible In the morning, 'It will be foul
weather today... weather today 0.125000 In the morning, 'It will be foul
weather today... False [ADP, DET, NOUN, PUNCT, PUNCT, PRON,
AUX, AUX,... [prep, det, pobj, punct, punct, nsubj, aux, RO... [()],
(Definite=Def, PronType=Art), (Number=Sin... 1.476190
0
3 3X52SWXE0X5Q3081YI0MX4V84QTCWZ bible Her young children also were dashed in
pieces ... young children 0.160714 Her young children also were dashed in
pieces ... False [PRON, ADJ, NOUN, ADV, AUX, VERB, ADP, NOUN,
A... [poss, amod, nsubjpass, advmod, auxpass, ROOT,... [(Gender=Fem,
Number=Sing, Person=3, Poss=Yes,... 1.514286 0
4 32K26U12DNONTREA84Q1V8UCIH2VD7 bible All king Solomon's drinking vessels
were of go... pure gold 0.178571 All king Solomon's drinking vessels
were of go... False [DET, NOUN, PROPN, PART, NOUN, NOUN, AUX,
ADP,... [det, compound, poss, case, compound, nsubj, c... [()], (Number=Sing),
(Number=Sing), (), (Number... 1.162791 0

```

```


[ ]: dataframes = {
    "train_single_df": train_single_df,
    "train_multi_df": train_multi_df,
    "trial_val_single_df": trial_val_single_df,
    "trial_val_multi_df": trial_val_multi_df,
    "test_single_df": test_single_df,
    "test_multi_df": test_multi_df
}

fig, axes = plt.subplots(2, 3, figsize=(18, 12))

for i, (df_name, df) in enumerate(dataframes.items()):
    row = i // 3
    col = i % 3
    ax = axes[row, col]
    sns.histplot(df['binary_complexity'], kde=True, ax=ax)
    ax.set_title(f'Distribution of binary_complexity for {df_name}')
    ax.set_xlabel('binary_complexity')

plt.tight_layout()
plt.show()

```



```
[ ]: train_single_75th = train_single_df['complexity'].quantile(0.75)
train_multi_75th = train_multi_df['complexity'].quantile(0.75)

print("75th percentile (single-track):", train_single_75th)
print("75th percentile (multi-track):", train_multi_75th)

def binarize_complexity_75th(value, threshold):
    """
    Returns 0 if 'value' <= threshold, else 1.
    """
    if value <= threshold:
        return 0
    else:
        return 1

train_single_df['binary_complexity_75th_split'] = train_single_df['complexity'].
    ↪ apply(
        lambda x: binarize_complexity_75th(x, train_single_75th)
    )
trial_val_single_df['binary_complexity_75th_split'] =
    ↪ trial_val_single_df['complexity'].apply(
        lambda x: binarize_complexity_75th(x, train_single_75th)
    )
```

```

test_single_df['binary_complexity_75th_split'] = test_single_df['complexity'].
    ↪apply(
        lambda x: binarize_complexity_75th(x, train_single_75th)
    )

train_multi_df['binary_complexity_75th_split'] = train_multi_df['complexity'].
    ↪apply(
        lambda x: binarize_complexity_75th(x, train_multi_75th)
    )
trial_val_multi_df['binary_complexity_75th_split'] =
    ↪trial_val_multi_df['complexity'].apply(
        lambda x: binarize_complexity_75th(x, train_multi_75th)
    )
test_multi_df['binary_complexity_75th_split'] = test_multi_df['complexity'].
    ↪apply(
        lambda x: binarize_complexity_75th(x, train_multi_75th)
    )

print("\nDistribution of 'binary_complexity_75th_split' in train_single_df:")
print(train_single_df['binary_complexity_75th_split'].value_counts())

print("\nDistribution of 'binary_complexity_75th_split' in train_multi_df:")
print(train_multi_df['binary_complexity_75th_split'].value_counts())

```

75th percentile (single-track): 0.375

75th percentile (multi-track): 0.5294117647058824

Distribution of 'binary_complexity_75th_split' in train_single_df:

binary_complexity_75th_split

0 5849

1 1813

Name: count, dtype: int64

Distribution of 'binary_complexity_75th_split' in train_multi_df:

binary_complexity_75th_split

0 1139

1 378

Name: count, dtype: int64

```

[ ]: dataframes = {
    "train_single_df": train_single_df,
    "train_multi_df": train_multi_df,
    "trial_val_single_df": trial_val_single_df,
    "trial_val_multi_df": trial_val_multi_df,
    "test_single_df": test_single_df,
    "test_multi_df": test_multi_df
}

```


```

fig, axes = plt.subplots(2, 3, figsize=(18, 12))

for i, (df_name, df) in enumerate(dataframes.items()):
    row = i // 3
    col = i % 3
    ax = axes[row, col]
    sns.histplot(df['binary_complexity_75th_split'], kde=True, ax=ax)
    ax.set_title(f'Distribution of binary_complexity_75th_split for {df_name}')
    ax.set_xlabel('binary_complexity_75th_split')

plt.tight_layout()
plt.show()

```



```
[ ]: !ls -R /content/drive/MyDrive/266-final/data/266-comp-lex-master/
```

```

/content/drive/MyDrive/266-final/data/266-comp-lex-master/:
fe-test-labels  fe-train  fe-trial-val  test-labels  train  trial

```

```

/content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-test-labels:
test_multi_df.csv  test_single_df.csv

```

```

/content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-train:
train_multi_df.csv  train_single_df.csv

```

```
/content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-trial-val:
trial_val_multi_df.csv trial_val_single_df.csv
```

```
/content/drive/MyDrive/266-final/data/266-comp-lex-master/test-labels:
lcp_multi_test.tsv lcp_single_test.tsv
```

```
/content/drive/MyDrive/266-final/data/266-comp-lex-master/train:
lcp_multi_train.tsv lcp_single_train.tsv
```

```
/content/drive/MyDrive/266-final/data/266-comp-lex-master/trial:
lcp_multi_trial.tsv lcp_single_trial.tsv
```

```
[ ]: # verify column headers
```

```
dataframes = [train_single_df, train_multi_df, trial_val_single_df,
               trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.info())
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 7662 entries, 0 to 7661
```

```
Data columns (total 13 columns):
```

#	Column	Non-Null Count	Dtype
0	id	7662 non-null	object
1	corpus	7662 non-null	object
2	sentence	7662 non-null	object
3	token	7655 non-null	object
4	complexity	7662 non-null	float64
5	sentence_no_contractions	7662 non-null	object
6	contraction_expanded	7662 non-null	bool
7	pos_sequence	7662 non-null	object
8	dep_sequence	7662 non-null	object
9	morph_sequence	7662 non-null	object
10	morph_complexity	7662 non-null	float64
11	binary_complexity	7662 non-null	int64
12	binary_complexity_75th_split	7662 non-null	int64

```
dtypes: bool(1), float64(2), int64(2), object(8)
```

```
memory usage: 725.9+ KB
```

```
None
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 1517 entries, 0 to 1516
```

```
Data columns (total 13 columns):
```

#	Column	Non-Null Count	Dtype
0	id	1517 non-null	object
1	corpus	1517 non-null	object

2	sentence	1517 non-null	object
3	token	1517 non-null	object
4	complexity	1517 non-null	float64
5	sentence_no_contractions	1517 non-null	object
6	contraction_expanded	1517 non-null	bool
7	pos_sequence	1517 non-null	object
8	dep_sequence	1517 non-null	object
9	morph_sequence	1517 non-null	object
10	morph_complexity	1517 non-null	float64
11	binary_complexity	1517 non-null	int64
12	binary_complexity_75th_split	1517 non-null	int64

dtypes: bool(1), float64(2), int64(2), object(8)

memory usage: 143.8+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 421 entries, 0 to 420

Data columns (total 13 columns):

#	Column	Non-Null Count	Dtype
0	id	421 non-null	object
1	corpus	421 non-null	object
2	sentence	421 non-null	object
3	token	421 non-null	object
4	complexity	421 non-null	float64
5	sentence_no_contractions	421 non-null	object
6	contraction_expanded	421 non-null	bool
7	pos_sequence	421 non-null	object
8	dep_sequence	421 non-null	object
9	morph_sequence	421 non-null	object
10	morph_complexity	421 non-null	float64
11	binary_complexity	421 non-null	int64
12	binary_complexity_75th_split	421 non-null	int64

dtypes: bool(1), float64(2), int64(2), object(8)

memory usage: 40.0+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 99 entries, 0 to 98

Data columns (total 13 columns):

#	Column	Non-Null Count	Dtype
0	id	99 non-null	object
1	corpus	99 non-null	object
2	sentence	99 non-null	object
3	token	99 non-null	object
4	complexity	99 non-null	float64
5	sentence_no_contractions	99 non-null	object
6	contraction_expanded	99 non-null	bool
7	pos_sequence	99 non-null	object

```

8   dep_sequence          99 non-null    object
9   morph_sequence        99 non-null    object
10  morph_complexity       99 non-null    float64
11  binary_complexity      99 non-null    int64
12  binary_complexity_75th_split 99 non-null    int64

```

dtypes: bool(1), float64(2), int64(2), object(8)

memory usage: 9.5+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 917 entries, 0 to 916

Data columns (total 13 columns):

#	Column	Non-Null Count	Dtype
0	id	917 non-null	object
1	corpus	917 non-null	object
2	sentence	917 non-null	object
3	token	917 non-null	object
4	complexity	917 non-null	float64
5	sentence_no_contractions	917 non-null	object
6	contraction_expanded	917 non-null	bool
7	pos_sequence	917 non-null	object
8	dep_sequence	917 non-null	object
9	morph_sequence	917 non-null	object
10	morph_complexity	917 non-null	float64
11	binary_complexity	917 non-null	int64
12	binary_complexity_75th_split	917 non-null	int64

dtypes: bool(1), float64(2), int64(2), object(8)

memory usage: 87.0+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 184 entries, 0 to 183

Data columns (total 13 columns):

#	Column	Non-Null Count	Dtype
0	id	184 non-null	object
1	corpus	184 non-null	object
2	sentence	184 non-null	object
3	token	184 non-null	object
4	complexity	184 non-null	float64
5	sentence_no_contractions	184 non-null	object
6	contraction_expanded	184 non-null	bool
7	pos_sequence	184 non-null	object
8	dep_sequence	184 non-null	object
9	morph_sequence	184 non-null	object
10	morph_complexity	184 non-null	float64
11	binary_complexity	184 non-null	int64
12	binary_complexity_75th_split	184 non-null	int64

dtypes: bool(1), float64(2), int64(2), object(8)

memory usage: 17.6+ KB
None

```
[ ]: # inspect each df
```

```
dataframes = [train_single_df, train_multi_df, trial_val_single_df, trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.head())
```

```

                                id corpus
sentence      token complexity
sentence_no_contractions  contraction_expanded
pos_sequence                                dep_sequence
morph_sequence  morph_complexity  binary_complexity
binary_complexity_75th_split
0  3ZLW647WALVGE8EBR50EGUBPU4P32A  bible  Behold, there came up out of the river
seven c...      river      0.000000  Behold, there came up out of the river seven
c...                False  [ADV, PUNCT, PRON, VERB, ADP, ADP, ADP, DET, N...
[advmod, punct, expl, ROOT, prt, prep, prep, d...  [()], (PunctType=Comm), (),
(Tense=Past, VerbFo...      1.041667      0
0
1  34ROBODSP1ZBN3DVY8J8XSIY551E5C  bible  I am a fellow bondservant with you and
with yo...  brothers      0.000000  I am a fellow bondservant with you and with
yo...                False  [PRON, AUX, DET, ADJ, NOUN, ADP, PRON, CCONJ, ...
[nsbj, ROOT, det, amod, attr, prep, pobj, cc,...  [(Case=Nom, Number=Sing,
Person=1, PronType=Pr...      1.461538      0
0
2  3S1WOPCJFGTJU2SGNAN2Y213N6WJE3  bible  The man, the lord of the land, said to
us, 'By...  brothers      0.050000  The man, the lord of the land, said to us,
'By...                False  [DET, NOUN, PUNCT, DET, PROPN, ADP, DET, NOUN,...
[det, nsbj, punct, det, appos, prep, det, pobj...  [(Definite=Def,
PronType=Art), (Number=Sing), ...      1.354167      0
0
3  3BFNCI9LYKQN09BHXHH9CLSX5KP738  bible  Shimei had sixteen sons and six
daughters; but...  brothers      0.150000  Shimei had sixteen sons and six
daughters; but...                True  [PROPN, VERB, NUM, NOUN, CCONJ, NUM,
NOUN, PUN...  [nsbj, ROOT, nummod, dobj, cc, nummod, conj, ...  [(Number=Sing),
(Tense=Past, VerbForm=Fin), (N...      1.275862      0
0
4  3G5RUKN2EC3YIWSKUXZ8ZVH95R49N2  bible  "He has put my brothers
far from me.  brothers      0.263889  "He has put my brothers far
from me.                False  [PUNCT, PRON, AUX, VERB, PRON, NOUN, ADV,
ADP,...  [punct, nsbj, aux, ROOT, poss, dobj, advmod, ...  [(PunctSide=Ini,
PunctType=Quot), (Case=Nom, G...      2.500000      0
0
                                id corpus
sentence      token complexity
```


sentence_no_contractions	contraction_expanded		dep_sequence
pos_sequence			
morph_sequence	morph_complexity	binary_complexity	
binary_complexity_75th_split			
0	3S37Y8CWI80N8KVM53U4E6JKCDC4WE	bible	but the seventh day is a Sabbath to Yahweh you... seventh day 0.027778 but the seventh day is a Sabbath to Yahweh you... False [CCONJ, DET, ADJ, NOUN, AUX, DET, PROPN, ADP, ... [cc, det, amod, nsubj, ccomp, det, attr, prep,... [(ConjType=Cmp), (Definite=Def, PronType=Art),... 1.341772 0
0			
1	3WGCNLZJKF877FYC1Q6COKNWDWD11	bible	But let each man test his own work, and then h... own work 0.050000 But let each man test his own work, and then h... False [CCONJ, VERB, DET, NOUN, VERB, PRON, ADJ, NOUN... [cc, ROOT, det, nsubj, ccomp, poss, amod, dobj... [(ConjType=Cmp), (VerbForm=Inf), (), (Number=S... 1.608696 0
0			
2	3UOMW19E6D6WQ5TH2HDD74IVKTP5CB	bible	To him who by understanding made the heavens; ... loving kindness 0.050000 To him who by understanding made the heavens; ... False [ADP, PRON, PRON, ADP, VERB, VERB, DET, NOUN, ... [prep, pobj, nsubj, prep, pcomp, advcl, det, d... [()], (Case=Acc, Gender=Masc, Number=Sing, Pers... 1.562500 0
0			
3	36JW4WBRO6KF9AXMUL4N476OMF8FHD	bible	Remember to me, my God, this also, and spare m... loving kindness 0.050000 Remember to me, my God, this also, and spare m... False [VERB, ADP, PRON, PUNCT, PRON, PROPN, PUNCT, P... [ROOT, prep, pobj, punct, poss, npadvmod, punc... [(VerbForm=Inf), (), (Case=Acc, Number=Sing, P... 1.590909 0
0			
4	3HRWUH63QU2FH9Q8R7MRNFC7JX2N5A	bible	Because your loving kindness is better than li... loving kindness 0.075000 Because your loving kindness is better than li... False [SCONJ, PRON, ADJ, NOUN, AUX, ADJ, ADP, NOUN, ... [mark, poss, amod, nsubj, advcl, acomp, prep, ... [()], (Person=2, Poss=Yes, PronType=Prs), (Degr... 1.600000 0
0			

id corpus

sentence token	complexity		sentence_no_contractions
contraction_expanded			pos_sequence
dep_sequence			morph_sequence
morph_complexity	binary_complexity	binary_complexity_75th_split	
0	3QI9WAYOGQB8GQIR4MDIEFOD2RLS67	bible	They will not hurt nor destroy in all my holy ... sea 0.000000 They will not hurt nor destroy in all my holy ... False [PRON, AUX, PART, VERB, CCONJ, VERB, ADP, PRON... [nsubj, aux, neg, ccomp, cc, conj, prep, prede... [(Case=Nom, Number=Plur, Person=3, PronType=Pr... 1.129032 0
0			
1	3T8DUCXYON6WD9X4RTLK8UN1U929TF	bible	that sends ambassadors by the sea, even in ves... sea 0.102941 that sends ambassadors by the sea, even in ves... False [PRON, VERB, NOUN, ADP, DET, NOUN, PUNCT, ADV,...

```

[nsbj, ROOT, dobj, prep, det, pobj, punct, ad... [(PronType=Rel),
(Number=Sing, Person=3, Tense... 1.263158 0
0
2 3I7KR83SNADXAQ7HXX7S7305BYB9KD bible and they entered into the boat, and
were going... sea 0.109375 and they entered into the boat, and were
going... False [CCONJ, PRON, VERB, ADP, DET, NOUN, PUNCT,
CCO... [cc, nsubj, ROOT, prep, det, pobj, punct, cc, ... [(ConjType=Cmp),
(Case=Nom, Number=Plur, Perso... 1.437500 0
0
3 3B03NEOQMOHK9ERYPN0GQIWCP4IAQ bible Joseph laid up grain as the sand of
the sea, v... sea 0.160714 Joseph laid up grain as the sand of the sea,
v... False [PROPN, VERB, ADP, NOUN, ADP, DET, NOUN, ADP, ...
[nsbj, ROOT, prt, dobj, prep, det, pobj, prep... [(Number=Sing), (Tense=Past,
VerbForm=Fin), ()... 1.400000 0
0
4 3Y3CZJSZ9KTOW7IOKE38WZHHKSW5RH bible There will be a highway for the
remnant that i... land 0.000000 There will be a highway for the remnant
that i... False [PRON, AUX, AUX, DET, NOUN, ADP, DET, NOUN,
PR... [expl, aux, ROOT, det, attr, prep, det, pobj, ... [(), (VerbForm=Fin),
(VerbForm=Inf), (Definite... 1.277778 0
0
id corpus
sentence token complexity
sentence_no_contractions contraction_expanded
pos_sequence dep_sequence
morph_sequence morph_complexity binary_complexity
binary_complexity_75th_split
0 31HLTCK4BLVQ5B01AUR91TX9V9IVGH bible The name of one son was Gershom, for
Moses sai... foreign land 0.000000 The name of one son was Gershom, for
Moses sai... False [DET, NOUN, ADP, NUM, NOUN, AUX, PROPN,
PUNCT,... [det, nsubj, prep, nummod, pobj, ROOT, attr, p... [(Definite=Def,
PronType=Art), (Number=Sing), ... 1.520000 0
0
1 389A2A3040IXVY7G5B71Q9M43LEOCL bible unleavened bread, unleavened cakes
mixed with ... wheat flour 0.157895 unleavened bread, unleavened cakes
mixed with ... False [ADJ, NOUN, PUNCT, ADJ, NOUN, VERB, ADP,
NOUN,... [amod, dep, punct, amod, appos, acl, prep, pob... [(Degree=Pos),
(Number=Sing), (PunctType=Comm)... 1.200000 0
0
2 31N9JPQXIPIRX2A3S9NOCCFX06TNHR bible However the high places were not taken
away; t... burnt incense 0.200000 However the high places were not taken
away; t... False [ADV, DET, ADJ, NOUN, AUX, PART, VERB, ADV,
PU... [advmod, det, amod, nsubjpass, auxpass, neg, c... [(), (Definite=Def,
PronType=Art), (Degree=Pos... 1.190476 0
0
3 3JVP4ZJHDPS081TGXL3N1CKZGQY0IN bible and he burnt incense of sweet spices
on it, as... burnt incense 0.250000 and he burnt incense of sweet spices on
it, as... False [CCONJ, PRON, VERB, NOUN, ADP, ADJ, NOUN,

```

```

ADP,... [cc, nsubj, ROOT, dobj, prep, amod, pobj, prep... [(ConjType=Cmp),
(Case=Nom, Gender=Masc, Numbe... 1.466667 0
0
4 3JAOYN9IHL25ZQAUUV5EJZ4GHOKL33L bible The same day the king made the middle
of the c... bronze altar 0.214286 The same day the king made the middle of
the c... False [DET, ADJ, NOUN, DET, NOUN, VERB, DET, NOUN,
A... [det, amod, npadvmod, det, nsubj, ccomp, det, ... [(Definite=Def,
PronType=Art), (Degree=Pos), (... 1.352113 0
0
id corpus
sentence token complexity
sentence_no_contractions contraction_expanded
pos_sequence dep_sequence
morph_sequence morph_complexity binary_complexity
binary_complexity_75th_split
0 3K8CQCU3KE19US5SN890DFPK3SANWR bible But he, beckoning to them with his
hand to be ... hand 0.000000 But he, beckoning to them with his hand to
be ... False [CCONJ, PRON, PUNCT, VERB, ADP, PRON, ADP, PRO...
[cc, nsubj, punct, advcl, prep, pobj, prep, po... [(ConjType=Cmp), (Case=Nom,
Gender=Masc, Numbe... 1.703704 0
0
1 3Q2T3FD00N86LCI41NJYV3PNOBW3MV bible If I forget you, Jerusalem, let my
right hand ... hand 0.197368 If I forget you, Jerusalem, let my right
hand ... False [SCONJ, PRON, VERB, PRON, PUNCT, PROPN,
PUNCT,... [mark, nsubj, advcl, dobj, punct, npadvmod, pu... [()], (Case=Nom,
Number=Sing, Person=1, PronTyp... 1.800000 0
0
2 3ULIZOH1VA5C32JJKOTQ8Z4GUS51B bible the ten sons of Haman the son of
Hammedatha, t... hand 0.200000 the ten sons of Haman the son of
Hammedatha, t... True [DET, NUM, NOUN, ADP, PROPN, DET, NOUN,
ADP, P... [det, nummod, ROOT, prep, pobj, det, appos, pr... [(Definite=Def,
PronType=Art), (NumType=Card),... 1.269231 0
0
3 3BFFODJK8XCEIOT30ZLBPPSRMZQTSDB bible Let your hand be lifted up above your
adversar... hand 0.267857 Let your hand be lifted up above your
adversar... False [VERB, PRON, NOUN, AUX, VERB, ADP, ADP, PRON,
... [ROOT, poss, nsubjpass, auxpass, ccomp, prt, p... [(VerbForm=Inf),
(Person=2, Poss=Yes, PronType... 1.250000 0
0
4 3QREJ3J433XSBS8QMHAICCR0BQ1LKR bible Abimelech chased him, and he fled
before him, ... entrance 0.000000 Abimelech chased him, and he fled before
him, ... False [PROPN, VERB, PRON, PUNCT, CCONJ, PRON, VERB,
... [nsubj, ROOT, dobj, punct, cc, nsubj, conj, pr... [(Number=Sing),
(Tense=Past, VerbForm=Fin), (C... 1.652174 0
0
id corpus
sentence token complexity
sentence_no_contractions contraction_expanded

```

pos_sequence	dep_sequence
morph_sequence morph_complexity binary_complexity	
binary_complexity_75th_split	
0 3UXQ63NLAAMRIP4WG4XPD98AOYOBXLX bible for he had an only daughter, about twelve year... only daughter 0.025000 for he had an only daughter, about twelve year... False [SCONJ, PRON, VERB, DET, ADJ, NOUN, PUNCT, ADV... [mark, nsubj, ROOT, det, amod, dobj, punct, ad... [()], (Case=Nom, Gender=Masc, Number=Sing, Pers... 1.722222 0	
0	
1 3FJ2RVH25Z62TA3R8E1077EBUYU92W bible All these were cities fortified with high wall... high walls 0.100000 All these were cities fortified with high wall... False [DET, PRON, AUX, NOUN, VERB, ADP, ADJ, NOUN, P... [predet, nsubj, ROOT, attr, acl, prep, amod, p... [()], (Number=Plur, PronType=Dem), (Mood=Ind, T... 1.136364 0	
0	
2 3Y04AH2FPDK1PZHZAT8WAEBL70EQOF bible In the morning, 'It will be foul weather today... weather today 0.125000 In the morning, 'It will be foul weather today... False [ADP, DET, NOUN, PUNCT, PUNCT, PRON, AUX, AUX,... [prep, det, pobj, punct, punct, nsubj, aux, RO... [()], (Definite=Def, PronType=Art), (Number=Sin... 1.476190	
0	
0	
3 3X52SWXEOX5Q3081YIOMX4V84QTCWZ bible Her young children also were dashed in pieces ... young children 0.160714 Her young children also were dashed in pieces ... False [PRON, ADJ, NOUN, ADV, AUX, VERB, ADP, NOUN, A... [poss, amod, nsubjpass, advmod, auxpass, ROOT,... [(Gender=Fem, Number=Sing, Person=3, Poss=Yes,... 1.514286 0	
0	
4 32K26U12DNONTREA84Q1V8UCIH2VD7 bible All king Solomon's drinking vessels were of go... pure gold 0.178571 All king Solomon's drinking vessels were of go... False [DET, NOUN, PROPN, PART, NOUN, NOUN, AUX, ADP,... [det, compound, poss, case, compound, nsubj, c... [()], (Number=Sing), (Number=Sing), (), (Number... 1.162791 0	
0	

```
[ ]: dataframes = {
    "train_single_df": train_single_df,
    "train_multi_df": train_multi_df,
    "trial_val_single_df": trial_val_single_df,
    "trial_val_multi_df": trial_val_multi_df,
    "test_single_df": test_single_df,
    "test_multi_df": test_multi_df
}

for df_name, df in dataframes.items():
    print(f"\n=== {df_name} ===")
    print(df['binary_complexity'].value_counts())
```

```

=== train_single_df ===
binary_complexity
0    3865
1    3797
Name: count, dtype: int64

=== train_multi_df ===
binary_complexity
0     759
1     758
Name: count, dtype: int64

=== trial_val_single_df ===
binary_complexity
0     229
1     192
Name: count, dtype: int64

=== trial_val_multi_df ===
binary_complexity
1      51
0      48
Name: count, dtype: int64

=== test_single_df ===
binary_complexity
0     476
1     441
Name: count, dtype: int64

=== test_multi_df ===
binary_complexity
1      99
0      85
Name: count, dtype: int64

```

0.5.1 Create Concatenated and Alternating Features

```

[ ]: def pos_method1_concat(row):
    """
    Row-level function for Method 1 (POS):
    sentence_no_contractions + " [" + comma-separated pos_sequence + "]"
    """
    sentence = row['sentence_no_contractions']
    tags = row['pos_sequence'] # list of POS
    if not isinstance(tags, list):
        return sentence # gracefully handle missing or non-list

```

```

joined_tags = ", ".join(tags)
return f"{sentence} [{joined_tags}]"

def pos_method2_concat(row):
    """
    Row-level function for Method 2 (POS):
    Interleave tokens with [POS_TAG].
    """
    sentence = row['sentence_no_contractions']
    tags = row['pos_sequence']
    if not isinstance(tags, list):
        return sentence
    tokens = sentence.split()
    interleaved = []
    for tok, pos in zip(tokens, tags):
        interleaved.append(f"{tok} [{pos}]")
    leftover_tokens = tokens[len(tags):]
    interleaved.extend(leftover_tokens)
    return " ".join(interleaved)

def create_pos_method1(df):
    """Creates column snc_pos_seq using pos_method1_concat."""
    df['snc_pos_seq'] = df.apply(pos_method1_concat, axis=1)

def create_pos_method2(df):
    """Creates column snc_pos_alt using pos_method2_concat."""
    df['snc_pos_alt'] = df.apply(pos_method2_concat, axis=1)

for df_name, df in dataframes.items():
    create_pos_method1(df)    # => snc_pos_seq
    create_pos_method2(df)    # => snc_pos_alt

```

```

[ ]: def morph_method1_concat(row):
    """
    Row-level function for Method 1 (Morph):
    sentence_no_contractions + " [" + comma-separated morph_sequence + "]"
    Where each morph is parenthesized like (Number=Sing), etc.
    """
    sentence = row['sentence_no_contractions']
    morphs = row['morph_sequence'] # list of morph feature strings
    if not isinstance(morphs, list):
        return sentence
    joined_morphs = ", ".join(f"({m})" for m in morphs)
    return f"{sentence} [{joined_morphs}]"

def morph_method2_concat(row):
    """

```

```

Row-level function for Method 2 (Morph):
Interleave tokens with [{morph}].
Example: "bread [(Number=Sing)] dough [(Degree=Pos)] ..."
"""

sentence = row['sentence_no_contractions']
morphs = row['morph_sequence']
if not isinstance(morphs, list):
    return sentence

tokens = sentence.split()
interleaved = []
for tok, morph in zip(tokens, morphs):
    interleaved.append(f"{tok} [{morph}]")
leftover_tokens = tokens[len(morphs):]
interleaved.extend(leftover_tokens)
return " ".join(interleaved)

def create_morph_method1(df):
    """Creates column snc_morph_seq using morph_method1_concat."""
    df['snc_morph_seq'] = df.apply(morph_method1_concat, axis=1)

def create_morph_method2(df):
    """Creates column snc_morph_alt using morph_method2_concat."""
    df['snc_morph_alt'] = df.apply(morph_method2_concat, axis=1)

for df_name, df in dataframes.items():
    create_morph_method1(df) # => snc_morph_seq
    create_morph_method2(df) # => snc_morph_alt

```

```

[ ]: def dep_method1_concat(row):
    """
    Row-level function for Method 1 (Dependency):
    sentence_no_contractions + " [" + comma-separated dep_sequence + "]"
    """

    sentence = row['sentence_no_contractions']
    deps = row['dep_sequence'] # list of dependency tags
    if not isinstance(deps, list):
        return sentence
    joined_deps = ", ".join(deps)
    return f"{sentence} [{joined_deps}]"

def dep_method2_concat(row):
    """
    Row-level function for Method 2 (Dependency):
    Interleave tokens with [DEP_TAG].
    """

    sentence = row['sentence_no_contractions']

```

```

deps = row['dep_sequence']
if not isinstance(deps, list):
    return sentence

tokens = sentence.split()
interleaved = []
for tok, dep in zip(tokens, deps):
    interleaved.append(f"{tok} [{dep}]")
leftover_tokens = tokens[len(deps):]
interleaved.extend(leftover_tokens)
return " ".join(interleaved)

def create_dep_method1(df):
    """Creates column snc_dep_seq using dep_method1_concat."""
    df['snc_dep_seq'] = df.apply(dep_method1_concat, axis=1)

def create_dep_method2(df):
    """Creates column snc_dep_alt using dep_method2_concat."""
    df['snc_dep_alt'] = df.apply(dep_method2_concat, axis=1)

for df_name, df in dataframes.items():
    create_dep_method1(df)    # => snc_dep_seq
    create_dep_method2(df)    # => snc_dep_alt (optional if needed)

```

```

[ ]: def morph_complexity_concat(row):
    """
    Row-level function for appending the numeric 'morph_complexity'
    to the end of sentence_no_contractions.
    """
    sentence = row['sentence_no_contractions']
    mc = row['morph_complexity']
    if pd.isna(mc):
        return sentence    # handle missing
    return f"{sentence} {mc}"

def create_morph_complexity_value(df):
    """
    - For each row, produce:
        sentence_no_contractions + " " + str(morph_complexity)
    - Store result in 'snc_morph_complexity_value'.
    """
    df['snc_morph_complexity_value'] = df.apply(morph_complexity_concat, axis=1)

for df_name, df in dataframes.items():
    create_morph_complexity_value(df)    # => snc_morph_complexity_value

```



```
[ ]: # verify column headers
```

```
dataframes = [train_single_df, train_multi_df, trial_val_single_df,
               trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.info())
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 7662 entries, 0 to 7661
```

```
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype
0	id	7662 non-null	object
1	corpus	7662 non-null	object
2	sentence	7662 non-null	object
3	token	7655 non-null	object
4	complexity	7662 non-null	float64
5	sentence_no_contractions	7662 non-null	object
6	contraction_expanded	7662 non-null	bool
7	pos_sequence	7662 non-null	object
8	dep_sequence	7662 non-null	object
9	morph_sequence	7662 non-null	object
10	morph_complexity	7662 non-null	float64
11	binary_complexity	7662 non-null	int64
12	binary_complexity_75th_split	7662 non-null	int64
13	snc_pos_seq	7662 non-null	object
14	snc_pos_alt	7662 non-null	object
15	snc_morph_seq	7662 non-null	object
16	snc_morph_alt	7662 non-null	object
17	snc_dep_seq	7662 non-null	object
18	snc_dep_alt	7662 non-null	object
19	snc_morph_complexity_value	7662 non-null	object

```
dtypes: bool(1), float64(2), int64(2), object(15)
```

```
memory usage: 1.1+ MB
```

```
None
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 1517 entries, 0 to 1516
```

```
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype
0	id	1517 non-null	object
1	corpus	1517 non-null	object
2	sentence	1517 non-null	object
3	token	1517 non-null	object
4	complexity	1517 non-null	float64
5	sentence_no_contractions	1517 non-null	object
6	contraction_expanded	1517 non-null	bool
7	pos_sequence	1517 non-null	object

```

8   dep_sequence          1517 non-null object
9   morph_sequence        1517 non-null object
10  morph_complexity       1517 non-null float64
11  binary_complexity      1517 non-null int64
12  binary_complexity_75th_split 1517 non-null int64
13  snc_pos_seq           1517 non-null object
14  snc_pos_alt           1517 non-null object
15  snc_morph_seq         1517 non-null object
16  snc_morph_alt         1517 non-null object
17  snc_dep_seq           1517 non-null object
18  snc_dep_alt           1517 non-null object
19  snc_morph_complexity_value 1517 non-null object
dtypes: bool(1), float64(2), int64(2), object(15)
memory usage: 226.8+ KB
None

```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 421 entries, 0 to 420
```

```
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype
0	id	421 non-null	object
1	corpus	421 non-null	object
2	sentence	421 non-null	object
3	token	421 non-null	object
4	complexity	421 non-null	float64
5	sentence_no_contractions	421 non-null	object
6	contraction_expanded	421 non-null	bool
7	pos_sequence	421 non-null	object
8	dep_sequence	421 non-null	object
9	morph_sequence	421 non-null	object
10	morph_complexity	421 non-null	float64
11	binary_complexity	421 non-null	int64
12	binary_complexity_75th_split	421 non-null	int64
13	snc_pos_seq	421 non-null	object
14	snc_pos_alt	421 non-null	object
15	snc_morph_seq	421 non-null	object
16	snc_morph_alt	421 non-null	object
17	snc_dep_seq	421 non-null	object
18	snc_dep_alt	421 non-null	object
19	snc_morph_complexity_value	421 non-null	object

```
dtypes: bool(1), float64(2), int64(2), object(15)
```

```
memory usage: 63.0+ KB
```

```
None
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 99 entries, 0 to 98
```

```
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype
---	--------	----------------	-------

0	id	99 non-null	object
1	corpus	99 non-null	object
2	sentence	99 non-null	object
3	token	99 non-null	object
4	complexity	99 non-null	float64
5	sentence_no_contractions	99 non-null	object
6	contraction_expanded	99 non-null	bool
7	pos_sequence	99 non-null	object
8	dep_sequence	99 non-null	object
9	morph_sequence	99 non-null	object
10	morph_complexity	99 non-null	float64
11	binary_complexity	99 non-null	int64
12	binary_complexity_75th_split	99 non-null	int64
13	snc_pos_seq	99 non-null	object
14	snc_pos_alt	99 non-null	object
15	snc_morph_seq	99 non-null	object
16	snc_morph_alt	99 non-null	object
17	snc_dep_seq	99 non-null	object
18	snc_dep_alt	99 non-null	object
19	snc_morph_complexity_value	99 non-null	object

dtypes: bool(1), float64(2), int64(2), object(15)

memory usage: 14.9+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 917 entries, 0 to 916

Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	id	917 non-null	object
1	corpus	917 non-null	object
2	sentence	917 non-null	object
3	token	917 non-null	object
4	complexity	917 non-null	float64
5	sentence_no_contractions	917 non-null	object
6	contraction_expanded	917 non-null	bool
7	pos_sequence	917 non-null	object
8	dep_sequence	917 non-null	object
9	morph_sequence	917 non-null	object
10	morph_complexity	917 non-null	float64
11	binary_complexity	917 non-null	int64
12	binary_complexity_75th_split	917 non-null	int64
13	snc_pos_seq	917 non-null	object
14	snc_pos_alt	917 non-null	object
15	snc_morph_seq	917 non-null	object
16	snc_morph_alt	917 non-null	object
17	snc_dep_seq	917 non-null	object
18	snc_dep_alt	917 non-null	object
19	snc_morph_complexity_value	917 non-null	object

dtypes: bool(1), float64(2), int64(2), object(15)

memory usage: 137.1+ KB

None

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 184 entries, 0 to 183

Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	id	184 non-null	object
1	corpus	184 non-null	object
2	sentence	184 non-null	object
3	token	184 non-null	object
4	complexity	184 non-null	float64
5	sentence_no_contractions	184 non-null	object
6	contraction_expanded	184 non-null	bool
7	pos_sequence	184 non-null	object
8	dep_sequence	184 non-null	object
9	morph_sequence	184 non-null	object
10	morph_complexity	184 non-null	float64
11	binary_complexity	184 non-null	int64
12	binary_complexity_75th_split	184 non-null	int64
13	snc_pos_seq	184 non-null	object
14	snc_pos_alt	184 non-null	object
15	snc_morph_seq	184 non-null	object
16	snc_morph_alt	184 non-null	object
17	snc_dep_seq	184 non-null	object
18	snc_dep_alt	184 non-null	object
19	snc_morph_complexity_value	184 non-null	object

dtypes: bool(1), float64(2), int64(2), object(15)

memory usage: 27.6+ KB

None

```
[ ]: # inspect each df

dataframes = [train_single_df, train_multi_df, trial_val_single_df,
               trial_val_multi_df, test_single_df, test_multi_df]
for df in dataframes:
    print(df.head())
```

```

                                     id corpus
sentence      token  complexity
sentence_no_contractions  contraction_expanded
pos_sequence                                     dep_sequence
morph_sequence  morph_complexity  binary_complexity
binary_complexity_75th_split                                     snc_pos_seq
snc_pos_alt                                     snc_morph_seq
snc_morph_alt                                     snc_dep_seq
snc_dep_alt                                     snc_morph_complexity_value
```

0 3ZLW647WALVGE8EBR50EGUBPU4P32A bible Behold, there came up out of the river seven c... river 0.000000 Behold, there came up out of the river seven c... False [ADV, PUNCT, PRON, VERB, ADP, ADP, ADP, DET, N... [advmod, punct, expl, ROOT, prt, prep, prep, d... [()], (PunctType=Comm), (), (Tense=Past, VerbFo... 1.041667 0

0 Behold, there came up out of the river seven c... Behold, [ADV] there [PUNCT] came [PRON] up [VE... Behold, there came up out of the river seven c... Behold, [()] there [(PunctType=Comm)] came [()]... Behold, there came up out of the river seven c... Behold, [advmod] there [punct] came [expl] up ... Behold, there came up out of the river seven c...

1 34ROBODSP1ZBN3DVY8J8XSIY551E5C bible I am a fellow bondservant with you and with yo... brothers 0.000000 I am a fellow bondservant with you and with yo... False [PRON, AUX, DET, ADJ, NOUN, ADP, PRON, CCONJ, ... [nsubj, ROOT, det, amod, attr, prep, pobj, cc,... [(Case=Nom, Number=Sing, Person=1, PronType=Pr... 1.461538 0

0 I am a fellow bondservant with you and with yo... I [PRON] am [AUX] a [DET] fellow [ADJ] bondser... I am a fellow bondservant with you and with yo... I [(Case=Nom|Number=Sing|Person=1|PronType=Prs... I am a fellow bondservant with you and with yo... I [nsubj] am [ROOT] a [det] fellow [amod] bond... I am a fellow bondservant with you and with yo...

2 3S1WOPCJFGTJU2SGNAN2Y213N6WJE3 bible The man, the lord of the land, said to us, 'By... brothers 0.050000 The man, the lord of the land, said to us, 'By... False [DET, NOUN, PUNCT, DET, PROPN, ADP, DET, NOUN,... [det, nsubj, punct, det, appos, prep, det, pobj... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.354167 0

0 The man, the lord of the land, said to us, 'By... The [DET] man, [NOUN] the [PUNCT] lord [DET] o... The man, the lord of the land, said to us, 'By... The [(Definite=Def|PronType=Art)] man, [(Numbe... The man, the lord of the land, said to us, 'By... The [det] man, [nsubj] the [punct] lord [det] ... The man, the lord of the land, said to us, 'By...

3 3BFNCI9LYKQN09BHXHH9CLSX5KP738 bible Shimei had sixteen sons and six daughters; but... brothers 0.150000 Shimei had sixteen sons and six daughters; but... True [PROPN, VERB, NUM, NOUN, CCONJ, NUM, NOUN, PUN... [nsubj, ROOT, nummod, dobj, cc, nummod, conj, ... [(Number=Sing), (Tense=Past, VerbForm=Fin), (N... 1.275862 0

0 Shimei had sixteen sons and six daughters; but... Shimei [PROPN] had [VERB] sixteen [NUM] sons [... Shimei had sixteen sons and six daughters; but... Shimei [(Number=Sing)] had [(Tense=Past|VerbFo... Shimei had sixteen sons and six daughters; but... Shimei [nsubj] had [ROOT] sixteen [nummod] son... Shimei had sixteen sons and six daughters; but...

4 3G5RUKN2EC3YIWSKUXZ8ZVH95R49N2 bible "He has put my brothers far from me. brothers 0.263889 "He has put my brothers far from me. False [PUNCT, PRON, AUX, VERB, PRON, NOUN, ADV, ADP,... [punct, nsubj, aux, ROOT, poss, dobj, advmod, ... [(PunctSide=Ini, PunctType=Quot), (Case=Nom, G... 2.500000 0

0 "He has put my brothers far from me. [PUNCT, P... "He [PUNCT] has [PRON] put [AUX] my [VERB] bro... "He has put my brothers far from me. [(PunctSi... "He [(PunctSide=Ini|PunctType=Quot)] has [(Cas... "He has put my brothers far from

```

me. [punct, n... "He [punct] has [nsubj] put [aux] my [ROOT] br...
"He has put my brothers far from me. 2.5
                                id corpus
sentence          token complexity
sentence_no_contractions contraction_expanded
pos_sequence                                dep_sequence
morph_sequence morph_complexity binary_complexity
binary_complexity_75th_split                                snc_pos_seq
snc_pos_alt                                snc_morph_seq
snc_morph_alt                                snc_dep_seq
snc_dep_alt                                snc_morph_complexity_value
0 3S37Y8CWI80N8KVM53U4E6JKCDC4WE bible but the seventh day is a Sabbath to
Yahweh you... seventh day 0.027778 but the seventh day is a Sabbath to
Yahweh you... False [CCONJ, DET, ADJ, NOUN, AUX, DET, PROPN,
ADP, ... [cc, det, amod, nsubj, ccomp, det, attr, prep,... [(ConjType=Cmp),
(Definite=Def, PronType=Art),... 1.341772 0
0 but the seventh day is a Sabbath to Yahweh you... but [CCONJ] the [DET]
seventh [ADJ] day [NOUN]... but the seventh day is a Sabbath to Yahweh you...
but [(ConjType=Cmp)] the [(Definite=Def|PronTy... but the seventh day is a
Sabbath to Yahweh you... but [cc] the [det] seventh [amod] day [nsubj] ... but
the seventh day is a Sabbath to Yahweh you...
1 3WGCNLZJKF877FYC1Q6COKNWDWD11 bible But let each man test his own work,
and then h... own work 0.050000 But let each man test his own work,
and then h... False [CCONJ, VERB, DET, NOUN, VERB, PRON, ADJ,
NOUN... [cc, ROOT, det, nsubj, ccomp, poss, amod, dobj... [(ConjType=Cmp),
(VerbForm=Inf), (), (Number=S... 1.608696 0
0 But let each man test his own work, and then h... But [CCONJ] let [VERB]
each [DET] man [NOUN] t... But let each man test his own work, and then h...
But [(ConjType=Cmp)] let [(VerbForm=Inf)] each... But let each man test his own
work, and then h... But [cc] let [ROOT] each [det] man [nsubj] tes... But let
each man test his own work, and then h...
2 3UOMW19E6D6WQ5TH2HDD74IVKTP5CB bible To him who by understanding made the
heavens; ... loving kindness 0.050000 To him who by understanding made the
heavens; ... False [ADP, PRON, PRON, ADP, VERB, VERB, DET,
NOUN, ... [prep, pobj, nsubj, prep, pcomp, advcl, det, d... [()], (Case=Acc,
Gender=Masc, Number=Sing, Pers... 1.562500 0
0 To him who by understanding made the heavens; ... To [ADP] him [PRON] who
[PRON] by [ADP] unders... To him who by understanding made the heavens; ... To
[()] him [(Case=Acc|Gender=Masc|Number=Sing... To him who by understanding made
the heavens; ... To [prep] him [pobj] who [nsubj] by [prep] und... To him who
by understanding made the heavens; ...
3 36JW4WBRO6KF9AXMUL4N476OMF8FHD bible Remember to me, my God, this also, and
spare m... loving kindness 0.050000 Remember to me, my God, this also, and
spare m... False [VERB, ADP, PRON, PUNCT, PRON, PROPN, PUNCT,
P... [ROOT, prep, pobj, punct, poss, npadvmod, punc... [(VerbForm=Inf), (),
(Case=Acc, Number=Sing, P... 1.590909 0
0 Remember to me, my God, this also, and spare m... Remember [VERB] to [ADP]
me, [PRON] my [PUNCT]... Remember to me, my God, this also, and spare m...

```

Remember [(VerbForm=Inf)] to [()] me, [(Case=A... Remember to me, my God, this also, and spare m... Remember [ROOT] to [prep] me, [pobj] my [punct... Remember to me, my God, this also, and spare m...

4 3HRWUH63QU2FH9Q8R7MRNFC7JX2N5A bible Because your loving kindness is better than li... loving kindness 0.075000 Because your loving kindness is better than li... False [SCONJ, PRON, ADJ, NOUN, AUX, ADJ, ADP, NOUN, ... [mark, poss, amod, nsubj, advcl, acomp, prep, ... [()], (Person=2, Poss=Yes, PronType=Prs), (Degr... 1.600000 0

0 Because your loving kindness is better than li... Because [SCONJ] your [PRON] loving [ADJ] kindn... Because your loving kindness is better than li... Because [()] your [(Person=2|Poss=Yes|PronType=... Because your loving kindness is better than li... Because [mark] your [poss] loving [amod] kindn... Because your loving kindness is better than li...

id corpus

sentence token complexity	sentence_no_contractions
contraction_expanded	pos_sequence
dep_sequence	morph_sequence
morph_complexity binary_complexity binary_complexity_75th_split	
snc_pos_seq	snc_pos_alt
snc_morph_seq	snc_morph_alt
snc_dep_seq	snc_dep_alt
snc_morph_complexity_value	
0 3QI9WAYOGQB8GQIR4MDIEFOD2RLS67 bible They will not hurt nor destroy in all my holy ... sea 0.000000 They will not hurt nor destroy in all my holy ... False [PRON, AUX, PART, VERB, CCONJ, VERB, ADP, PRON... [nsubj, aux, neg, ccomp, cc, conj, prep, prede... [(Case=Nom, Number=Plur, Person=3, PronType=Pr... 1.129032 0	
0 They will not hurt nor destroy in all my holy ... They [PRON] will [AUX] not [PART] hurt [VERB] ... They will not hurt nor destroy in all my holy ... They [(Case=Nom Number=Plur Person=3 PronType=... They will not hurt nor destroy in all my holy ... They [nsubj] will [aux] not [neg] hurt [ccomp]... They will not hurt nor destroy in all my holy ...	
1 3T8DUCXYON6WD9X4RTLK8UN1U929TF bible that sends ambassadors by the sea, even in ves... sea 0.102941 that sends ambassadors by the sea, even in ves... False [PRON, VERB, NOUN, ADP, DET, NOUN, PUNCT, ADV,... [nsubj, ROOT, dobj, prep, det, pobj, punct, ad... [(PronType=Rel), (Number=Sing, Person=3, Tense... 1.263158 0	
0 that sends ambassadors by the sea, even in ves... that [PRON] sends [VERB] ambassadors [NOUN] by... that sends ambassadors by the sea, even in ves... that [(PronType=Rel)] sends [(Number=Sing Pers... that sends ambassadors by the sea, even in ves... that [nsubj] sends [ROOT] ambassadors [dobj] b... that sends ambassadors by the sea, even in ves...	
2 3I7KR83SNADXAQ7HXXK7S7305BYB9KD bible and they entered into the boat, and were going... sea 0.109375 and they entered into the boat, and were going... False [CCONJ, PRON, VERB, ADP, DET, NOUN, PUNCT, CCO... [cc, nsubj, ROOT, prep, det, pobj, punct, cc, ... [(ConjType=Cmp), (Case=Nom, Number=Plur, Perso... 1.437500 0	
0 and they entered into the boat, and were going... and [CCONJ] they [PRON]	

entered [VERB] into [A... and they entered into the boat, and were going...
and [(ConjType=Cmp)] they [(Case=Nom|Number=Pl... and they entered into the
boat, and were going... and [cc] they [nsubj] entered [ROOT] into [pre... and
they entered into the boat, and were going...

3 3B03NEOQMOHK9ERYPN0GQIWCP4IAQ bible Joseph laid up grain as the sand of
the sea, v... sea 0.160714 Joseph laid up grain as the sand of the sea,
v... False [PROPN, VERB, ADP, NOUN, ADP, DET, NOUN, ADP, ...
[nsubj, ROOT, prt, dobj, prep, det, pobj, prep... [(Number=Sing), (Tense=Past,
VerbForm=Fin), ()... 1.400000 0

0 Joseph laid up grain as the sand of the sea, v... Joseph [PROPN] laid [VERB]
up [ADP] grain [NOU... Joseph laid up grain as the sand of the sea, v...
Joseph [(Number=Sing)] laid [(Tense=Past|VerbF... Joseph laid up grain as the
sand of the sea, v... Joseph [nsubj] laid [ROOT] up [prt] grain [dob... Joseph
laid up grain as the sand of the sea, v...

4 3Y3CZJSZ9KTOW7I0KE38WZHHKSW5RH bible There will be a highway for the
remnant that i... land 0.000000 There will be a highway for the remnant
that i... False [PRON, AUX, AUX, DET, NOUN, ADP, DET, NOUN,
PR... [expl, aux, ROOT, det, attr, prep, det, pobj, ... [()], (VerbForm=Fin),
(VerbForm=Inf), (Definite... 1.277778 0

0 There will be a highway for the remnant that i... There [PRON] will [AUX] be
[AUX] a [DET] highw... There will be a highway for the remnant that i... There
[()] will [(VerbForm=Fin)] be [(VerbForm... There will be a highway for the
remnant that i... There [expl] will [aux] be [ROOT] a [det] high... There will
be a highway for the remnant that i...

id corpus

sentence	token	complexity	
sentence_no_contractions	contraction_expanded		
pos_sequence		dep_sequence	
morph_sequence	morph_complexity	binary_complexity	
binary_complexity_75th_split			snc_pos_seq
snc_pos_alt		snc_morph_seq	
snc_morph_alt		snc_dep_seq	
snc_dep_alt		snc_morph_complexity_value	

0 31HLTCK4BLVQ5B01AUR91TX9V9IVGH bible The name of one son was Gershom, for
Moses sai... foreign land 0.000000 The name of one son was Gershom, for
Moses sai... False [DET, NOUN, ADP, NUM, NOUN, AUX, PROPN,
PUNCT,... [det, nsubj, prep, nummod, pobj, ROOT, attr, p... [(Definite=Def,
PronType=Art), (Number=Sing), ... 1.520000 0

0 The name of one son was Gershom, for Moses sai... The [DET] name [NOUN] of
[ADP] one [NUM] son [... The name of one son was Gershom, for Moses sai... The
[(Definite=Def|PronType=Art)] name [(Numbe... The name of one son was Gershom,
for Moses sai... The [det] name [nsubj] of [prep] one [nummod] ... The name of
one son was Gershom, for Moses sai...

1 389A2A3040IXVY7G5B71Q9M43LEOCL bible unleavened bread, unleavened cakes
mixed with ... wheat flour 0.157895 unleavened bread, unleavened cakes
mixed with ... False [ADJ, NOUN, PUNCT, ADJ, NOUN, VERB, ADP,
NOUN,... [amod, dep, punct, amod, appos, acl, prep, pob... [(Degree=Pos),
(Number=Sing), (PunctType=Comm)... 1.200000 0

0 unleavened bread, unleavened cakes mixed with ... unleavened [ADJ] bread, [NOUN] unleavened [PUN... unleavened bread, unleavened cakes mixed with ... unleavened [(Degree=Pos)] bread, [(Number=Sing... unleavened bread, unleavened cakes mixed with ... unleavened [amod] bread, [dep] unleavened [pun... unleavened bread, unleavened cakes mixed with ...

2 31N9JPQXIPIRX2A3S9NOCCFX06TNHR bible However the high places were not taken away; t... burnt incense 0.200000 However the high places were not taken away; t... False [ADV, DET, ADJ, NOUN, AUX, PART, VERB, ADV, PU... [advmod, det, amod, nsubjpass, auxpass, neg, c... [()], (Definite=Def, PronType=Art), (Degree=Pos... 1.190476 0

0 However the high places were not taken away; t... However [ADV] the [DET] high [ADJ] places [NOU... However the high places were not taken away; t... However [()] the [(Definite=Def|PronType=Art)]... However the high places were not taken away; t... However [advmod] the [det] high [amod] places ... However the high places were not taken away; t...

3 3JVP4ZJHDPS081TGXL3N1CKZGQY0IN bible and he burnt incense of sweet spices on it, as... burnt incense 0.250000 and he burnt incense of sweet spices on it, as... False [CCONJ, PRON, VERB, NOUN, ADP, ADJ, NOUN, ADP,... [cc, nsubj, ROOT, dobj, prep, amod, pobj, prep... [(ConjType=Cmp), (Case=Nom, Gender=Masc, Numbe... 1.466667 0

0 and he burnt incense of sweet spices on it, as... and [CCONJ] he [PRON] burnt [VERB] incense [NO... and he burnt incense of sweet spices on it, as... and [(ConjType=Cmp)] he [(Case=Nom|Gender=Masc... and he burnt incense of sweet spices on it, as... and [cc] he [nsubj] burnt [ROOT] incense [dobj... and he burnt incense of sweet spices on it, as...

4 3JAOYN9IHL25ZQAUUV5EJZ4GHOKL33L bible The same day the king made the middle of the c... bronze altar 0.214286 The same day the king made the middle of the c... False [DET, ADJ, NOUN, DET, NOUN, VERB, DET, NOUN, A... [det, amod, npadvmod, det, nsubj, ccomp, det, ... [(Definite=Def, PronType=Art), (Degree=Pos), (... 1.352113 0

0 The same day the king made the middle of the c... The [DET] same [ADJ] day [NOUN] the [DET] king... The same day the king made the middle of the c... The [(Definite=Def|PronType=Art)] same [(Degre... The same day the king made the middle of the c... The [det] same [amod] day [npadvmod] the [det]... The same day the king made the middle of the c...

id corpus

sentence	token	complexity	
sentence_no_contractions	contraction_expanded		
pos_sequence		dep_sequence	
morph_sequence	morph_complexity	binary_complexity	
binary_complexity_75th_split			snc_pos_seq
snc_pos_alt		snc_morph_seq	
snc_morph_alt		snc_dep_seq	
snc_dep_alt		snc_morph_complexity_value	

0 3K8CQCU3KE19US5SN890DFPK3SANWR bible But he, beckoning to them with his hand to be ... hand 0.000000 But he, beckoning to them with his hand to be ... False [CCONJ, PRON, PUNCT, VERB, ADP, PRON, ADP, PRO... [cc, nsubj, punct, advcl, prep, pobj, prep, po... [(ConjType=Cmp), (Case=Nom,

Gender=Masc, Numbe... 1.703704 0

0 But he, beckoning to them with his hand to be ... But [CCONJ] he, [PRON] beckoning [PUNCT] to [V... But he, beckoning to them with his hand to be ... But [(ConjType=Cmp)] he, [(Case=Nom|Gender=Mas... But he, beckoning to them with his hand to be ... But [cc] he, [nsubj] beckoning [punct] to [adv... But he, beckoning to them with his hand to be ...

1 3Q2T3FDOON86LCI41NJYV3PNOBW3MV bible If I forget you, Jerusalem, let my right hand ... hand 0.197368 If I forget you, Jerusalem, let my right hand ... False [SCONJ, PRON, VERB, PRON, PUNCT, PROPN, PUNCT,... [mark, nsubj, advcl, dobj, punct, npadvmod, pu... [()], (Case=Nom, Number=Sing, Person=1, PronTyp... 1.800000 0

0 If I forget you, Jerusalem, let my right hand ... If [SCONJ] I [PRON] forget [VERB] you, [PRON] ... If I forget you, Jerusalem, let my right hand ... If [()] I [(Case=Nom|Number=Sing|Person=1|Pron... If I forget you, Jerusalem, let my right hand ... If [mark] I [nsubj] forget [advcl] you, [dobj]... If I forget you, Jerusalem, let my right hand ...

2 3ULIZOH1VA5C32JJKOTQ8Z4GUS51B bible the ten sons of Haman the son of Hammedatha, t... hand 0.200000 the ten sons of Haman the son of Hammedatha, t... True [DET, NUM, NOUN, ADP, PROPN, DET, NOUN, ADP, P... [det, nummod, ROOT, prep, pobj, det, appos, pr... [(Definite=Def, PronType=Art), (NumType=Card),... 1.269231 0

0 the ten sons of Haman the son of Hammedatha, t... the [DET] ten [NUM] sons [NOUN] of [ADP] Haman... the ten sons of Haman the son of Hammedatha, t... the [(Definite=Def|PronType=Art)] ten [(NumTyp... the ten sons of Haman the son of Hammedatha, t... the [det] ten [nummod] sons [ROOT] of [prep] H... the ten sons of Haman the son of Hammedatha, t...

3 3BFFODJK8XCEIOT3OZLBPPSRMZQTSDB bible Let your hand be lifted up above your adversar... hand 0.267857 Let your hand be lifted up above your adversar... False [VERB, PRON, NOUN, AUX, VERB, ADP, ADP, PRON, ... [ROOT, poss, nsubjpass, auxpass, ccomp, prt, p... [(VerbForm=Inf), (Person=2, Poss=Yes, PronType... 1.250000 0

0 Let your hand be lifted up above your adversar... Let [VERB] your [PRON] hand [NOUN] be [AUX] li... Let your hand be lifted up above your adversar... Let [(VerbForm=Inf)] your [(Person=2|Poss=Yes|... Let your hand be lifted up above your adversar... Let [ROOT] your [poss] hand [nsubjpass] be [au... Let your hand be lifted up above your adversar...

4 3QREJ3J433XSBS8QMHAICCRQBQ1LKR bible Abimelech chased him, and he fled before him, ... entrance 0.000000 Abimelech chased him, and he fled before him, ... False [PROPN, VERB, PRON, PUNCT, CCONJ, PRON, VERB, ... [nsubj, ROOT, dobj, punct, cc, nsubj, conj, pr... [(Number=Sing), (Tense=Past, VerbForm=Fin), (C... 1.652174 0

0 Abimelech chased him, and he fled before him, ... Abimelech [PROPN] chased [VERB] him, [PRON] an... Abimelech chased him, and he fled before him, ... Abimelech [(Number=Sing)] chased [(Tense=Past|... Abimelech chased him, and he fled before him, ... Abimelech [nsubj] chased [ROOT] him, [dobj] an... Abimelech chased him, and he fled before him, ...

id corpus

sentence token complexity

sentence_no_contractions contraction_expanded
 pos_sequence dep_sequence
 morph_sequence morph_complexity binary_complexity
 binary_complexity_75th_split snc_pos_seq
 snc_pos_alt snc_morph_seq
 snc_morph_alt snc_dep_seq
 snc_dep_alt snc_morph_complexity_value
 0 3UXQ63NLAAMRIP4WG4XPD98AOYOBXLX bible for he had an only daughter, about
 twelve year... only daughter 0.025000 for he had an only daughter, about
 twelve year... False [SCONJ, PRON, VERB, DET, ADJ, NOUN, PUNCT,
 ADV... [mark, nsubj, ROOT, det, amod, dobj, punct, ad... [()], (Case=Nom,
 Gender=Masc, Number=Sing, Pers... 1.722222 0
 0 for he had an only daughter, about twelve year... for [SCONJ] he [PRON] had
 [VERB] an [DET] only... for he had an only daughter, about twelve year... for
 [()] he [(Case=Nom|Gender=Masc|Number=Sing... for he had an only daughter,
 about twelve year... for [mark] he [nsubj] had [ROOT] an [det] only... for he
 had an only daughter, about twelve year...
 1 3FJ2RVH25Z62TA3R8E1077EBUYU92W bible All these were cities fortified with
 high wall... high walls 0.100000 All these were cities fortified with
 high wall... False [DET, PRON, AUX, NOUN, VERB, ADP, ADJ, NOUN,
 P... [predet, nsubj, ROOT, attr, acl, prep, amod, p... [()], (Number=Plur,
 PronType=Dem), (Mood=Ind, T... 1.136364 0
 0 All these were cities fortified with high wall... All [DET] these [PRON]
 were [AUX] cities [NOUN... All these were cities fortified with high wall...
 All [()] these [(Number=Plur|PronType=Dem)] we... All these were cities
 fortified with high wall... All [predet] these [nsubj] were [ROOT] cities ...
 All these were cities fortified with high wall...
 2 3Y04AH2FPDK1PZHZA78WAE70EQOF bible In the morning, 'It will be foul
 weather today... weather today 0.125000 In the morning, 'It will be foul
 weather today... False [ADP, DET, NOUN, PUNCT, PUNCT, PRON,
 AUX, AUX,... [prep, det, pobj, punct, punct, nsubj, aux, RO... [()],
 (Definite=Def, PronType=Art), (Number=Sin... 1.476190
 0 0 In the morning, 'It will be foul weather
 today... In [ADP] the [DET] morning, [NOUN] 'It [PUNCT]... In the morning, 'It
 will be foul weather today... In [()] the [(Definite=Def|PronType=Art)] morn...
 In the morning, 'It will be foul weather today... In [prep] the [det] morning,
 [pobj] 'It [punct... In the morning, 'It will be foul weather today...
 3 3X52SWXEOX5Q3081YIOMX4V84QTCWZ bible Her young children also were dashed in
 pieces ... young children 0.160714 Her young children also were dashed in
 pieces ... False [PRON, ADJ, NOUN, ADV, AUX, VERB, ADP, NOUN,
 A... [poss, amod, nsubjpass, advmod, auxpass, ROOT,... [(Gender=Fem,
 Number=Sing, Person=3, Poss=Yes,... 1.514286 0
 0 Her young children also were dashed in pieces ... Her [PRON] young [ADJ]
 children [NOUN] also [A... Her young children also were dashed in pieces ...
 Her [(Gender=Fem|Number=Sing|Person=3|Poss=Yes... Her young children also were
 dashed in pieces ... Her [poss] young [amod] children [nsubjpass] a... Her
 young children also were dashed in pieces ...
 4 32K26U12DNONTREA84Q1V8UCIH2VD7 bible All king Solomon's drinking vessels

were of go... pure gold 0.178571 All king Solomon's drinking vessels
 were of go... False [DET, NOUN, PROPN, PART, NOUN, NOUN, AUX,
 ADP,... [det, compound, poss, case, compound, nsubj, c... [()], (Number=Sing),
 (Number=Sing), (), (Number... 1.162791 0
 0 All king Solomon's drinking vessels were of go... All [DET] king [NOUN]
 Solomon's [PROPN] drinki... All king Solomon's drinking vessels were of go...
 All [()] king [(Number=Sing)] Solomon's [(Numb... All king Solomon's drinking
 vessels were of go... All [det] king [compound] Solomon's [poss] dri... All
 king Solomon's drinking vessels were of go...

```
[ ]: dataframes = [train_single_df, train_multi_df, trial_val_single_df,
    ↪trial_val_multi_df, test_single_df, test_multi_df]

for df in dataframes:
    if hasattr(df, 'columns') and 'corpus' in df.columns:
        print(df[df['corpus'] == 'biomed'].head())
    else:
        pass
```

	id	corpus	
sentence	token	complexity	sentence_no_contractions
contraction_expanded			pos_sequence
dep_sequence			morph_sequence
morph_complexity	binary_complexity	binary_complexity_75th_split	
snc_pos_seq			snc_pos_alt
snc_morph_seq			snc_morph_alt
snc_dep_seq			snc_dep_alt
snc_morph_complexity_value			
2574	37ZQELHEQ0YDPGBEJ63D4HNT5SBNMJ	biomed	In fact, this situation gave an opportunity to... fact 0.000000 In fact, this situation gave an opportunity to... False [ADP, NOUN, PUNCT, DET, NOUN, VERB, DET, NOUN,... [prep, pobj, punct, det, nsubj, ROOT, det, dob... [()], (Number=Sing), (PunctType=Comm), (Number=... 1.000000 0 0 In fact, this situation gave an opportunity to... In [ADP] fact, [NOUN] this [PUNCT] situation [... In fact, this situation gave an opportunity to... In [()] fact, [(Number=Sing)] this [(PunctType=... In fact, this situation gave an opportunity to... In [prep] fact, [pobj] this [punct] situation ... In fact, this situation gave an opportunity to...
2575	3XUSYT70IT170QDU572CAF4MOM1DOB	biomed	It can be inferred from this fact that Nrl is ... fact 0.183333 It can be inferred from this fact that Nrl is ... False [PRON, AUX, AUX, VERB, ADP, DET, NOUN, SCONJ, ... [nsubjpass, aux, auxpass, ROOT, prep, det, pobj... [(Gender=Neut, Number=Sing, Person=3, PronType... 1.291667 0 0 It can be inferred from this fact that Nrl is ... It [PRON] can [AUX] be [AUX] inferred [VERB] f... It can be inferred from this fact that Nrl is ... It [(Gender=Neut Number=Sing Person=3 PronType... It can be inferred from this fact that Nrl is ... It [nsubjpass] can [aux] be [auxpass] inferred... It can

be inferred from this fact that Nrl is ...

2576 34R3P23QHS1HKWJHKAEN8VSOHJ9WH5 biomed The site of mutation is of interest, particula... fact 0.300000 The site of mutation is of interest, particula... False [DET, NOUN, ADP, NOUN, AUX, ADP, NOUN, PUNCT, ... [det, nsubj, prep, pobj, ccomp, prep, pobj, pu... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.083333

1 0 The site of mutation is of interest, particula... The [DET] site [NOUN] of [ADP] mutation [NOUN]... The site of mutation is of interest, particula... The [(Definite=Def|PronType=Art)] site [(Numbe... The site of mutation is of interest, particula... The [det] site [nsubj] of [prep] mutation [pobj... The site of mutation is of interest, particula...

2577 3L21G7IH47WA5QT3XMTQ15XXB1L1YG biomed This model reflects many other observed change... studies 0.000000 This model reflects many other observed change... False [DET, NOUN, VERB, ADJ, ADJ, VERB, NOUN, VERB, ... [det, nsubj, ROOT, amod, amod, amod, dobj, acl... [(Number=Sing, PronType=Dem), (Number=Sing), (... 1.428571 0

0 This model reflects many other observed change... This [DET] model [NOUN] reflects [VERB] many [... This model reflects many other observed change... This [(Number=Sing|PronType=Dem)] model [(Numb... This model reflects many other observed change... This [det] model [nsubj] reflects [ROOT] many ... This model reflects many other observed change...

2578 3ZXNP4Z39RL4GD163NL987ME58H7LR biomed Several studies have been carried out to detec... studies 0.125000 Several studies have been carried out to detec... False [ADJ, NOUN, AUX, AUX, VERB, ADP, PART, VERB, N... [amod, nsubjpass, aux, auxpass, ROOT, prt, aux... [(Degree=Pos), (Number=Plur), (Mood=Ind, Tense... 1.000000 0

0 Several studies have been carried out to detec... Several [ADJ] studies [NOUN] have [AUX] been [... Several studies have been carried out to detec... Several [(Degree=Pos)] studies [(Number=Plur)]... Several studies have been carried out to detec... Several [amod] studies [nsubjpass] have [aux] ... Several studies have been carried out to detec...

id corpus

sentence token complexity

sentence_no_contractions contraction_expanded

pos_sequence dep_sequence

morph_sequence morph_complexity binary_complexity

binary_complexity_75th_split snc_pos_seq

snc_pos_alt snc_morph_seq

snc_morph_alt snc_dep_seq

snc_dep_alt snc_morph_complexity_value

505 3D7VY91L65XB07MHGGY4DMNZO4QMB0 biomed We have found similar values for Plg-/- mice i... similar values 0.027778 We have found similar values for Plg-/- mice i... False [PRON, AUX, VERB, ADJ, NOUN, ADP, NOUN, NOUN, ... [nsubj, aux, ROOT, amod, dobj, prep, compound,... [(Case=Nom, Number=Plur, Person=1, PronType=Pr... 1.275862 0

0 We have found similar values for Plg-/- mice i... We [PRON] have [AUX] found [VERB] similar [ADJ... We have found similar values for Plg-/- mice i... We

[(Case=Nom|Number=Plur|Person=1|PronType=Pr... We have found similar values for
 Plg-/- mice i... We [nsubj] have [aux] found [ROOT] similar [am... We have
 found similar values for Plg-/- mice i...

506 3NZ1E5QA6Z1DG01BOHHIWKCD290B5N biomed Our results and the sequences we
 provide will ... global studies 0.075000 Our results and the sequences
 we provide will ... False [PRON, NOUN, CCONJ, DET, NOUN, PRON,
 VERB, AUX... [poss, nsubj, cc, det, conj, nsubj, relcl, aux... [(Number=Plur,
 Person=1, Poss=Yes, PronType=Pr... 1.304348 0
 0 Our results and the sequences we provide will ... Our [PRON] results [NOUN]
 and [CCONJ] the [DET... Our results and the sequences we provide will ... Our
 [(Number=Plur|Person=1|Poss=Yes|PronType=P... Our results and the sequences we
 provide will ... Our [poss] results [nsubj] and [cc] the [det] ... Our results
 and the sequences we provide will ...

507 3XUSYT70IT170QDU572CAF4MOM10DY biomed Although great effort was put forth
 to elimina... other factors 0.075000 Although great effort was put
 forth to elimina... False [SCONJ, ADJ, NOUN, AUX, VERB, ADV,
 PART, VERB,... [mark, amod, nsubjpass, auxpass, advcl, advmod... [()],
 (Degree=Pos), (Number=Sing), (Mood=Ind, N... 1.121951
 0 0 Although great effort was put forth to
 elimina... Although [SCONJ] great [ADJ] effort [NOUN] was... Although great
 effort was put forth to elimina... Although [()] great [(Degree=Pos)] effort
 [(Nu... Although great effort was put forth to elimina... Although [mark]
 great [amod] effort [nsubjpass... Although great effort was put forth to
 elimina...

508 3S1WOPCJFGTJU2SGNAN2Y213N78JEH biomed Complex traits, such as polygenic
 growth and o... direct effects 0.083333 Complex traits, such as
 polygenic growth and o... False [ADJ, NOUN, PUNCT, ADJ, ADP,
 ADJ, NOUN, CCONJ,... [amod, nsubjpass, punct, amod, prep, amod, pob...
 [(Degree=Pos), (Number=Plur), (PunctType=Comm)... 1.051282
 0 0 Complex traits, such as polygenic growth and
 o... Complex [ADJ] traits, [NOUN] such [PUNCT] as [... Complex traits, such as
 polygenic growth and o... Complex [(Degree=Pos)] traits, [(Number=Plur)]...
 Complex traits, such as polygenic growth and o... Complex [amod] traits,
 [nsubjpass] such [punct... Complex traits, such as polygenic growth and o...

509 3RBIOI35XE36FT7IKQ79PYCU9MQY3Y biomed As known from the frequent human
 vWF-syndrome ... normal conditions 0.100000 As known from the frequent
 human vWF-syndrome ... False [SCONJ, VERB, ADP, DET, ADJ, ADJ,
 NOUN, PUNCT,... [mark, advcl, prep, det, amod, amod, compound,... [()],
 (Aspect=Perf, Tense=Past, VerbForm=Part),... 1.032258
 0 0 As known from the frequent human vWF-syndrome
 ... As [SCONJ] known [VERB] from [ADP] the [DET] f... As known from the
 frequent human vWF-syndrome ... As [()] known
 [(Aspect=Perf|Tense=Past|VerbFor... As known from the frequent human vWF-
 syndrome ... As [mark] known [advcl] from [prep] the [det] ... As known from
 the frequent human vWF-syndrome ...

id corpus

sentence token complexity sentence_no_contractions
 contraction_expanded pos_sequence

dep_sequence		morph_sequence
morph_complexity	binary_complexity	binary_complexity_75th_split
snc_pos_seq		snc_pos_alt
snc_morph_seq		snc_morph_alt
snc_dep_seq		snc_dep_alt
snc_morph_complexity_value		
143	3BAKUKE49HC18PHHJR1WT9408EOR1Y	biomed The expression of Sam68 was not altered in agi... bone 0.027778 The expression of Sam68 was not altered in agi... False [DET, NOUN, ADP, PROPN, AUX, PART, VERB, ADP, ... [det, nsubjpass, prep, pobj, auxpass, neg, R00... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.434783 0
0	The expression of Sam68 was not altered in agi... The [DET] expression [NOUN] of [ADP] Sam68 [PR... The expression of Sam68 was not altered in agi... The [(Definite=Def PronType=Art)] expression [... The expression of Sam68 was not altered in agi... The [det] expression [nsubjpass] of [prep] Sam... The expression of Sam68 was not altered in agi...	
144	3900SQZVJN7FJBWJ87I5UJVDB007RB	biomed At skeletal maturity, bone mass is maintained ... bone 0.107143 At skeletal maturity, bone mass is maintained ... False [ADP, ADJ, NOUN, PUNCT, NOUN, NOUN, AUX, VERB,... [prep, amod, pobj, punct, compound, nsubjpass,... [()], (Degree=Pos), (Number=Sing), (PunctType=C... 1.190476 0
0	At skeletal maturity, bone mass is maintained ... At [ADP] skeletal [ADJ] maturity, [NOUN] bone ... At skeletal maturity, bone mass is maintained ... At [()] skeletal [(Degree=Pos)] maturity, [(Nu... At skeletal maturity, bone mass is maintained ... At [prep] skeletal [amod] maturity, [pobj] bon... At skeletal maturity, bone mass is maintained ...	
145	3SR6AEG6W5TL91EHZBWBTS4SQHHYV	biomed However, this reduction in bone resorption occ... bone 0.156250 However, this reduction in bone resorption occ... False [ADV, PUNCT, DET, NOUN, ADP, NOUN, NOUN, VERB,... [advmod, punct, det, nsubj, prep, compound, po... [()], (PunctType=Comm), (Number=Sing, PronType=... 1.000000 0
0	However, this reduction in bone resorption occ... However, [ADV] this [PUNCT] reduction [DET] in... However, this reduction in bone resorption occ... However, [()] this [(PunctType=Comm)] reductio... However, this reduction in bone resorption occ... However, [advmod] this [punct] reduction [det]... However, this reduction in bone resorption occ...	
146	3MIVREZQVHY32P03EMIETYQULYYKQT	biomed In contrast, our analysis of Bmpria mutant art... bone 0.218750 In contrast, our analysis of Bmpria mutant art... False [ADP, NOUN, PUNCT, PRON, NOUN, ADP, NOUN, ADJ,... [prep, pobj, punct, poss, nsubj, prep, pobj, a... [()], (Number=Sing), (PunctType=Comm), (Number=... 1.000000 0
0	In contrast, our analysis of Bmpria mutant art... In [ADP] contrast, [NOUN] our [PUNCT] analysis... In contrast, our analysis of Bmpria mutant art... In [()] contrast, [(Number=Sing)] our [(PunctT... In contrast, our analysis of Bmpria mutant art... In [prep] contrast, [pobj] our [punct] analysi... In contrast, our analysis of Bmpria mutant art...	
147	3G9UA71JVVUYLND6029WSS9M1JBJ70	biomed The skeletal phenotyping of cohorts of Sam68+/- bone 0.228261 The skeletal phenotyping of cohorts of

Sam68+/. False [DET, ADJ, NOUN, ADP, NOUN, ADP, PROPN, CCONJ,... [det, amod, nsubj, prep, pobj, prep, pobj, cc,... [(Definite=Def, PronType=Art), (Degree=Pos), (... 1.190476 0

0 The skeletal phenotyping of cohorts of Sam68+/. The [DET] skeletal [ADJ] phenotyping [NOUN] of... The skeletal phenotyping of cohorts of Sam68+/. The [(Definite=Def|PronType=Art)] skeletal [(D... The skeletal phenotyping of cohorts of Sam68+/. The [det] skeletal [amod] phenotyping [nsubj] ... The skeletal phenotyping of cohorts of Sam68+/.
id corpus

sentence token complexity
sentence_no_contractions contraction_expanded
pos_sequence dep_sequence
morph_sequence morph_complexity binary_complexity
binary_complexity_75th_split snc_pos_seq
snc_pos_alt snc_morph_seq
snc_morph_alt snc_dep_seq
snc_dep_alt snc_morph_complexity_value

29 3NSM4HLQNRUPDSMYRR2BPK23K5OQQR biomed While it is possible that dox acts in some oth... multiple studies 0.083333 While it is possible that dox acts in some oth... False [SCONJ, PRON, AUX, ADJ, SCONJ, NOUN, VERB, ADP... [mark, nsubj, advcl, acomp, mark, nsubj, ccomp... [()], (Case=Nom, Gender=Neut, Number=Sing, Pers... 1.339286 0

0 While it is possible that dox acts in some oth... While [SCONJ] it [PRON] is [AUX] possible [ADJ... While it is possible that dox acts in some oth... While [()] it [(Case=Nom|Gender=Neut|Number=Si... While it is possible that dox acts in some oth... While [mark] it [nsubj] is [advcl] possible [a... While it is possible that dox acts in some oth...

30 3GL25Y6843UI1APILCQM2JER77EMXX biomed Detailed reports on appearance and distributio... brain development 0.125000 Detailed reports on appearance and distributio... False [ADJ, NOUN, ADP, NOUN, CCONJ, NOUN, ADP, PROPN... [amod, nsubj, prep, pobj, cc, conj, prep, comp... [(Degree=Pos), (Number=Plur), (), (Number=Sing... 0.937500 0

0 Detailed reports on appearance and distributio... Detailed [ADJ] reports [NOUN] on [ADP] appeara... Detailed reports on appearance and distributio... Detailed [(Degree=Pos)] reports [(Number=Plur)... Detailed reports on appearance and distributio... Detailed [amod] reports [nsubj] on [prep] appe... Detailed reports on appearance and distributio...

31 33CLA800IBSY4BPQQGHIB8U9PHRFZ biomed The discovery of multiple and diverse roles fo... brain development 0.279412 The discovery of multiple and diverse roles fo... False [DET, NOUN, ADP, ADJ, CCONJ, ADJ, NOUN, ADP, P... [det, nsubj, prep, amod, cc, conj, pobj, prep,... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.068966

0 0 The discovery of multiple and diverse roles fo... The [DET] discovery [NOUN] of [ADP] multiple [... The discovery of multiple and diverse roles fo... The [(Definite=Def|PronType=Art)] discovery [(... The discovery of multiple and diverse roles fo... The [det] discovery [nsubj] of [prep] multiple... The discovery of multiple and diverse roles fo...

32 3HEM8MA6H9C4DGLJRENMPFCTF92QP0 biomed In the development of the mammalian

retina, a ... diverse range 0.194444 In the development of the
mammalian retina, a ... False [ADP, DET, NOUN, ADP, DET, ADJ,
NOUN, PUNCT, D... [prep, det, pobj, prep, det, amod, pobj, punct... [()],
(Definite=Def, PronType=Art), (Number=Sing... 1.200000
0 0 In the development of the mammalian retina, a
... In [ADP] the [DET] development [NOUN] of [ADP]... In the development of
the mammalian retina, a ... In [()] the [(Definite=Def|PronType=Art)] deve...
In the development of the mammalian retina, a ... In [prep] the [det]
development [pobj] of [pre... In the development of the mammalian retina, a ...
33 3M67TQBQQHORYDYVLTU3DPX96NY9AH biomed A total of 200 female mice (ten
months of age)... female mice 0.234375 A total of 200 female mice
(ten months of age)... False [DET, NOUN, ADP, NUM, ADJ, NOUN,
PUNCT, NUM, N... [det, ROOT, prep, nummod, amod, pobj, punct, n...
[(Definite=Ind, PronType=Art), (Number=Sing), ... 0.920000
0 0 A total of 200 female mice (ten months of
age)... A [DET] total [NOUN] of [ADP] 200 [NUM] female... A total of 200
female mice (ten months of age)... A [(Definite=Ind|PronType=Art)] total
[(Number... A total of 200 female mice (ten months of age)... A [det] total
[ROOT] of [prep] 200 [nummod] fe... A total of 200 female mice (ten months of
age)...

id corpus

sentence token complexity		sentence_no_contractions
contraction_expanded		pos_sequence
dep_sequence		morph_sequence
morph_complexity	binary_complexity	binary_complexity_75th_split
snc_pos_seq		snc_pos_alt
snc_morph_seq		snc_morph_alt
snc_dep_seq		snc_dep_alt
snc_morph_complexity_value		
283	31KSVEGZ34SU9QXKGFQHMZUU4REWR7	biomed The role of CAF-1 in the nuclear organization ... role 0.000000 The role of CAF-1 in the nuclear organization ... False [DET, NOUN, ADP, PROPN, ADP, DET, ADJ, NOUN, A... [det, nsubj, prep, pobj, prep, det, amod, pobj... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.045455 0
0	The role of CAF-1 in the nuclear organization ... The [DET] role [NOUN] of [ADP] CAF-1 [PROPN] i... The role of CAF-1 in the nuclear organization ... The [(Definite=Def PronType=Art)] role [(Numbe... The role of CAF-1 in the nuclear organization ... The [det] role [nsubj] of [prep] CAF-1 [pobj] ... The role of CAF-1 in the nuclear organization ...	
284	3K1H3NEY7LZ4BUOFJ9RFV7R2V2XGDM	biomed These studies might clarify whether ADAM11 pla... role 0.203125 These studies might clarify whether ADAM11 pla... False [DET, NOUN, AUX, VERB, SCONJ, PROPN, VERB, DET... [det, nsubj, aux, ROOT, mark, nsubj, ccomp, de... [(Number=Plur, PronType=Dem), (Number=Plur), (... 1.360000 0
0	These studies might clarify whether ADAM11 pla... These [DET] studies [NOUN] might [AUX] clarify... These studies might clarify whether ADAM11 pla... These [(Number=Plur PronType=Dem)] studies [(N... These studies might clarify whether ADAM11 pla... These [det] studies [nsubj] might [aux] clarif... These studies	

might clarify whether ADAM11 pla...

285 34OWYT6U3WH64VHTXHMGUNLSJUB9IR biomed These findings led us to hypothesize that ADAM... role 0.205882 These findings led us to hypothesize that ADAM... False [DET, NOUN, VERB, PRON, PART, VERB, SCONJ, PRO... [det, nsubj, ROOT, dobj, aux, xcomp, mark, nsu... [(Number=Plur, PronType=Dem), (Number=Plur), (... 1.576923 0

0 These findings led us to hypothesize that ADAM... These [DET] findings [NOUN] led [VERB] us [PRO... These findings led us to hypothesize that ADAM... These [(Number=Plur|PronType=Dem)] findings [(... These findings led us to hypothesize that ADAM... These [det] findings [nsubj] led [ROOT] us [do... These findings led us to hypothesize that ADAM...

286 37SQU136V7ODFKIOLXMHNIMN4G711D biomed An important role for annexins in mediating th... role 0.233333 An important role for annexins in mediating th... False [DET, ADJ, NOUN, ADP, NOUN, ADP, VERB, DET, NO... [det, amod, nsubjpass, prep, pobj, prep, pcomp... [(Definite=Ind, PronType=Art), (Degree=Pos), (... 1.400000 0

0 An important role for annexins in mediating th... An [DET] important [ADJ] role [NOUN] for [ADP]... An important role for annexins in mediating th... An [(Definite=Ind|PronType=Art)] important [(D... An important role for annexins in mediating th... An [det] important [amod] role [nsubjpass] for... An important role for annexins in mediating th...

287 30EMX9PEVKJFF53G6Q7JOY5V3MJKSI biomed Positional cloning was used to identify the mo... role 0.234375 Positional cloning was used to identify the mo... False [ADJ, NOUN, AUX, VERB, PART, VERB, DET, PROP... [amod, nsubjpass, auxpass, ROOT, aux, xcomp, d... [(Degree=Pos), (Number=Sing), (Mood=Ind, Numbe... 1.307692 0

0 Positional cloning was used to identify the mo... Positional [ADJ] cloning [NOUN] was [AUX] used... Positional cloning was used to identify the mo... Positional [(Degree=Pos)] cloning [(Number=Sin... Positional cloning was used to identify the mo... Positional [amod] cloning [nsubjpass] was [aux... Positional cloning was used to identify the mo...

id corpus

sentence token complexity

sentence_no_contractions contraction_expanded

pos_sequence dep_sequence

morph_sequence morph_complexity binary_complexity

binary_complexity_75th_split snc_pos_seq

snc_pos_alt snc_morph_seq

snc_morph_alt snc_dep_seq

snc_dep_alt snc_morph_complexity_value

66 3HXCECSQMT70MEB5X2ITZH90HQYZW biomed The work presented here has clarified two impo... important questions 0.000000 The work presented here has clarified two impo... False [DET, NOUN, VERB, ADV, AUX, VERB, NUM, ADJ, NO... [det, nsubj, acl, advmod, aux, ROOT, nummod, a... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.423077

0 0 The work presented here has clarified two impo... The [DET] work [NOUN] presented [VERB] here [A... The work presented here has clarified two impo... The [(Definite=Def|PronType=Art)] work

[(Numbe... The work presented here has clarified two impo... The [det] work [nsubj] presented [acl] here [a... The work presented here has clarified two impo...

67 306W7JMRYYYW3IKDMFOL84M44Z1B8P biomed These findings are in complete agreement with ... complete agreement 0.100000 These findings are in complete agreement with ... False [DET, NOUN, AUX, ADP, ADJ, NOUN, ADP, ADJ, NOU... [det, nsubj, ROOT, prep, amod, pobj, prep, amo... [(Number=Plur, PronType=Dem), (Number=Plur), (... 1.000000
0 0 These findings are in complete agreement with ... These [DET] findings [NOUN] are [AUX] in [ADP]... These findings are in complete agreement with ... These [(Number=Plur|PronType=Dem)] findings [(... These findings are in complete agreement with ... These [det] findings [nsubj] are [ROOT] in [pr... These findings are in complete agreement with ...

68 3CMIQF80GNQW3A3ECIODJFLCK4CQ6U biomed Recent human genetic studies have also demonstr... many cases 0.132353 Recent human genetic studies have also demonstr... False [ADJ, ADJ, ADJ, NOUN, AUX, ADV, VERB, NOUN, AD... [amod, amod, amod, nsubj, aux, advmod, ROOT, d... [(Degree=Pos), (Degree=Pos), (Degree=Pos), (Nu... 1.035714
0 0 Recent human genetic studies have also demonstr... Recent [ADJ] human [ADJ] genetic [ADJ] studies... Recent human genetic studies have also demonstr... Recent [(Degree=Pos)] human [(Degree=Pos)] gen... Recent human genetic studies have also demonstr... Recent [amod] human [amod] genetic [amod] stud... Recent human genetic studies have also demonstr...

69 3P7RGTLO6EDBF9HMPQLS3YBPHHAAKC biomed This technology should provide new possibiliti... new possibilities 0.160714 This technology should provide new possibiliti... False [DET, NOUN, AUX, VERB, ADJ, NOUN, ADP, VERB, D... [det, nsubj, aux, ROOT, amod, dobj, prep, pcom... [(Number=Sing, PronType=Dem), (Number=Sing), (... 1.250000 0
0 This technology should provide new possibiliti... This [DET] technology [NOUN] should [AUX] prov... This technology should provide new possibiliti... This [(Number=Sing|PronType=Dem)] technology [... This technology should provide new possibiliti... This [det] technology [nsubj] should [aux] pro... This technology should provide new possibiliti...

70 3XJOUITW8UR258EQ8VW6UPDQ4CNQT5 biomed Detailed genetic studies in Drosophila and Cae... genetic studies 0.194444 Detailed genetic studies in Drosophila and Cae... False [ADJ, ADJ, NOUN, ADP, PROP, CONJ, PROP, NOU... [amod, amod, nsubj, prep, nmod, cc, conj, pobj... [(Degree=Pos), (Degree=Pos), (Number=Plur), ()... 1.057143
0 0 Detailed genetic studies in Drosophila and Cae... Detailed [ADJ] genetic [ADJ] studies [NOUN] in... Detailed genetic studies in Drosophila and Cae... Detailed [(Degree=Pos)] genetic [(Degree=Pos)]... Detailed genetic studies in Drosophila and Cae... Detailed [amod] genetic [amod] studies [nsubj]... Detailed genetic studies in Drosophila and Cae...

```
[ ]: dataframes = [train_single_df, train_multi_df, trial_val_single_df,
                  trial_val_multi_df, test_single_df, test_multi_df]
```

```

for df in dataframes:
    if hasattr(df, 'columns') and 'corpus' in df.columns:
        print(df[df['corpus'] == 'europarl'].head())
    else:
        pass

```

id	corpus	sentence	token	complexity	sentence_no_contractions
5150	europarl	Despite the fact that the Treaty does not requ...	fact	0.156250	Despite the fact that the Treaty does not requ...
			False	[SCONJ, DET, NOUN, SCONJ, DET, PROPN, AUX, PAR...	
			[prep, det, pobj, mark, det, nsubj, aux, neg, ...	[()], (Definite=Def, PronType=Art), (Number=Sin...	
				1.666667	0
		Despite the fact that the Treaty does not requ...			Despite [SCONJ] the [DET] fact [NOUN] that [SC...
					Despite the fact that the Treaty does not requ...
					Despite [()] the [(Definite=Def PronType=Art)]...
					Despite the fact that the Treaty does not requ...
					Despite [prep] the [det] fact [pobj] that [mar...
					Despite the fact that the Treaty does not requ...
5151	europarl	The average consumption in the EU fluctuates b...	fact	0.236842	The average consumption in the EU fluctuates b...
			False	[DET, ADJ, NOUN, ADP, DET, PROPN, VERB, ADP, N...	
			[det, amod, nsubj, prep, det, pobj, ROOT, quan...	[(Definite=Def, PronType=Art), (Degree=Pos), (...	
				0.937500	0
		The average consumption in the EU fluctuates b...			The [DET] average [ADJ] consumption [NOUN] in ...
					The average consumption in the EU fluctuates b...
					The [(Definite=Def PronType=Art)] average [(De...
					The average consumption in the EU fluctuates b...
					The [det] average [amod] consumption [nsubj] i...
					The average consumption in the EU fluctuates b...
5152	europarl	The main Charlemagne Prize was presented on 13...	days	0.111111	The main Charlemagne Prize was presented on 13...
			False	[DET, ADJ, PROPN, PROPN, AUX, VERB, ADP, NUM, ...	
			[det, amod, compound, nsubjpass, auxpass, ROOT...	[(Definite=Def, PronType=Art), (Degree=Pos), (...	
				1.100000	0
		The main Charlemagne Prize was presented on 13...			The main Charlemagne Prize was presented on 13...
					The [DET] main [ADJ] Charlemagne [PROPN] Prize...
					The main Charlemagne Prize was presented on 13...
					The [(Definite=Def PronType=Art)] main [(Degre...
					The main Charlemagne Prize was presented on 13...
					The [det] main [amod] Charlemagne [compound] P...
					The main Charlemagne Prize was presented on 13...
5153	europarl	Commissioner, ladies and gentlemen, we have al...	days	0.116667	Commissioner, ladies and

gentlemen, we have al... False [PROPN, PUNCT, NOUN, CCONJ, NOUN, PUNCT, PRON,... [npadvmod, punct, conj, cc, conj, punct, nsubj... [(Number=Sing), (PunctType=Comm), (Number=Plur... 1.258065

0 0 Commissioner, ladies and gentlemen, we have al... Commissioner, [PROPN] ladies [PUNCT] and [NOUN... Commissioner, ladies and gentlemen, we have al... Commissioner, [(Number=Sing)] ladies [(PunctTy... Commissioner, ladies and gentlemen, we have al... Commissioner, [npadvmod] ladies [punct] and [c... Commissioner, ladies and gentlemen, we have al... 5154 3M70I89LVYOS99TV70NIZAWVGPFC6F europarl (For the outcome and other details of the vote... details 0.075000 (For the outcome and other details of the vote... False [PUNCT, ADP, DET, NOUN, CCONJ, ADJ, NOUN, ADP,... [punct, prep, det, pobj, cc, amod, conj, prep,... [(PunctSide=Ini, PunctType=Brck), (), (Definit... 1.071429 0

0 (For the outcome and other details of the vote... (For [PUNCT] the [ADP] outcome [DET] and [NOUN... (For the outcome and other details of the vote... (For [(PunctSide=Ini|PunctType=Brck)] the [()])... (For the outcome and other details of the vote... (For [punct] the [prep] outcome [det] and [pobj... (For the outcome and other details of the vote... id corpus

sentence token complexity
sentence_no_contractions contraction_expanded
pos_sequence dep_sequence
morph_sequence morph_complexity binary_complexity
binary_complexity_75th_split snc_pos_seq
snc_pos_alt snc_morph_seq
snc_morph_alt snc_dep_seq
snc_dep_alt snc_morph_complexity_value

1019 37M40367VJI9ZR58F67RA0N7E9RM5C europarl We do not know how many people are affected, b... many people 0.222222 We do not know how many people are affected, b... False [PRON, AUX, PART, VERB, SCONJ, ADJ, NOUN, AUX,... [nsubj, aux, neg, ROOT, advmod, amod, nsubjpas... [(Case=Nom, Number=Plur, Person=1, PronType=Pr... 1.480000 0

0 We do not know how many people are affected, b... We [PRON] do [AUX] not [PART] know [VERB] how ... We do not know how many people are affected, b... We [(Case=Nom|Number=Plur|Person=1|PronType=Pr... We do not know how many people are affected, b... We [nsubj] do [aux] not [neg] know [ROOT] how ... We do not know how many people are affected, b...

1020 3W1K7D6QSBHBNEL0V5OYLOJ839VBZJ europarl The issue we were discussing comes within this... major issue 0.117647 The issue we were discussing comes within this... False [DET, NOUN, PRON, AUX, VERB, VERB, ADP, DET, A... [det, nsubj, nsubj, aux, relcl, ccomp, prep, d... [(Definite=Def, PronType=Art), (Number=Sing), ... 1.621622

0 0 The issue we were discussing comes within this... The [DET] issue [NOUN] we [PRON] were [AUX] di... The issue we were discussing comes within this... The [(Definite=Def|PronType=Art)] issue [(Numb... The issue we were discussing comes within this... The [det] issue [nsubj] we [nsubj] were [aux] ... The issue we were discussing comes within this...

1021 37SQU136V70DFK10LXMHNIMN4IS112 europarl A renewed EU tourism policy: towards a stronge... European tourism 0.142857 A renewed EU tourism policy: towards a stronge... False [DET, VERB, PROPN, NOUN, NOUN, PUNCT, ADP, DET... [det, amod, compound, compound, ROOT, punct, p... [(Definite=Ind, PronType=Art), (Aspect=Perf, T... 1.187500
0 0 A renewed EU tourism policy: towards a stronge... A [DET] renewed [VERB] EU [PROPN] tourism [NOU... A renewed EU tourism policy: towards a stronge... A [(Definite=Ind|PronType=Art)] renewed [(Aspe... A renewed EU tourism policy: towards a stronge... A [det] renewed [amod] EU [compound] tourism [... A renewed EU tourism policy: towards a stronge...

1022 3XBYQ44Z6P47P5ACK4VCMEVCSERTW1 europarl In fact, I can tell you that there was an exce... other occasions 0.156250 In fact, I can tell you that there was an exce... False [ADP, NOUN, PUNCT, PRON, AUX, VERB, PRON, SCON... [prep, pobj, punct, nsubj, aux, ROOT, dobj, ma... [()], (Number=Sing), (PunctType=Comm), (Case=No... 1.222222
0 0 In fact, I can tell you that there was an exce... In [ADP] fact, [NOUN] I [PUNCT] can [PRON] tel... In fact, I can tell you that there was an exce... In [()] fact, [(Number=Sing)] I [(PunctType=Co... In fact, I can tell you that there was an exce... In [prep] fact, [pobj] I [punct] can [nsubj] t... In fact, I can tell you that there was an exce...

1023 3MZ3TAMYTLNC8VDFRYM2L8LMP1WIR6 europarl He did not pursue the pressing imperative of r... land ownership 0.160714 He did not pursue the pressing imperative of r... False [PRON, AUX, PART, VERB, DET, VERB, NOUN, ADP, ... [nsubj, aux, neg, ROOT, det, amod, dobj, prep,... [(Case=Nom, Gender=Masc, Number=Sing, Person=3... 1.750000 0
0 He did not pursue the pressing imperative of r... He [PRON] did [AUX] not [PART] pursue [VERB] t... He did not pursue the pressing imperative of r... He [(Case=Nom|Gender=Masc|Number=Sing|Person=3... He did not pursue the pressing imperative of r... He [nsubj] did [aux] not [neg] pursue [ROOT] t... He did not pursue the pressing imperative of r...

id corpus

sentence	token	complexity		sentence_no_contractions
contraction_expanded				pos_sequence
dep_sequence				morph_sequence
morph_complexity	binary_complexity	binary_complexity_75th_split		
snc_pos_seq				snc_pos_alt
snc_morph_seq				snc_morph_alt
snc_dep_seq				snc_dep_alt
snc_morph_complexity_value				

278 3H6W48L9F4P9XDH53NMSH4UF3B5WPY europarl It is estimated that a staggering 10 000 conta... sea 0.220588 It is estimated that a staggering 10 000 conta... False [PRON, AUX, VERB, SCONJ, DET, ADJ, NUM, NUM, N... [nsubjpass, auxpass, ROOT, mark, det, amod, co... [(Gender=Neut, Number=Sing, Person=3, PronType... 1.687500 0
0 It is estimated that a staggering 10 000 conta... It [PRON] is [AUX] estimated [VERB] that [SCON... It is estimated that a staggering 10 000 conta... It [(Gender=Neut|Number=Sing|Person=3|PronType... It is estimated

that a staggering 10 000 conta... It [nsubjpass] is [auxpass] estimated [ROOT]
t... It is estimated that a staggering 10 000 conta...

279 32W3UF2EZOLEUMPHOCU32CCHKY9C4U europarl I would remind you that the
election of the Pr... Rules 0.050000 I would remind you that the election
of the Pr... False [PRON, AUX, VERB, PRON, SCONJ, DET, NOUN,
ADP,... [nsubj, aux, ROOT, dobj, mark, det, nsubj, pre... [(Case=Nom,
Number=Sing, Person=1, PronType=Pr... 1.257576 0
0 I would remind you that the election of the Pr... I [PRON] would [AUX]
remind [VERB] you [PRON] ... I would remind you that the election of the Pr...
I [(Case=Nom|Number=Sing|Person=1|PronType=Prs... I would remind you that the
election of the Pr... I [nsubj] would [aux] remind [ROOT] you [dobj]... I
would remind you that the election of the Pr...

280 3POI4CQYVY7RCD54ON9DS4PPT5QOW0 europarl We have simply confirmed, in
accordance with o... Rules 0.178571 We have simply confirmed, in
accordance with o... False [PRON, AUX, ADV, VERB, PUNCT, ADP,
NOUN, ADP, ... [nsubj, aux, advmod, ROOT, punct, prep, pobj, ... [(Case=Nom,
Number=Plur, Person=1, PronType=Pr... 1.187500 0
0 We have simply confirmed, in accordance with o... We [PRON] have [AUX]
simply [ADV] confirmed, [... We have simply confirmed, in accordance with o...
We [(Case=Nom|Number=Plur|Person=1|PronType=Pr... We have simply confirmed, in
accordance with o... We [nsubj] have [aux] simply [advmod] confirme... We have
simply confirmed, in accordance with o...

281 3PZDSVZ3J5HXLQM8D23HIN6TJ2N4N4 europarl What further measures is the
Commission now ta... prices 0.066667 What further measures is the
Commission now ta... False [PRON, ADJ, NOUN, AUX, DET, PROPN,
ADV, VERB, ... [det, amod, nsubj, ROOT, det, nsubj, advmod, c... [()],
(Degree=Pos), (Number=Plur), (Mood=Ind, N... 1.142857
0 0 What further measures is the Commission now
ta... What [PRON] further [ADJ] measures [NOUN] is [... What further measures
is the Commission now ta... What [()] further [(Degree=Pos)] measures [(Nu...
What further measures is the Commission now ta... What [det] further [amod]
measures [nsubj] is ... What further measures is the Commission now ta...

282 3GITHABACYLNIC7L9OKTP89VZOR2N6 europarl Many economic operators are in an
even more se... prices 0.115385 Many economic operators are in an even more
se... False [ADJ, ADJ, NOUN, AUX, ADP, DET, ADV, ADV, ADJ,...
[amod, amod, nsubj, ROOT, prep, det, advmod, a... [(Degree=Pos), (Degree=Pos),
(Number=Plur), (M... 1.027778 0
0 Many economic operators are in an even more se... Many [ADJ] economic [ADJ]
operators [NOUN] are... Many economic operators are in an even more se... Many
[(Degree=Pos)] economic [(Degree=Pos)] op... Many economic operators are in an
even more se... Many [amod] economic [amod] operators [nsubj] ... Many
economic operators are in an even more se...

id corpus
sentence token complexity
sentence_no_contractions contraction_expanded
pos_sequence dep_sequence
morph_sequence morph_complexity binary_complexity
binary_complexity_75th_split snc_pos_seq

snc_pos_alt		snc_morph_seq	
snc_morph_alt		snc_dep_seq	
snc_dep_alt		snc_morph_complexity_value	
62	3BA7SXOG1JQJJP12ICAB8JR8MMRR87	europarl	by Mr Virrankoski, on behalf of the Committee ... management tool 0.176471 by Mr Virrankoski, on behalf of the Committee ... False [ADP, PROPN, PROPN, PUNCT, ADP, NOUN, ADP, DET... [prep, compound, pobj, punct, prep, pobj, prep... [()], (Number=Sing), (Number=Sing), (PunctType=...
0	0	by Mr Virrankoski, on behalf of the Committee ... by [ADP] Mr [PROPN] Virrankoski, [PROPN] on [P... by Mr Virrankoski, on behalf of the Committee ... by [()] Mr [(Number=Sing)] Virrankoski, [(Numb... by Mr Virrankoski, on behalf of the Committee ... by [prep] Mr [compound] Virrankoski, [pobj] on... by Mr Virrankoski, on behalf of the Committee ...	0.892857
63	3Z8UJEJOCZDRESZACEFTQHJ30ET93A	europarl	'Considers it appropriate, therefore, to explo... debt cancellation 0.250000 'Considers it appropriate, therefore, to explo... False [PUNCT, VERB, PRON, ADJ, PUNCT, ADV, PUNCT, PA... [punct, ccomp, nsubj, ccomp, punct, advmod, pu... [(PunctSide=Ini, PunctType=Quot), (Number=Sing...
0	0	'Considers it appropriate, therefore, to explo... 'Considers [PUNCT] it [VERB] appropriate, [PRO... 'Considers it appropriate, therefore, to explo... 'Considers [(PunctSide=Ini PunctType=Quot)] it... 'Considers it appropriate, therefore, to explo... 'Considers [punct] it [ccomp] appropriate, [ns... 'Considers it appropriate, therefore, to explo...	1.150000
64	31ANT7FQN82N7D4XO9REIVFBXNSH5Y	europarl	Mobilisation of the European Globalisation Adj... textile industry 0.250000 Mobilisation of the European Globalisation Adj... False [NOUN, ADP, DET, PROPN, PROPN, PROPN, PROPN, P... [ROOT, prep, det, compound, compound, compound... [(Number=Sing), (), (Definite=Def, PronType=Ar...
0	0	Mobilisation of the European Globalisation Adj... Mobilisation [NOUN] of [ADP] the [DET] Europea... Mobilisation of the European Globalisation Adj... Mobilisation [(Number=Sing)] of [()] the [(Def... Mobilisation of the European Globalisation Adj... Mobilisation [ROOT] of [prep] the [det] Europe... Mobilisation of the European Globalisation Adj...	0.941176
65	3D06DR5225J65XHPA2Y8IB3T6NSMAI	europarl	At the time, we sent messages to the President... Russian elections 0.264706 At the time, we sent messages to the President... False [ADP, DET, NOUN, PUNCT, PRON, VERB, NOUN, ADP,... [prep, det, pobj, punct, nsubj, ROOT, dobj, da... [()], (Definite=Def, PronType=Art), (Number=Sin...
0	0	At the time, we sent messages to the President... At [ADP] the [DET] time, [NOUN] we [PUNCT] sen... At the time, we sent messages to the President... At [()] the [(Definite=Def PronType=Art)] time... At the time, we sent messages to the President... At [prep] the [det] time, [pobj] we [punct] se... At the time, we sent messages to the President...	1.290323
66	3FI30CQHVJKJ9Z41PTORNOQQDY5Y6BN	europarl	Both are workable options. workable options 0.281250 Both are workable options. False [PRON, AUX, ADJ, NOUN, PUNCT] [nsubj, ROOT, amod, attr, punct] [()], (Mood=Ind, Tense=Pres, VerbForm=Fin), (De...
			1.200000

0 0 Both are workable options. [PRON, AUX, ADJ, NO... Both [PRON] are [AUX] workable [ADJ] options. ... Both are workable options. [()], (Mood=Ind|Tens... Both [()] are [(Mood=Ind|Tense=Pres|VerbForm=F... Both are workable options. [nsubj, ROOT, amod,... Both [nsubj] are [ROOT] workable [amod] option... Both are workable options. 1.2

id	corpus	sentence	token	complexity	sentence_no_contractions
		contraction_expanded			pos_sequence
		dep_sequence			morph_sequence
		morph_complexity	binary_complexity	binary_complexity_75th_split	
		snc_pos_seq			snc_pos_alt
		snc_morph_seq			snc_morph_alt
		snc_dep_seq			snc_dep_alt
		snc_morph_complexity_value			
572	3X2LT8FDHWIORLIOH6KHVIZPE138W0 europarl	Europe, on the other hand, unfortunately too o...	hand	0.15625	Europe, on the other hand, unfortunately too o...
				False	[PROPN, PUNCT, ADP, DET, ADJ, NOUN, PUNCT, ADV... [nsubj, punct, prep, det, amod, pobj, punct, a... [(Number=Sing), (PunctType=Comm), (Definit...
					1.250000
0	0	Europe, on the other hand, unfortunately too o...			Europe, [PROPN] on [PUNCT] the [ADP] other [DE... Europe, on the other hand, unfortunately too o... Europe, [(Number=Sing)] on [(PunctType=Comm)] ... Europe, on the other hand, unfortunately too o... Europe, [nsubj] on [punct] the [prep] other [d... Europe, on the other hand, unfortunately too o...
573	3QX22DUVOOHQXLKNLXP4EYH6RZBVME europarl	That is why we want to introduce the role of m...	role	0.05000	That is why we want to introduce the role of m...
				False	[PRON, AUX, SCONJ, PRON, VERB, PART, VERB, DET... [nsubj, ROOT, advmod, nsubj, advcl, aux, xcomp... [(Number=Sing, PronType=Dem), (Mood=Ind, Numbe...
					1.500000
0	0	That is why we want to introduce the role of m...			That [PRON] is [AUX] why [SCONJ] we [PRON] wan... That is why we want to introduce the role of m... That [(Number=Sing PronType=Dem)] is [(Mood=In... That is why we want to introduce the role of m... That [nsubj] is [ROOT] why [advmod] we [nsubj]... That is why we want to introduce the role of m...
574	3NBFJK3IOHIVFRF49I5V6131ZH1GOI europarl	The Union also has the aim of encouraging deve...	size	0.00000	The Union also has the aim of encouraging deve...
				False	[DET, PROPN, ADV, VERB, DET, NOUN, ADP, VERB, ... [det, nsubj, advmod, ccomp, det, dobj, prep, p... [(Definite=Def, PronType=Art), (Number=Sing), ...
					1.366667
0	0	The Union also has the aim of encouraging deve...			The [DET] Union [PROPN] also [ADV] has [VERB] ... The Union also has the aim of encouraging deve... The [(Definite=Def PronType=Art)] Union [(Numb... The Union also has the aim of encouraging deve... The [det] Union [nsubj] also [advmod] has [cco... The Union also has the aim of encouraging deve...
575	3LN50BUKPVBTMJ56Z9FQ8TDZ56KLPH europarl	We are taking note of your comment and it will...	comment	0.05000	We are taking note of your comment

and it will... False [PRON, AUX, VERB, NOUN, ADP, PRON, NOUN, CCONJ... [nsubj, aux, ROOT, dobj, prep, poss, pobj, cc,... [(Case=Nom, Number=Plur, Person=1, PronType=Pr... 1.857143 0

0 We are taking note of your comment and it will... We [PRON] are [AUX] taking [VERB] note [NOUN] ... We are taking note of your comment and it will... We [(Case=Nom|Number=Plur|Person=1|PronType=Pr... We are taking note of your comment and it will... We [nsubj] are [aux] taking [ROOT] note [dobj]... We are taking note of your comment and it will...

576 3CZH926SICETRK9VK30YSOCK5AME4P europarl We have taken note of your comment, Mr Helmer. comment 0.05000 We have taken note of your comment, Mr Helmer. False [PRON, AUX, VERB, NOUN, ADP, PRON, NOUN, PUNCT... [nsubj, aux, ROOT, dobj, prep, poss, pobj, pun... [(Case=Nom, Number=Plur, Person=1, PronType=Pr... 1.727273 0

0 We have taken note of your comment, Mr Helmer... We [PRON] have [AUX] taken [VERB] note [NOUN] ... We have taken note of your comment, Mr Helmer... We [(Case=Nom|Number=Plur|Person=1|PronType=Pr... We have taken note of your comment, Mr Helmer... We [nsubj] have [aux] taken [ROOT] note [dobj]... We have taken note of your comment, Mr Helmer...

id corpus

sentence token complexity

sentence_no_contractions contraction_expanded

pos_sequence dep_sequence

morph_sequence morph_complexity binary_complexity

binary_complexity_75th_split snc_pos_seq

snc_pos_alt snc_morph_seq

snc_morph_alt snc_dep_seq

snc_dep_alt snc_morph_complexity_value

119 3VGET1QSZ0ZKR7D571SBHI3U3HOW7S europarl I have been assured by our technical services ... technical services 0.214286 I have been assured by our technical services ... False [PRON, AUX, AUX, VERB, ADP, PRON, ADJ, NOUN, S... [nsubjpass, aux, auxpass, ROOT, agent, poss, a... [(Case=Nom, Number=Sing, Person=1, PronType=Pr... 1.384615

0 0 I have been assured by our technical services ... I [PRON] have [AUX] been [AUX] assured [VERB] ... I have been assured by our technical services ... I [(Case=Nom|Number=Sing|Person=1|PronType=Prs... I have been assured by our technical services ... I [nsubjpass] have [aux] been [auxpass] assure... I have been assured by our technical services ...

120 3L7SUC0TTUUA4KJ7I01FT5RGX1GMOR europarl You understand the importance of free peoples ... free peoples 0.234375 You understand the importance of free peoples ... False [PRON, VERB, DET, NOUN, ADP, ADJ, NOUN, CCONJ... [nsubj, ROOT, det, dobj, prep, amod, pobj, cc,... [(Case=Nom, Person=2, PronType=Prs), (Tense=Pr... 1.294118 0

0 You understand the importance of free peoples ... You [PRON] understand [VERB] the [DET] importa... You understand the importance of free peoples ... You [(Case=Nom|Person=2|PronType=Prs)] underst... You understand the importance of free peoples ... You [nsubj] understand [ROOT] the [det] import... You understand the importance of free peoples ...

121 3JTPR5MTZSCE9355UUUBVNV3P4WK55 europarl We launched the debate on 24

January 2007 and ... valuable input 0.234375 We launched the debate on
 24 January 2007 and ... False [PRON, VERB, DET, NOUN, ADP, NUM,
 PROPN, NUM, ... [nsubj, ROOT, det, dobj, prep, nummod, pobj, n... [(Case=Nom,
 Number=Plur, Person=1, PronType=Pr... 1.235294 0
 0 We launched the debate on 24 January 2007 and ... We [PRON] launched [VERB]
 the [DET] debate [NO... We launched the debate on 24 January 2007 and ... We
 [(Case=Nom|Number=Plur|Person=1|PronType=Pr... We launched the debate on 24
 January 2007 and ... We [nsubj] launched [ROOT] the [det] debate [d... We
 launched the debate on 24 January 2007 and ...
 122 3MGHRFQY2LPAY18L13PQNOEN6BTYOS europarl In subsequent budgetary policy I
 think that Pa... own choice 0.250000 In subsequent budgetary policy
 I think that Pa... False [ADP, ADJ, ADJ, NOUN, PRON, VERB,
 SCONJ, PROPN... [prep, amod, amod, pobj, nsubj, ROOT, mark, ns... [()],
 (Degree=Pos), (Degree=Pos), (Number=Sing)... 1.338983
 0 0 In subsequent budgetary policy I think that
 Pa... In [ADP] subsequent [ADJ] budgetary [ADJ] poli... In subsequent
 budgetary policy I think that Pa... In [()] subsequent [(Degree=Pos)] budgetary
 [(... In subsequent budgetary policy I think that Pa... In [prep] subsequent
 [amod] budgetary [amod] p... In subsequent budgetary policy I think that Pa...
 123 302Y2UIUCQU6B0YU067KHZMGEYAFKJ europarl Council position at first
 reading: see Minutes first reading 0.272727 Council position at
 first reading: see Minutes False [NOUN, NOUN, ADP, ADJ, NOUN,
 PUNCT, VERB, PROPN] [compound, nsubj, prep, amod, pobj, punct, ROO...
 [(Number=Sing), (Number=Sing), (), (Degree=Pos... 0.750000
 0 0 Council position at first reading: see
 Minutes... Council [NOUN] position [NOUN] at [ADP] first ... Council position
 at first reading: see Minutes... Council [(Number=Sing)] position
 [(Number=Sing... Council position at first reading: see Minutes... Council
 [compound] position [nsubj] at [prep] ... Council position at first reading:
 see Minutes...

```
[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name} on 'newly created columns'...")
        df = df.copy()

        q1 = df['complexity'].quantile(0.25)
        q2 = df['complexity'].quantile(0.50)
        q3 = df['complexity'].quantile(0.75)

        def get_quartile(x):
            if x <= q1:
                return 'Q1'
```

```

        elif x <= q2:
            return 'Q2'
        elif x <= q3:
            return 'Q3'
        else:
            return 'Q4'

df['quartile'] = df['complexity'].apply(get_quartile)

def compute_span_metrics_no_contracts(sentence):
    if pd.isna(sentence):
        return pd.Series({'word_count': 0, 'char_count': 0,
↪ 'avg_word_len': 0})

    words = tokenizer.tokenize(sentence)
    word_count = len(words)
    char_count = len(sentence)
    avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
↪ else 0

    return pd.Series({
        'word_count': word_count,
        'char_count': char_count,
        'avg_word_len': avg_word_len
    })

span_metrics_nc = df['snc_pos_seq'].
↪ apply(compute_span_metrics_no_contracts)
df = pd.concat([df, span_metrics_nc], axis=1)

corpus_col = 'corpus'
for corpus_name, corpus_df in df.groupby(corpus_col):
    for quartile, quartile_df in corpus_df.groupby('quartile'):
        complexity_range = f"{quartile_df['complexity'].min():.
↪ 3f}-{quartile_df['complexity'].max():.3f}"
        stats = {
            'Dataframe': df_name,
            'Corpus': corpus_name,
            'Quartile': quartile,
            'Complexity Range': complexity_range,
            'Count': len(quartile_df),
            'Avg Words': quartile_df['word_count'].mean(),
            'Median Words': quartile_df['word_count'].median(),
            'Min Words': quartile_df['word_count'].min(),
            'Max Words': quartile_df['word_count'].max(),
            'Std Words': quartile_df['word_count'].std(),
            'Avg Chars': quartile_df['char_count'].mean(),

```

```

        'Avg Word Len': quartile_df['avg_word_len'].mean()
    }
    results.append(stats)

results_df = pd.DataFrame(results)
results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis_nc = □
↳ analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
# display(span_analysis_nc)

results_path_nc = os.path.join(dir_results, □
↳ 'sentence_span_analysis_no_contracts.csv')
span_analysis_nc.to_csv(results_path_nc, index=False)
print(f"Analysis (NO CONTRACTIONS) saved to: {results_path_nc}")

g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4, □
↳ aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()

```

Processing train_single_df on 'newly created columns'...
 Processing train_multi_df on 'newly created columns'...
 Processing trial_val_single_df on 'newly created columns'...
 Processing trial_val_multi_df on 'newly created columns'...
 Processing test_single_df on 'newly created columns'...
 Processing test_multi_df on 'newly created columns'...
 Analysis (NO CONTRACTIONS) saved to: /content/drive/MyDrive/266-
 final/results/sentence_span_analysis_no_contracts.csv
 /usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:

Using the violinplot function without specifying `order` is likely to produce an incorrect plot.

```
warnings.warn(warning)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.


```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:
```

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
func(*plot_args, **plot_kwargs)
```



```
[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name} on 'newly created columns'...")
        df = df.copy()

        q1 = df['complexity'].quantile(0.25)
        q2 = df['complexity'].quantile(0.50)
        q3 = df['complexity'].quantile(0.75)
```

```

def get_quartile(x):
    if x <= q1:
        return 'Q1'
    elif x <= q2:
        return 'Q2'
    elif x <= q3:
        return 'Q3'
    else:
        return 'Q4'

df['quartile'] = df['complexity'].apply(get_quartile)

def compute_span_metrics_no_contracts(sentence):
    if pd.isna(sentence):
        return pd.Series({'word_count': 0, 'char_count': 0,
↪ 'avg_word_len': 0})

    words = tokenizer.tokenize(sentence)
    word_count = len(words)
    char_count = len(sentence)
    avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
↪ else 0

    return pd.Series({
        'word_count': word_count,
        'char_count': char_count,
        'avg_word_len': avg_word_len
    })

span_metrics_nc = df['snc_pos_alt'].
↪ apply(compute_span_metrics_no_contracts)
df = pd.concat([df, span_metrics_nc], axis=1)

corpus_col = 'corpus'
for corpus_name, corpus_df in df.groupby(corpus_col):
    for quartile, quartile_df in corpus_df.groupby('quartile'):
        complexity_range = f"{quartile_df['complexity'].min():.
↪ 3f}--{quartile_df['complexity'].max():.3f}"
        stats = {
            'Dataframe': df_name,
            'Corpus': corpus_name,
            'Quartile': quartile,
            'Complexity Range': complexity_range,
            'Count': len(quartile_df),
            'Avg Words': quartile_df['word_count'].mean(),
            'Median Words': quartile_df['word_count'].median(),

```

```

        'Min Words': quartile_df['word_count'].min(),
        'Max Words': quartile_df['word_count'].max(),
        'Std Words': quartile_df['word_count'].std(),
        'Avg Chars': quartile_df['char_count'].mean(),
        'Avg Word Len': quartile_df['avg_word_len'].mean()
    }
    results.append(stats)

results_df = pd.DataFrame(results)
results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis_nc = □
    ↳ analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
# display(span_analysis_nc)

results_path_nc = os.path.join(dir_results, □
    ↳ 'sentence_span_analysis_no_contracts.csv')
span_analysis_nc.to_csv(results_path_nc, index=False)
print(f"Analysis (NO CONTRACTIONS) saved to: {results_path_nc}")

g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4, □
    ↳ aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()

```

Processing train_single_df on 'newly created columns'...

Processing train_multi_df on 'newly created columns'...

Processing trial_val_single_df on 'newly created columns'...

Processing trial_val_multi_df on 'newly created columns'...

Processing test_single_df on 'newly created columns'...

Processing test_multi_df on 'newly created columns'...

Analysis (NO CONTRACTIONS) saved to: /content/drive/MyDrive/266-final/results/sentence_span_analysis_no_contractions.csv

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an incorrect plot.

warnings.warn(warning)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

func(*plot_args, **plot_kwargs)


/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

func(*plot_args, **plot_kwargs)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.



```
[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name} on 'newly created columns'...")
        df = df.copy()
```

```

q1 = df['complexity'].quantile(0.25)
q2 = df['complexity'].quantile(0.50)
q3 = df['complexity'].quantile(0.75)

def get_quartile(x):
    if x <= q1:
        return 'Q1'
    elif x <= q2:
        return 'Q2'
    elif x <= q3:
        return 'Q3'
    else:
        return 'Q4'

df['quartile'] = df['complexity'].apply(get_quartile)

def compute_span_metrics_no_contracts(sentence):
    if pd.isna(sentence):
        return pd.Series({'word_count': 0, 'char_count': 0,
↪ 'avg_word_len': 0})

    words = tokenizer.tokenize(sentence)
    word_count = len(words)
    char_count = len(sentence)
    avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
↪ else 0

    return pd.Series({
        'word_count': word_count,
        'char_count': char_count,
        'avg_word_len': avg_word_len
    })

span_metrics_nc = df['snc_morph_seq'].
↪ apply(compute_span_metrics_no_contracts)
df = pd.concat([df, span_metrics_nc], axis=1)

corpus_col = 'corpus'
for corpus_name, corpus_df in df.groupby(corpus_col):
    for quartile, quartile_df in corpus_df.groupby('quartile'):
        complexity_range = f"{quartile_df['complexity'].min():.
↪ 3f}--{quartile_df['complexity'].max():.3f}"
        stats = {
            'Dataframe': df_name,
            'Corpus': corpus_name,
            'Quartile': quartile,

```

```

        'Complexity Range': complexity_range,
        'Count': len(quartile_df),
        'Avg Words': quartile_df['word_count'].mean(),
        'Median Words': quartile_df['word_count'].median(),
        'Min Words': quartile_df['word_count'].min(),
        'Max Words': quartile_df['word_count'].max(),
        'Std Words': quartile_df['word_count'].std(),
        'Avg Chars': quartile_df['char_count'].mean(),
        'Avg Word Len': quartile_df['avg_word_len'].mean()
    }
    results.append(stats)

results_df = pd.DataFrame(results)
results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis_nc = □
↳ analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
# display(span_analysis_nc)

results_path_nc = os.path.join(dir_results, □
↳ 'sentence_span_analysis_no_contracts.csv')
span_analysis_nc.to_csv(results_path_nc, index=False)
print(f"Analysis (NO CONTRACTIONS) saved to: {results_path_nc}")

g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4, □
↳ aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()

```

Processing train_single_df on 'newly created columns'...

```

Processing train_multi_df on 'newly created columns'...
Processing trial_val_single_df on 'newly created columns'...
Processing trial_val_multi_df on 'newly created columns'...
Processing test_single_df on 'newly created columns'...
Processing test_multi_df on 'newly created columns'...
Analysis (NO CONTRACTIONS) saved to: /content/drive/MyDrive/266-
final/results/sentence_span_analysis_no_contractions.csv

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an
incorrect plot.
    warnings.warn(warning)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

```

```

func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

```

```

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

```

```

func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:


```

```

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

```

```
func(*plot_args, **plot_kwargs)
```



```

[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    results = []

```

```

for df_name, df in dfs_dict.items():
    print(f"Processing {df_name} on 'newly created columns'...")
    df = df.copy()

    q1 = df['complexity'].quantile(0.25)
    q2 = df['complexity'].quantile(0.50)
    q3 = df['complexity'].quantile(0.75)

    def get_quartile(x):
        if x <= q1:
            return 'Q1'
        elif x <= q2:
            return 'Q2'
        elif x <= q3:
            return 'Q3'
        else:
            return 'Q4'

    df['quartile'] = df['complexity'].apply(get_quartile)

    def compute_span_metrics_no_contracts(sentence):
        if pd.isna(sentence):
            return pd.Series({'word_count': 0, 'char_count': 0,
↪ 'avg_word_len': 0})

        words = tokenizer.tokenize(sentence)
        word_count = len(words)
        char_count = len(sentence)
        avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
↪ else 0

        return pd.Series({
            'word_count': word_count,
            'char_count': char_count,
            'avg_word_len': avg_word_len
        })

    span_metrics_nc = df['snc_morph_alt'].
↪ apply(compute_span_metrics_no_contracts)
    df = pd.concat([df, span_metrics_nc], axis=1)

    corpus_col = 'corpus'
    for corpus_name, corpus_df in df.groupby(corpus_col):
        for quartile, quartile_df in corpus_df.groupby('quartile'):
            complexity_range = f"{quartile_df['complexity'].min():.
↪ 3f}-{quartile_df['complexity'].max():.3f}"

```

```

        stats = {
            'Dataframe': df_name,
            'Corpus': corpus_name,
            'Quartile': quartile,
            'Complexity Range': complexity_range,
            'Count': len(quartile_df),
            'Avg Words': quartile_df['word_count'].mean(),
            'Median Words': quartile_df['word_count'].median(),
            'Min Words': quartile_df['word_count'].min(),
            'Max Words': quartile_df['word_count'].max(),
            'Std Words': quartile_df['word_count'].std(),
            'Avg Chars': quartile_df['char_count'].mean(),
            'Avg Word Len': quartile_df['avg_word_len'].mean()
        }
        results.append(stats)

results_df = pd.DataFrame(results)
results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis_nc = □
    ↪ analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
# display(span_analysis_nc)

results_path_nc = os.path.join(dir_results, □
    ↪ 'sentence_span_analysis_no_contracts.csv')
span_analysis_nc.to_csv(results_path_nc, index=False)
print(f"Analysis (NO CONTRACTIONS) saved to: {results_path_nc}")

g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4, □
    ↪ aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)

```

```
plt.tight_layout()
plt.show()
```

```
Processing train_single_df on 'newly created columns'...
Processing train_multi_df on 'newly created columns'...
Processing trial_val_single_df on 'newly created columns'...
Processing trial_val_multi_df on 'newly created columns'...
Processing test_single_df on 'newly created columns'...
Processing test_multi_df on 'newly created columns'...
Analysis (NO CONTRACTIONS) saved to: /content/drive/MyDrive/266-
final/results/sentence_span_analysis_no_contractions.csv

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an
incorrect plot.
    warnings.warn(warning)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.
```


```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.
```

```
func(*plot_args, **plot_kwargs)
/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.
```

```
func(*plot_args, **plot_kwargs)
```



```

[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name} on 'newly created columns'...")
        df = df.copy()

        q1 = df['complexity'].quantile(0.25)
        q2 = df['complexity'].quantile(0.50)
        q3 = df['complexity'].quantile(0.75)

        def get_quartile(x):
            if x <= q1:
                return 'Q1'
            elif x <= q2:
                return 'Q2'
            elif x <= q3:
                return 'Q3'
            else:
                return 'Q4'

        df['quartile'] = df['complexity'].apply(get_quartile)

        def compute_span_metrics_no_contracts(sentence):
            if pd.isna(sentence):
                return pd.Series({'word_count': 0, 'char_count': 0,
↪ 'avg_word_len': 0})

            words = tokenizer.tokenize(sentence)
            word_count = len(words)
            char_count = len(sentence)
            avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
↪ else 0

            return pd.Series({
                'word_count': word_count,
                'char_count': char_count,
                'avg_word_len': avg_word_len
            })

        span_metrics_nc = df['snc_dep_seq'].
↪ apply(compute_span_metrics_no_contracts)
        df = pd.concat([df, span_metrics_nc], axis=1)

        corpus_col = 'corpus'

```



```

    for corpus_name, corpus_df in df.groupby(corpus_col):
        for quartile, quartile_df in corpus_df.groupby('quartile'):
            complexity_range = f"{quartile_df['complexity'].min():.
↪3f}--{quartile_df['complexity'].max():.3f}"
            stats = {
                'Dataframe': df_name,
                'Corpus': corpus_name,
                'Quartile': quartile,
                'Complexity Range': complexity_range,
                'Count': len(quartile_df),
                'Avg Words': quartile_df['word_count'].mean(),
                'Median Words': quartile_df['word_count'].median(),
                'Min Words': quartile_df['word_count'].min(),
                'Max Words': quartile_df['word_count'].max(),
                'Std Words': quartile_df['word_count'].std(),
                'Avg Chars': quartile_df['char_count'].mean(),
                'Avg Word Len': quartile_df['avg_word_len'].mean()
            }
            results.append(stats)

results_df = pd.DataFrame(results)
results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis_nc = ↵
↪analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
# display(span_analysis_nc)

results_path_nc = os.path.join(dir_results, ↵
↪'sentence_span_analysis_no_contracts.csv')
span_analysis_nc.to_csv(results_path_nc, index=False)
print(f"Analysis (NO CONTRACTIONS) saved to: {results_path_nc}")

```

```

g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4,
↳ aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()

```

Processing train_single_df on 'newly created columns'...

Processing train_multi_df on 'newly created columns'...

Processing trial_val_single_df on 'newly created columns'...

Processing trial_val_multi_df on 'newly created columns'...

Processing test_single_df on 'newly created columns'...

Processing test_multi_df on 'newly created columns'...

Analysis (NO CONTRACTIONS) saved to: /content/drive/MyDrive/266-
final/results/sentence_span_analysis_no_contractions.csv

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an
incorrect plot.

warnings.warn(warning)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

func(*plot_args, **plot_kwargs)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:


Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

func(*plot_args, **plot_kwargs)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

func(*plot_args, **plot_kwargs)



```
[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name} on 'newly created columns'...")
        df = df.copy()

        q1 = df['complexity'].quantile(0.25)
        q2 = df['complexity'].quantile(0.50)
        q3 = df['complexity'].quantile(0.75)

        def get_quartile(x):
            if x <= q1:
                return 'Q1'
            elif x <= q2:
                return 'Q2'
            elif x <= q3:
                return 'Q3'
            else:
                return 'Q4'

        df['quartile'] = df['complexity'].apply(get_quartile)

        def compute_span_metrics_no_contracts(sentence):
            if pd.isna(sentence):
                return pd.Series({'word_count': 0, 'char_count': 0,
                ↪ 'avg_word_len': 0})

            words = tokenizer.tokenize(sentence)
            word_count = len(words)
            char_count = len(sentence)
            avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
            ↪ else 0

            return pd.Series({
```

```

        'word_count': word_count,
        'char_count': char_count,
        'avg_word_len': avg_word_len
    })

    span_metrics_nc = df['snc_dep_alt'].
    ↪apply(compute_span_metrics_no_contracts)
    df = pd.concat([df, span_metrics_nc], axis=1)

    corpus_col = 'corpus'
    for corpus_name, corpus_df in df.groupby(corpus_col):
        for quartile, quartile_df in corpus_df.groupby('quartile'):
            complexity_range = f"{quartile_df['complexity'].min():.
    ↪3f}-{quartile_df['complexity'].max():.3f}"
            stats = {
                'Dataframe': df_name,
                'Corpus': corpus_name,
                'Quartile': quartile,
                'Complexity Range': complexity_range,
                'Count': len(quartile_df),
                'Avg Words': quartile_df['word_count'].mean(),
                'Median Words': quartile_df['word_count'].median(),
                'Min Words': quartile_df['word_count'].min(),
                'Max Words': quartile_df['word_count'].max(),
                'Std Words': quartile_df['word_count'].std(),
                'Avg Chars': quartile_df['char_count'].mean(),
                'Avg Word Len': quartile_df['avg_word_len'].mean()
            }
            results.append(stats)

    results_df = pd.DataFrame(results)
    results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
    return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

span_analysis_nc =
    ↪analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

```

```

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
# display(span_analysis_nc)

results_path_nc = os.path.join(dir_results,
    ↪ 'sentence_span_analysis_no_contractions.csv')
span_analysis_nc.to_csv(results_path_nc, index=False)
print(f"Analysis (NO CONTRACTIONS) saved to: {results_path_nc}")

g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4,
    ↪ aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()

```

Processing train_single_df on 'newly created columns'...

Processing train_multi_df on 'newly created columns'...

Processing trial_val_single_df on 'newly created columns'...

Processing trial_val_multi_df on 'newly created columns'...

Processing test_single_df on 'newly created columns'...

Processing test_multi_df on 'newly created columns'...

Analysis (NO CONTRACTIONS) saved to: /content/drive/MyDrive/266-
final/results/sentence_span_analysis_no_contractions.csv

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an
incorrect plot.

warnings.warn(warning)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

func(*plot_args, **plot_kwargs)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.


func(*plot_args, **plot_kwargs)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same

effect.

```
func(*plot_args, **plot_kwargs)
```



```
[ ]: tokenizer = RegexpTokenizer(r'\w+')

def analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs_dict):
    results = []

    for df_name, df in dfs_dict.items():
        print(f"Processing {df_name} on 'newly created columns'...")
        df = df.copy()

        q1 = df['complexity'].quantile(0.25)
        q2 = df['complexity'].quantile(0.50)
        q3 = df['complexity'].quantile(0.75)

        def get_quartile(x):
            if x <= q1:
                return 'Q1'
            elif x <= q2:
                return 'Q2'
            elif x <= q3:
                return 'Q3'
            else:
                return 'Q4'

        df['quartile'] = df['complexity'].apply(get_quartile)

        def compute_span_metrics_no_contracts(sentence):
            if pd.isna(sentence):
                return pd.Series({'word_count': 0, 'char_count': 0,
                ↪ 'avg_word_len': 0})

            words = tokenizer.tokenize(sentence)
            word_count = len(words)
            char_count = len(sentence)
```

```

        avg_word_len = np.mean([len(w) for w in words]) if word_count > 0
    else 0

    return pd.Series({
        'word_count': word_count,
        'char_count': char_count,
        'avg_word_len': avg_word_len
    })

    span_metrics_nc = df['snc_morph_complexity_value'].
    apply(compute_span_metrics_no_contracts)
    df = pd.concat([df, span_metrics_nc], axis=1)

    corpus_col = 'corpus'
    for corpus_name, corpus_df in df.groupby(corpus_col):
        for quartile, quartile_df in corpus_df.groupby('quartile'):
            complexity_range = f"{quartile_df['complexity'].min():.
3f}-{quartile_df['complexity'].max():.3f}"
            stats = {
                'Dataframe': df_name,
                'Corpus': corpus_name,
                'Quartile': quartile,
                'Complexity Range': complexity_range,
                'Count': len(quartile_df),
                'Avg Words': quartile_df['word_count'].mean(),
                'Median Words': quartile_df['word_count'].median(),
                'Min Words': quartile_df['word_count'].min(),
                'Max Words': quartile_df['word_count'].max(),
                'Std Words': quartile_df['word_count'].std(),
                'Avg Chars': quartile_df['char_count'].mean(),
                'Avg Word Len': quartile_df['avg_word_len'].mean()
            }
            results.append(stats)

    results_df = pd.DataFrame(results)
    results_df = results_df.sort_values(['Dataframe', 'Corpus', 'Quartile'])
    return results_df

dfs = {
    'train_single_df': train_single_df,
    'train_multi_df': train_multi_df,
    'trial_val_single_df': trial_val_single_df,
    'trial_val_multi_df': trial_val_multi_df,
    'test_single_df': test_single_df,
    'test_multi_df': test_multi_df
}

```

```

span_analysis_nc = ↳ analyze_sentence_spans_by_corpus_and_quartile_no_contracts(dfs)

pd.set_option('display.max_rows', None)
pd.set_option('display.max_columns', None)
pd.set_option('display.width', 1000)
# display(span_analysis_nc)

results_path_nc = os.path.join(dir_results, ↳
    'sentence_span_analysis_no_contracts.csv')
span_analysis_nc.to_csv(results_path_nc, index=False)
print(f"Analysis (NO CONTRACTIONS) saved to: {results_path_nc}")

g = sns.FacetGrid(span_analysis_nc, col="Corpus", col_wrap=3, height=4, ↳
    ↳ aspect=1.5)
g.map(sns.violinplot, "Max Words", "Dataframe", inner='stick', palette='Dark2')
g.despine(top=True, right=True, bottom=True, left=True)
plt.tight_layout()
plt.show()

```

Processing train_single_df on 'newly created columns'...

Processing train_multi_df on 'newly created columns'...

Processing trial_val_single_df on 'newly created columns'...

Processing trial_val_multi_df on 'newly created columns'...

Processing test_single_df on 'newly created columns'...

Processing test_multi_df on 'newly created columns'...

Analysis (NO CONTRACTIONS) saved to: /content/drive/MyDrive/266-

final/results/sentence_span_analysis_no_contracts.csv

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:718: UserWarning:
Using the violinplot function without specifying `order` is likely to produce an
incorrect plot.

warnings.warn(warning)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

func(*plot_args, **plot_kwargs)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:


Passing `palette` without assigning `hue` is deprecated and will be removed in
v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same
effect.

func(*plot_args, **plot_kwargs)

/usr/local/lib/python3.11/dist-packages/seaborn/axisgrid.py:854: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `y` variable to `hue` and set `legend=False` for the same effect.

```
func(*plot_args, **plot_kwargs)
```



0.5.2 Save Dataframes as CSVs

```
[ ]: ### Save Dataframes as CSVs
```

```
[ ]: !tree /content/drive/MyDrive/266-final/data/266-comp-lex-master/
```

```
/content/drive/MyDrive/266-final/data/266-comp-lex-master/
```

```
  fe-test-labels
```

```
    test_multi_df.csv
```

```
    test_single_df.csv
```

```
  fe-train
```

```
    train_multi_df.csv
```

```
    train_single_df.csv
```

```
  fe-trial-val
```

```
    trial_val_multi_df.csv
```

```
    trial_val_single_df.csv
```

```
  test-labels
```

```
    lcp_multi_test.tsv
```

```
    lcp_single_test.tsv
```

```
  train
```

```
    lcp_multi_train.tsv
```

```
    lcp_single_train.tsv
```

```
  trial
```

```
    lcp_multi_trial.tsv
```

```
    lcp_single_trial.tsv
```

6 directories, 12 files

```
[ ]: import os
dataframes = {
```

```

    "train_single_df": train_single_df,
    "train_multi_df": train_multi_df,
    "trial_val_single_df": trial_val_single_df,
    "trial_val_multi_df": trial_val_multi_df,
    "test_single_df": test_single_df,
    "test_multi_df": test_multi_df
}

base_dir = "/content/drive/MyDrive/266-final/data/266-comp-lex-master/"

for df_name, df in dataframes.items():
    subdir = None
    if "train" in df_name:
        subdir = "fe-train"
    elif "trial_val" in df_name:
        subdir = "fe-trial-val"
    elif "test" in df_name:
        subdir = "fe-test-labels"

    if subdir:
        save_path = os.path.join(base_dir, subdir, f"{df_name}.csv")
        os.makedirs(os.path.dirname(save_path), exist_ok=True)
        df.to_csv(save_path, index=False)
        print(f"Saved {df_name} to {save_path}")

```

Saved train_single_df to /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-train/train_single_df.csv
 Saved train_multi_df to /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-train/train_multi_df.csv
 Saved trial_val_single_df to /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-trial-val/trial_val_single_df.csv
 Saved trial_val_multi_df to /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-trial-val/trial_val_multi_df.csv
 Saved test_single_df to /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-test-labels/test_single_df.csv
 Saved test_multi_df to /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-test-labels/test_multi_df.csv

```

[ ]: df_names = [
    "train_single_df",
    "train_multi_df",
    "trial_val_single_df",
    "trial_val_multi_df",
    "test_single_df",
    "test_multi_df"
]

```

```

loaded_dataframes = {}

for df_name in df_names:
    if "train" in df_name:
        subdir = "fe-train"
    elif "trial_val" in df_name:
        subdir = "fe-trial-val"
    elif "test" in df_name:
        subdir = "fe-test-labels"
    else:
        subdir = None

    if subdir:
        read_path = os.path.join(dir_data, subdir, f"{df_name}.csv")
        loaded_df = pd.read_csv(read_path)
        loaded_dataframes[df_name] = loaded_df
        print(f"Loaded {df_name} from {read_path}")

for df_name, df in loaded_dataframes.items():
    print(f"\n>>> {df_name} shape: {df.shape}")
    if 'binary_complexity' in df.columns:
        print(df['binary_complexity'].value_counts())

```

```

Loaded train_single_df from /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-train/train_single_df.csv
Loaded train_multi_df from /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-train/train_multi_df.csv
Loaded trial_val_single_df from /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-trial-val/trial_val_single_df.csv
Loaded trial_val_multi_df from /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-trial-val/trial_val_multi_df.csv
Loaded test_single_df from /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-test-labels/test_single_df.csv
Loaded test_multi_df from /content/drive/MyDrive/266-final/data/266-comp-lex-master/fe-test-labels/test_multi_df.csv

```

```

>>> train_single_df shape: (7662, 20)
binary_complexity
0    3865
1    3797
Name: count, dtype: int64

```

```

>>> train_multi_df shape: (1517, 20)
binary_complexity
0     759
1     758
Name: count, dtype: int64

```

```
>>> trial_val_single_df shape: (421, 20)
binary_complexity
0    229
1    192
Name: count, dtype: int64
```

```
>>> trial_val_multi_df shape: (99, 20)
binary_complexity
1     51
0     48
Name: count, dtype: int64
```

```
>>> test_single_df shape: (917, 20)
binary_complexity
0    476
1    441
Name: count, dtype: int64
```

```
>>> test_multi_df shape: (184, 20)
binary_complexity
1     99
0     85
Name: count, dtype: int64
```

```
[ ]: !tree /content/drive/MyDrive/266-final/data/266-comp-lex-master/
```

```
/content/drive/MyDrive/266-final/data/266-comp-lex-master/
  fe-test-labels
    test_multi_df.csv
    test_single_df.csv
  fe-train
    train_multi_df.csv
    train_single_df.csv
  fe-trial-val
    trial_val_multi_df.csv
    trial_val_single_df.csv
  test-labels
    lcp_multi_test.tsv
    lcp_single_test.tsv
  train
    lcp_multi_train.tsv
    lcp_single_train.tsv
  trial
    lcp_multi_trial.tsv
    lcp_single_trial.tsv
```

6 directories, 12 files

- These counts match my offline calculations exactly. The binarized outcome variables have been

split on on the median of the TRAIN_SINGLE and TRAIN_MULTI dataset splits ONLY, thus this median is applied to trial_val and test. The first two quartiles (up to the train median) are equal to 0 in 'binary_complexity' and the next two quartiles are equal to 1.

- Because the dataset has been excellently balanced by the Task's annotators, we're lucky that no further data processing is necessary prior to moving onto the modeling step, and ensuring protection from data leakage by (later) removing necessary columns prior to vectorization.
- Lastly, a note on the balanced nature of the data. It should be noted that (even in the continuous outcome representation of 'complexity') the medians were 0.28 in train_single, and 0.27 in both trial_single and test_single—for multi, it was 0.41 in train_multi, and 0.42 in trial_multi and 0.43 in test_multi.
- We also find that after Data Engineering, our sanity checks have come out successfully. No records have been lost, shapes are consistent with our expectations, and we have enriched the dataset with SpaCy-derived features to give us flexibility in multi-channel inputs or vectorization ablations. This is a very thorough dataset, and we are now ready for modeling.

[]: