Rajalakshmi Engineering College

Name: Jhanani shree

Email: 240701215@rajalakshmi.edu.in

Roll no: 240701215 Phone: 7373333511

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

Input Format

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

Output Format

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

```
Sample Test Case
   Input: 5
   78 89 34 51 67
   Output: 67 51 34 89 78
   Answer
   #include <stdio.h>
#include <stdlib.h>
   struct Node {
      int data:
      struct Node* next;
   };
   // You are using GCC
   void insertAtFront(struct Node**head,int value){
      struct Node*newn=(struct Node*)malloc(sizeof(struct Node));
      newn->data=value:
      newn->next=*head;
      *head=newn;
   void printList(struct Node*head){
      struct Node* temp=head;
      while(temp!=NULL){
        printf("%d",temp->data);
        temp=temp->next;
      }
      printf("\n");
   int main(){
      struct Node* head = NULL;
    int n;
```

scanf("%d", &n);

```
for (int i = 0; i < n; i++) {
    int activity;
    scanf("%d", &activity);
    insertAtFront(&head, activity);
}

printList(head);
struct Node* current = head;
while (current != NULL) {
    struct Node* temp = current;
    current = current->next;
    free(temp);
}

return 0;
}
```

Status: Correct Marks: 10/10

2,40701215

040707275

2,40701215

240701275

240701275

240707275

240701275

2,40701275