Rajalakshmi Engineering College

Name: Jhanani shree

Email: 240701215@rajalakshmi.edu.in

Roll no: 240701215 Phone: 7373333511

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 16

Section 1: MCQ

1. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes all the key-value pairs

Status: Wrong Marks: 0/1

2. What is the output of the following code?

a={"a":1,"b":2,"c":3} b=dict(zip(a.values(),a.keys())) print(b)

Answer

```
{1: 'a', 2: 'b', 3: 'c'}
```

Marks : 1/1 Status : Correct

3. Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8
init_tuple_b = (1, 2, 7)
set1=set(init_tuple_b)
set2=set(init_tuple_a)
print (set1 | set2)
print (init_tuple_a | init_tuple_b)
```

Answer

(1, 2, 7, 8)(1, 2, 7, 8)

Status: Wrong Marks : 0/1

4. Which of the following is a Python tuple?

Answer

(1, 2, 3)

Status: Correct Marks: 1/1

5. What will be the output?

a={'B':5,'A':9,'C':7} print(sorted(a))

Answer

['A', 'B', 'C'].

Status: Correct Marks: 1/1

6. What will be the output for the following code?

Marks: 1/1

7. Which of the statements about dictionary values is false?

The values of the dictionary can be accessed as dict[key]

Marks: 0/1

8. Fill in the code in order to get the following output.

Max value: 4

t=(1,)

print("Tuple:",t) print("Max value:",_

Answer

1) $t=t+(3,4)2) \max(t)$

Status: Correct Marks: 1/1

9. What will be the output of the following code?

print(sum(a,3))

Answer

13

Marks: 1/1 Status: Correct

10. What is the result of print(type({}) is set)?

Answer

False

Marks : 1/1 Status: Correct

11. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

Answer

t[3] = 45

Status: Correct Marks: 1/1

12. What is the output of the following?

set1 = {10, 20, 30, 40, 50} set2 = {60, 70, 10, 30, 40, 80, 20, 50} print(set1.issubset(set2)) print(set2.issuperset(set1))

Answer

TrueTrue

Status: Correct Marks: 1/1

13. Which of the following statements is used to create an empty tuple?

Answer

Status: Correct

Marks: 1/1

14. What is the output of the below Python code?

list1 = [1, 2, 3]

list2 = [5, 6, 7]

list3 = [10, 11, 12]

set1 = set(list2)

set2 = set(list1)

set1.update(set2)

set1.update(list3)

print(set1)

Answer

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Status: Correct Marks: 1/1

15. Which of the following isn't true about dictionary keys?

Answer

Keys must be immutable

Status: Wrong Marks: 0/1

16. Set s1 = {1, 2, 4, 3} and s2 = {1, 5, 4, 6}, find s1 & amp; s2, s1 - s2, s1 | s2 and s1 ^ s2.

Answer

 $s1\&s2 = \{1, 4\}s1-s2 = \{2, 3\}s1^s2 = \{2, 3, 5, 6\}s1|s2 = \{1, 2, 3, 4, 5, 6\}$

Status: Correct Marks: 1/1

17. What will be the output for the following code?

$$t1 = (1, 2, 4, 3)$$

$$t1 = (1, 2, 4, 3)$$

 $t2 = (1, 2, 3, 4)$

```
print(t1 < t2)
Answer
    False
                                                                       Marks: 1/1
    Status: Correct
    18. What is the output of the following code?
    a=(1,2,(4,5))
    b=(1,2,(3,4))
    print(a<b)
    Answer
False
    Status: Correct
                                                                       Marks : 1/1
    19. What will be the output of the following program?
    set1 = \{1, 2, 3\}
    set2 = set1.copy()
    set2.add(4)
    print(set1)
    Answer
(1, 2, 3)
                                                                       Marks : 1/1
    Status: Correct
    20. What is the output of the following code?
    a={1:"A",2:"B",3:"C"}
    b=a.copy()
    b[2]="D"
    print(a)
    Answer
(1: 'A', 2: 'B', 3: 'C')
```

Marks: 1/1 Status: Correct