johnsmith

junior business analyst

contact

123 Broadway City, State 12345 Country

+0 (000) 111 1111 +0 (000) 111 1112

john@smith.com http://www.smith.com fb://jsmith

languages

english mother tongue spanish & italian fluency

programming

♥ JavaScript
Python, C++, PHP
CSS3 & HTML5

education

2011–2012 Masters of Commerce

The University of California, Berkeley

Money Is The Root Of All Evil – Or Is It?

This thesis explored the idea that money has been the cause of untold anguish and suffering in the world. I found that it has, in fact, not.

2007–2008 **Bachelor** of Business Studies Specialization in Commerce

The University of California, Berkeley

experience

Full Time

2012–Now LEHMAN BROTHERS

Los Angeles, California

1st Year Analyst

Developed spreadsheets for risk analysis on exotic derivatives on a wide array of commodities (ags, oils, precious and base metals), managed blotter and secondary trades on structured notes, liaised with Middle Office, Sales and Structuring for bookkeeping.

Detailed achievements:

- Learned how to make amazing coffee
- Finally determined the reason for PC LOAD LETTER:
 - Paper jam
 - Software issues:
 - * Word not sending the correct data to printer
 - * Windows trying to print in letter format
 - Coffee spilled inside printer
- Broke the office record for number of kitten pictures in cubicle
- Learned how to make more amazing coffee on a new machine

Part Time

2010–2011 **LEHMAN BROTHERS**

London, United Kingdom

Summer Intern

Received pre-placed offer from the Exotics Trading Desk as a result of very positive reviews. Rated "truly distinctive" for Analytical Skills and Teamwork.

2008-2009 **Buy More**

Burbank, California

Computer Repair Specialist

Worked in the Nerd Herd and helped to solve computer problems by asking customers to turn their computers off and on again.

awards

2011 **Postgraduate Scholarship**

School of Business, The University of California

Awarded to the top student in their final year of a Bachelors degree. Mastered the art of filing accurate TPS reports.

communication skills

2011	Oral Presentation	California Business Conference	
	Presented the research I conducted for my	resented the research I conducted for my Masters of Commerce degree.	
2010	Poster	Annual Business Conference, Oregon	

As part of the course work for BUS320, I created a poster analyzing several local businesses and presented this at a conference.

interests

professional: data analysis, company profiling, risk analysis, economics, web design, web app creation, software design, marketing **personal:** piano, chess, cooking, dancing, running

publications

article in peer-reviewed journal

```
Electronic Sensors for Assessing Interactions between Healthcare Workers and Patients under Airborne Precautions
```

```
3 family=Lucet, family_i=L.ê, given=Jean-Christophe, given_i=J.-C.ê, 3family=Laouenan, family_i=L.ê, given=Cdric, given_i=C.ê, 3family=Chelius, family_i=C.ê, given=Guillaume, given_i=G.ê, 3family=Veziris, family_i=V.ê, given=Nicolas, given_i=N.ê, 3family=Lepelletier, family_i=L.ê, given=Didier, given_i=D.ê, 3family=Friggeri, family_i=F.ê, given=Adrien, given_i=A.ê, 3family=A.ê, 3family=Bouvet, family_i=A.ê, 3family=Bouvet, family_i=B.ê, 3family=Bouvet, family_i=B.ê, 3family=Bouvet, family_i=B.ê, 3family=Fleury, family_i=F.ê, 3family=Bouvet, family_i=B.ê 3family=Fleury, family_i=F.ê, 3family=Bouvet, family_i=B.ê 3family=Bouvet, family=B.ê 3family=Bouvet, family=Bouvet, famil
```

Reconstructing Social Interactions Using an unreliable Wireless Sensor Network

```
 \begin{array}{lll} 3 \, {\rm family=Friggeri, \, family}_i = F. \hat{\rm e}, \, given = Adrien, \, given_i = A. \hat{\rm e}, \, 3family = Chelius, \, family_i = C. \hat{\rm e}, \, given = Guillaume, \, given_i = G. \hat{\rm e}, \, 3family = Fleury, \, family_i = F. \hat{\rm e}, \, given = Eric, \, given_i = E. \hat{\rm e}, \, 3family = Fraboulet, \, family_i = F. \hat{\rm e}, \, given = Antoine, \, given_i = A. \hat{\rm e}, \, 3family = Mentr, \, family_i = M. \hat{\rm e}, \, given = France, \, given_i = F. \hat{\rm e}, \, 3family = Lucet, \, family_i \\ L. \hat{\rm e}, \, given = Jean - Christophe, \, given_i = J. - C. \hat{\rm e} \\ & \text{Computer Communications } \, 34.5 \, \text{(Apr. 2011) pp. 609-618. Elsevier, 2011} \end{array}
```

A Real-World Spreading Experiment in the Blogosphere

```
3 family=Friggeri, family_i=F.\hat{\mathbf{e}}, given=Adrien, given_i=A.\hat{\mathbf{e}}, 3family=Cointet, family_i=C.\hat{\mathbf{e}}, given=Jean-Philippe, given_i=J.-P.\hat{\mathbf{e}}, 3family=Latapy, family_i=L.\hat{\mathbf{e}}, suffix=Matthieu, suffix_i=M.\hat{\mathbf{e}}, given=Matthieu, given_i=M.\hat{\mathbf{e}}
```

Complex Systems 19.3 (2011). Complex Systems Publications, Inc., 2011

books

```
Microformats: Empowering Your Markup for Web 2.0 3 family=Allsop, family_i=A.\hat{\mathbf{e}}, given=John, given_i=J.\hat{\mathbf{e}}
Publisher, 2007, London
```

international peer-reviewed conferences/proceedings

```
Egomunities, Exploring Socially Cohesive Person-based Communities 3 family=Friggeri, family_i = F.\hat{\mathbf{e}}, given = Adrien, given_i = A.\hat{\mathbf{e}}, 3family = Chelius, family_i = C.\hat{\mathbf{e}}, given = Guillaume, given_i = G.\hat{\mathbf{e}}, 3family = Fleury, family_i = F.\hat{\mathbf{e}}, given = Eric, given_i = E.\hat{\mathbf{e}}
```

NetSci 2011 The International School and Conference on Network Science, 2011, Budapest, Hongrie

```
Fellows: Crowd-sourcing the evaluation of an overlapping community model based on the cohesion measure
```

```
3 family=Friggeri, family_i=F.ê, given=Adrien, given_i=A.ê, 3family=Chelius, family_i=C.ê, given=Guillaume, given_i=G.ê, 3family=Fleury, family_i=F.ê, given=Eric, given_i=E.ê
```

Interdisciplinary Workshop on Information and Decision in Social Networks, 2011, Cambridge, États-Unis

Fellows: Crowd-sourcing the evaluation of an overlapping community model based on the cohesion measure

```
3 family=Friggeri, family_i=F.ê, given=Adrien, given_i=A.ê, 3family=Chelius, family_i=C.ê, given=Guillaume, given_i=G.ê, 3family=Fleury, family_i=F.ê, given=Eric, given_i=E.ê
```

Complex Dynamics of Human Interactions, 2011, Vienna, Autriche

Triangles to Capture Social Cohesion

```
3 family=Friggeri, family_i=F.\hat{\mathbf{e}}, given=Adrien, given_i=A.\hat{\mathbf{e}}, 3family=Chelius, family_i=C.\hat{\mathbf{e}}, given=Guillaume, given_i=G.\hat{\mathbf{e}}, 3family=Fleury, family_i=F.\hat{\mathbf{e}}, given=Eric, given_i=E.\hat{\mathbf{e}}
```

Third IEEE International Conference on Social Computing, 2011, Cambridge, États-Unis

Electronic Sensors for Measuring Interactions between Healthcare Workers (HCWs) and Patients (Pts): the Case of Tuberculosis (TB)

```
 \begin{array}{lll} 3 \; \text{family=Lucet, family}_i &= L. \hat{\mathbf{e}}, given = Jean-Christophe, given_i = J.-C. \hat{\mathbf{e}}, 3family = \\ Chelius, family_i &= C. \hat{\mathbf{e}}, given = Guillaume, given_i = G. \hat{\mathbf{e}}, 3family = Laouenan, family_i = \\ L. \hat{\mathbf{e}}, given = Cdric, given_i = C. \hat{\mathbf{e}}, 3family = Friggeri, family_i = F. \hat{\mathbf{e}}, given = Adrien, given_i = \\ A. \hat{\mathbf{e}}, 3family = Veziris, family_i = V. \hat{\mathbf{e}}, given = N., given_i = N. \hat{\mathbf{e}}, 3family = Lepelletier, family \\ L. \hat{\mathbf{e}}, given = D., given_i = D. \hat{\mathbf{e}}, 3family = Abiteboul, family_i = A. \hat{\mathbf{e}}, given = D., given_i = \\ D. \hat{\mathbf{e}}, 3family = Bouvet, family_i = B. \hat{\mathbf{e}}, given = Elisabeth, given_i = E. \hat{\mathbf{e}}, 3family = \\ Fleury, family_i = F. \hat{\mathbf{e}}, given = Eric, given_i = E. \hat{\mathbf{e}}, 3family = Mentr, family_i = M. \hat{\mathbf{e}}, given = \\ France, given_i = F. \hat{\mathbf{e}} \end{array}
```

2010 Interscience Conference on Antimicrobial Agents and Chemotherapy, 2010, Boston, États-Unis

local peer-reviewed conferences/proceedings

Communautés : Arrêtons de ne compter que les arêtes

```
3 family=Friggeri, family_i=F.ê, given=Adrien, given_i=A.ê, 3family=Chelius, family_i=C.ê, given=Guillaume, given_i=G.ê, 3family=Fleury, family_i=F.ê, given=Eric, given_i=E.ê
```

13es Rencontres Francophones sur les Aspects Algorithmiques de Télécommunications (AlgoTel), 2011, Cap Estérel, France

Trouver des communautés socialement cohésives est NP-dur

```
3 family=Friggeri, family_i=F.\hat{\mathbf{e}}, given=Adrien, given_i=A.\hat{\mathbf{e}}, 3family=Chelius, family_i=C.\hat{\mathbf{e}}, given=Guillaume, given_i=G.\hat{\mathbf{e}}, 3family=Fleury, family_i=F.\hat{\mathbf{e}}, given=Eric, given_i=E.\hat{\mathbf{e}}
```

13emes journées Graphes et Algorithmes, 2011, Lyon, France

Biais dans les mesures obtenues par un réseau de capteurs sans fil

```
3 family=Friggeri, family _i=F.ê, given=Adrien, given_i=A.ê, 3family=Chelius, family_i=C.ê, given=Guillaume, given_i=G.ê
```

12èmes Rencontres Francophones sur les Aspects Algorithmiques de Télécommunications (AlgoTel), 2010, Belle Dune, France

other publications

```
Des triangles pour mesurer la cohésion sociale : Fellows, une expérimentation sur Facebook 3 family=Friggeri, family_i=F.\hat{\mathbf{e}}, given=Adrien, given_i=A.\hat{\mathbf{e}}, 3family=Fleury, family_i=F.\hat{\mathbf{e}}, given=Eric, given_i=E.\hat{\mathbf{e}} Séminaire w2s @ La Cantine, 2011
```

research reports

```
Finding cohesive communities with C<sup>3</sup>
```

3 family=Friggeri, family $_i=F.$ ê, $given=Adrien, given_i=A.$ ê, $3family=Fleury, family_i=F.$ ê, $given=Eric, given_i=E.$ ê

Rapport de recherche RR-7947, 2012

Egomunities, Exploring Socially Cohesive Person-based Communities

3 family=Friggeri, family $_i=F.$ ê, $given=Adrien, given_i=A.$ ê, $3family=Chelius, family_i=C.$ ê, $given=Guillaume, given_i=G.$ ê, $3family=Fleury, family_i=F.$ ê, $given=Eric, given_i=E.$ ê

Rapport de recherche RR-7535, 2011

Triangles to Capture Social Cohesion

3 family=Friggeri, family $_i=F.\hat{\mathbf{e}},$ given=Adrien, $given_i=A.\hat{\mathbf{e}},$ 3family=Chelius, $family_i=C.\hat{\mathbf{e}},$ given=Guillaume, $given_i=G.\hat{\mathbf{e}},$ 3family=Fleury, $family_i=F.\hat{\mathbf{e}},$ given=Eric, $given_i=E.\hat{\mathbf{e}}$

Rapport de recherche RR-7686, 2011

Maximizing the Cohesion is NP-hard

3 family=Friggeri, family $_i=F.$ ê, $given=Adrien, given_i=A.$ ê, $3family=Fleury, family_i=F.$ ê, $given=Eric, given_i=E.$ ê

Rapport de recherche RR-7734, 2011