



Greenberg Midterm 1 Pilot Review


09/21/2025

Important Concepts


- Molecular Orbital Theory
 - Conservation of orbitals
 - Bonding/Antibonding orbitals
 - Bond order
- Valence Bond Theory
 - Hybridization
 - Orbital Overlap
 - Resonance
- Acid/Base Chemistry
 - pKa
 - Comparing acidity
 - Favoring products or reactants
- Structures
 - Skeletal Structures
 - Newman Projections
 - Fischer Projections
- Stereochemistry
 - Isomers
 - Chairs
 - Absolute configuration
- Chemical Reactivity
 - Nucleophiles
 - Electrophiles
 - Acid/Base

Problem 1

- Draw all implicit hydrogens on the molecule below and name the hybridizations of each atom. For all sp^3 hybridized atoms, determine whether they are primary, secondary, tertiary, or quaternary.




Problem 1 Solution




Problem 2

- Determine the number of chiral centers, total number of stereoisomers, absolute configuration of each stereoisomer and the degrees of unsaturation.






Problem 2 Solution






Problem 3

- Determine whether the molecule is chiral, and the 3D geometry of the central atom.





Problem 3 Solution





Problem 4

- Determine the hybridization of every atom.





Problem 4 Solution





Problem 5

- Draw resonance structures for the following molecules (for the right molecule, just consider the resonance in the rings)





Problem 5 Solution





Problem 6

- Determine the HOMO and LUMO for the following molecules.





Problem 6 Solution





Problem 7

- Determine which molecule is more acidic and explain why.




Problem 7 Solution




Problem 8

- Shown below is trifluoromethanesulfonic acid, which is classified as a superacid. Draw the conjugate base and explain why.




Problem 8 Solution




Problem 9


- Determine the most acidic proton and rank the molecules from most to least acidic.




A



B




C




D


Problem 9 solution




A



B






C






D

Problem 10

- For the following molecules, choose the atom which is most likely to be protonated when acid is added.




Problem 10 Solution



Problem 11

- Determine whether the following reactions favor products or reactants. (Hint: The pKa of HF is ~3.2)




Problem 11 Solution



Problem 12




- Draw the eclipsed intermediate and calculate the barrier of rotation. Then, draw the molecule in its most stable conformation and determine the stereochemistry of all chiral centers.

<u>Interaction</u>	<u>Energy kJ/mol</u>
Me-Br <i>gauche</i>	4.0
Me-Me <i>gauche</i>	3.8
H-H <i>eclipse</i>	4.0
Br-H <i>eclipse</i>	7.0
Me-Me <i>eclipse</i>	11.0
Br-Me <i>eclipse</i>	13.0



Problem 12 Solution

<u>Interaction</u>	<u>Energy kJ/mol</u>
Me-Br <i>gauche</i>	4.0
Me-Me <i>gauche</i>	3.8
H-H <i>eclipse</i>	4.0
Br-H <i>eclipse</i>	7.0
Me-Me <i>eclipse</i>	11.0
Br-Me <i>eclipse</i>	13.0



Problem 13

- Draw both conformations of (1R, 2S, 4R)-1,2,4-trimethylcyclohexane and determine the energy difference between the structures (Me-H 1,3-diaxial interactions are 3.8 kJ/mol).

Problem 13 Solution

Problem 14

- Draw a meso tetrasubstituted cyclohexane with a K_{eq} of 1. Use the molecular formula $C_{14}H_{28}$.

Problem 14 Solution



Problem 15

- Determine the degrees of unsaturation for $\text{C}_3\text{H}_6\text{O}$. Then draw all constitutional isomers.



Problem 15 Solution

Problem 16

- Consider the following Fischer projection. Convert this molecule to a Newman projection and find the absolute configuration of all chiral centers.





Problem 16 Solution





Problem 17

- How many stereoisomers do the following molecules have?














Problem 17 Solution
















Problem 18

- Determine if the following molecules are enantiomers, diastereomers, identical, or meso.



Problem 18 Solution





Good luck on
your midterm!