

GOVERNANCE · SUPERSESSION NOTICE

Document Reconciliation Record

Every contradiction, and its resolution

Which document wins when two disagree, every material contradiction between the founding documents and the confirmed design, and the consolidated decision register — updated through Stage 7.

Product	MentorMAMA — Digital Mentorship Toolkit for Safer Midwifery Clinical Placement
Prepared by	Sinaps Technology — Bouric Okwaro Enos (Ric), Co-Founder & Team Lead
Document type	Reconciliation Record & Supersession Notice
Covers	Developer Concept Note v1.0 · Stage 1 Business Discovery v1.0 · SADD v1.0
Against	Stage 2 Domain Model · Stage 3 Business Rules v1.1 · Stage 3.5 Use Cases v1.0
Version	1.4 (register updated through Stage 7; walking skeleton built)
Date	July 2026

1. Why This Document Exists

Three documents preceded the domain model: the **Developer Concept Note** (the requirements — the "what"), the **Stage 1 Business Discovery Report** (the ecosystem and process), and the **SADD v1.0** (the first technical blueprint). Stages 2, 3, and 3.5 then changed a number of conclusions — deliberately, because that is what the design sequence is for.

The failure mode we are avoiding is the common one: four documents in a repository, mutually contradicting, and a developer picking whichever they opened first. So this record does three things:

1. **Establishes an authority order** — which document wins when two disagree.
2. **Lists every material contradiction** with its resolution, so nothing is silently overridden.
3. **States what happens to each source document** — amended, superseded in part, or left as a historical record.

1.1 Authority order

When two documents disagree, the later stage wins, with one exception:

```
Stage 3.5 Use Cases  ↘
Stage 3 Business Rules  |— authoritative for behaviour, rules, and sequence
Stage 2 Domain Model  ↙

Stage 1 Business Discovery — authoritative for the ecosystem, actors, and data ownership

Developer Concept Note  ——— authoritative for SCOPE and for the research/programme
                           requirements it carries from the source proposal

SADD v1.0  ————— superseded; see §4
```

The exception: the Concept Note remains authoritative on **scope and programme intent** — what is in and out of the MVP, the no-patient-data rule, pilot size, the phased AI boundary. Later stages may refine *how* those are achieved, but may not quietly expand what is being built. Where a later stage narrows or defers something in the Concept Note, it is listed in §3 as a scope change requiring stakeholder acknowledgement, not as an engineering decision.

1.2 What is NOT being rewritten, and why

The **Developer Concept Note is not edited**. It is derived from Dr. Carolyn Kerubo Nyariki's research proposal (JKUAT School of Nursing) and prepared for AfyaVentures/JHUB Africa; it is an upstream artifact whose provenance is the point. Silently rewriting a source specification to match our current thinking destroys the audit trail of *why* things changed — which matters more here than usual, because this product may be part of a research evaluation. Contradictions with it are therefore raised as **amendments** (§3) for stakeholder acknowledgement.

The **Stage 1 report is corrected by errata** (§5) rather than reissued, because its defects are internal numbering inconsistencies rather than wrong conclusions. Its substance held up completely — Placement as aggregate root, the two-jurisdiction model, and the data-ownership table all survived Stages 2 and 3 intact and are now the backbone of the authorization model.

The **SADD v1.0 is superseded** by SADD v2.0 (§4), because it is ours, it is the document developers will actually open, and several of its statements are now wrong in ways that would produce wrong code.

2. Contradictions With the SADD v1.0

#	SADD v1.0 says	Confirmed design says	Resolution	Impact if unresolved
S-01	PlacementAssignment is a junction table linking Student ↔ Mentor ↔ Ward ↔ Cohort (§4.2, §4.3)	Placement is the aggregate root; Student Assignment, Mentor Assignment, and Ward Assignment are <i>sub-entities inside it</i> , each with its own open/close history (Stage 2)	Adopt the aggregate model. A junction row overwrites relationships on change; sub-entities preserve them	Mentor reassignment would destroy the record of who mentored the student in weeks 1–3
S-02	MentorshipSession has student_id + mentor_id FKs (§4.2)	A Session belongs to exactly one Placement (INV-03)	Sessions reference the placement; mentor is recorded as the acting assignment	A student's sessions across two different placements would be indistinguishable
S-03	InductionChecklist hangs off StudentProfile and MentorProfile (§4.2)	Induction belongs to the Placement and survives mentor reassignment (Stage 3.5 §5.3)	Reparent to Placement	A reassignment would orphan or duplicate the induction
S-04	StudentFeedback references student_id (§4.2)	Anonymous feedback attaches to Cohort + Facility + Ward and never to Student or Placement (POL-014)	Two routing paths by anonymity mode	"Anonymous" feedback that is trivially re-identifiable — a governance failure, not a bug
S-05	StudentProfile carries placement_facility, placement_start/end, assigned_mentor (§5.3)	Those are Placement attributes; a student has many placements over time (Stage 2)	Remove from the profile	A second placement would overwrite the first
S-06	Seven actors, including CPD/Content Reviewer as an MVP role with permissions (§2.1, §6.4)	CPD Reviewer is deferred to Phase 2 and is out of the MVP authorization model (Stage 1 §5.2)	Six actors in the MVP; CPD Reviewer stays in the vocabulary only	Building and testing an unused role hierarchy
S-07	Escalation status list is informal: "resolved" or "escalated further" (§3.3)	Five states with a formal transition table; external referral is a resolution outcome , not a state (WFR-006)	Adopt the Stage 3 escalation state machine	The safeguarding workflow would be the only lifecycle in the system without enforceable transitions

#	SADD v1.0 says	Confirmed design says	Resolution	Impact if unresolved
S-08	No Placement lifecycle at all — no states, no transitions	Ten states, seventeen transitions, guards and initiating actors (Stage 3 §5.2)	Adopt the transition table	Every workflow rule becomes unenforceable; "active" becomes a boolean someone flips
S-09	"Induction occurs before active mentorship" is implied narratively (§8.1)	INV-02: a placement cannot become <code>Active</code> until induction is complete	Enforce at <code>TXN</code>	The core product promise — no unoriented student on a labour ward — would rely on UI ordering
S-10	Nurse Manager read scope is "facility-wide"; Stage 1 describes ward-level management	Facility-scoped authorization with ward as a filter , revisited if a facility runs multiple mentoring units (AUTH-006, OD-04)	Documented explicitly rather than left as two readings	Two developers implementing two different boundaries
S-11	Coordinator has institution-wide read of cohorts and students (§6.4), with no field-level limits	Coordinator reads session metadata only , never free text, and never mentor master records (POL-016, POL-017)	Field-level restrictions in serialisation	Breach of the hospital-owns-its-staff-records boundary from Stage 1 §8
S-12	Mentor "receives CPD completion summaries"; feedback visibility unresolved	Mentors never read individual feedback about themselves; aggregates only at $n \geq 3$ (POL-013)	Adopt the min-n threshold	A single student's feedback identifiable to the mentor it concerns
S-13	<code>DashboardMetric</code> is a stored entity with <code>numerator / denominator</code> (§4.2, §5.3)	Progress and indicators are computed on read , never authored (WFR-021, WFR-022)	Materialised projection, refreshed from events — never a hand-editable row	Metrics that can drift from the facts they summarise
S-14	Domain events publish to notifications, described as part of the write path (§4.4)	Events are written to a transactional outbox in-transaction and dispatched after commit (WFR-026)	Adopt the outbox	An email provider timeout rolls back a valid mentor assignment
S-15	REST endpoints specified (§6.3), e.g. <code>POST /api/placements</code> "create/reassign"	Endpoints are a Stage 6 concern; Stage 3.5 defines commands (<code>AssignMentor</code> , <code>ReassignMentor</code> as distinct operations)	§6.3 marked provisional pending Stage 6	Conflating create and reassign in one endpoint hides two different guard sets
S-16	Full ERD, data dictionary, and indexing strategy presented as settled (§5)	Stage 5 has not happened. The schema must follow the domain model, not precede it	§5 marked provisional pending Stage 5	The original mistake repeated: schema before rules

#	SADD v1.0 says	Confirmed design says	Resolution	Impact if unresolved
S-17	Auth returns a JWT with <code>facility_id / institution_id</code> claims (§6.4)	Scope is resolved server-side per request from the principal; a token claim is a cached copy that goes stale on reassignment (AUTH-001)	Scope resolved per request; tokens carry identity, not authority	A mentor reassigned to another facility keeps their old access until the token expires
S-18	Nothing on ward capacity enforcement, though <code>Ward.max_students</code> exists	INV-16 with a row lock on the Ward (POL-007)	Enforce at TXN	Over-allocation of a labour ward — a real-world safety and quality issue

3. Amendments Requested Against the Concept Note v1.0

These are **not** defects in the Concept Note. They are places where the design sequence produced a different answer, and where the change should be acknowledged by AfyaVentures/JKUAT rather than absorbed silently.

#	Concept Note position	Confirmed design position	Nature of change	Needs sign-off?
C-01	Six user roles including CPD/Content Reviewer (§4)	CPD Reviewer deferred to Phase 2 (Stage 1 §5.2), consistent with the Note's own deferral of regulator integration (§19)	Scope reduction	Yes — confirm CPD is Phase 2
C-02	Student profile holds <code>assigned_mentor</code> and placement dates (§8)	Those belong to Placement; students hold many placements over time	Structural, no scope change	No
C-03	"Student feedback visibility" listed as an open decision (§19)	Resolved as a blocking dependency: manager/coordinator read individual, mentor sees aggregate at $n \geq 3$, anonymous routes to cohort/ward (POL-013, POL-014)	Decision requiring governance approval	Yes — blocks pilot
C-04	Induction checklist is "completed when a student reports to the unit" (§11)	Additionally a hard gate: no <code>Active</code> placement, and therefore no session logging, until induction completes (INV-02, INV-05)	Strengthening of intent	Yes — confirm this is desired, since it can block a ward
C-05	Escalation "restrict access to authorized reviewers" (§8)	Field-level: only the assigned reviewer, submitter, and Program Admin may read <code>description / action_taken</code> ; reviewer may not be the subject; reads are audited (INV-13, WFR-008, WFR-032)	Strengthening	Yes — informs consent wording
C-06	Offline support = "local draft saving and retry sync" (§12)	Retry implies idempotency keys, and late replays that no longer validate must be surfaced to the mentor rather than discarded (OD-09)	Newly surfaced UI requirement	Yes — adds a mentor-facing "unsynced" view

#	Concept Note position	Confirmed design position	Nature of change	Needs sign-off?
C-07	Dashboard indicators listed as stored metrics (§9)	Computed projections, refreshed from events	Implementation, no scope change	No
C-08	Ward has <code>maximum_students</code> (§8)	Enforced as a hard invariant that blocks allocation (INV-16)	Strengthening	Yes — confirm hard block vs. warning
C-09	"Escalation flag for serious placement concerns" in MVP scope (§5.1)	Full five-state reviewed lifecycle with conflict-of-interest rules	Scope <i>increase</i> in depth (not breadth) — justified by safeguarding criticality	Yes — acknowledge effort
C-10	Pilot capacity negotiation between coordinator and hospital	Deliberately not an in-app workflow for MVP; <code>Cohort.planned_capacity</code> only (Stage 1 §9)	Scope reduction	Yes — already recommended in Stage 1, confirm

4. Disposition of the SADD v1.0

Status: superseded by SADD v2.0.

SADD v1.0 section	Disposition in v2.0
§1 Introduction, scope, constraints	Carried forward, updated to reference the design sequence
§2 Actors	Corrected — six MVP actors; CPD Reviewer moved to Phase 2
§3 Use cases	Superseded by Stage 3.5, which specifies all eight workflows with guards and sequence
§4 Domain model	Corrected — Placement aggregate with assignment sub-entities; ownership reparented
§5 Data design (ERD, dictionary, indexing)	Superseded by Stage 5 (Database Architecture v1.0), which replaces it in full
§6.1–6.2 Architecture, cross-cutting	Carried forward, with the outbox and per-request scope resolution corrected in
§6.3 REST API	Superseded by Stage 6 (API Design v1.0), which replaces it in full
§8.1–8.2 Information architecture and UI principles	Superseded by Stage 7 (UI/UX v1.0)
§6.4 Auth & RBAC	Corrected — server-side scope resolution, field-level restrictions, 404-not-403
§6.5 Non-functional requirements	Carried forward unchanged — held up well
§7 Information architecture & UI	Carried forward, plus the mentor "unsynced logs" view (OD-09)
§8 Workflows	Superseded by Stage 3.5

SADD v1.0 section	Disposition in v2.0
§9 MVP backlog & acceptance	Carried forward, with acceptance criteria strengthened to include invariant enforcement
§10 Risks & open decisions	Replaced by the consolidated Open Decisions Register (Stage 3 §13 + Stage 3.5 §12)

Two sections are deliberately left as **provisional rather than fixed**: the data design and the API design. Rewriting them now would mean doing Stage 5 and Stage 6 out of sequence, on the same instinct that produced the original problem. They are labelled so no one builds against them by accident.

5. Stage 1 Errata

#	Location	Issue	Correction
E-01	§1, closing note	States the document "delivers Stages 1–2 in full" and that the Domain Model "follows in Stage 3"	It delivers Stage 1 . The Domain Model is Stage 2 . §10.2 of the same document states this correctly, so §1 is the error
E-02	§1, twelve-step diagram	Two numbering systems coexist: the twelve design <i>steps</i> and the <i>stage</i> numbers used in document titles	Canonical map published in §6 below. Stage numbers are authoritative for document naming
E-03	§5, actor table	Lists Notification Service as an actor alongside five human roles; the SADD lists seven actors	Six MVP actors: five human (Student, Clinical Mentor, Nurse Manager, University Coordinator, Program Administrator) plus the Notification Service system actor. CPD Reviewer is Phase 2

Everything else in Stage 1 stands. Its central conclusions — Placement as aggregate root, non-overlapping institutional jurisdictions, and the data-ownership table — became the foundation of the Stage 3 authorization model without amendment.

6. Canonical Design Sequence

One numbering scheme, to end the ambiguity flagged in E-02.

Stage	Deliverable	Status
Stage 1	Business Discovery — ecosystem, actors, process, data ownership	✅ Complete (v1.0 + errata §5)
Stage 2	Domain Model — bounded contexts, aggregates, entities, value objects, events, lifecycle	✅ Complete
Stage 3	Business Rules & Domain Invariants	✅ Complete (v1.1)
Stage 3.5	Use Cases & Sequence Diagrams	✅ Complete (v1.0)

Stage	Deliverable	Status
Stage 4	Module Architecture & Module Communication	✓ Complete (v1.0)
Stage 5	Database Architecture — schema, constraints, indexing, migrations	✓ Complete (v1.0)
Stage 6	API Design — transport, contracts, versioning, errors	✓ Complete (v1.0)
Stage 7	UI/UX — information architecture, screen states, offline affordances	✓ Complete (v1.0)
Stage 8	Development Sprints & Delivery Plan	☐ Next

The twelve-step list in Stage 1 §1 remains a useful description of the *discipline*; the stage numbers above are what documents are named after.

7. Consolidated Open Decisions

Eleven open decisions now exist across Stage 3 and Stage 3.5. Three block pilot activity and are the subject of the accompanying stakeholder memo.

ID	Question	Status
OD-01	Does a pause extend the placement end date?	Resolved — JKUAT, 30 Jul 2026. Extends <code>actual_end</code> , planned dates retained (POL-020). Stage 5 unblocked
OD-02	Hard-block placements on incomplete mentor training?	Decided — default on, override with reason
OD-03	Feedback visibility model and min-n threshold	Resolved — JKUAT, 30 Jul 2026. Manager and Coordinator read individual; mentor aggregates at $n \geq 3$, applied per displayed figure, no attribute breakdowns (POL-013, POL-013a)
OD-04	Nurse Manager boundary: facility or ward?	Decided — facility, ward as filter
OD-05	Archive delay after completion	Decided — 30 days, configurable
OD-06	What anonymous feedback attaches to	Resolved — JKUAT, 30 Jul 2026. Both modes supported; confidential is the default, anonymous attaches to cohort/facility/ward only (POL-014, POL-014a)
OD-07	Who authorises early completion	Decided — Nurse Manager with reason, Coordinator notified
OD-08	May a placement complete with a low-severity escalation open?	Decided — deferral override only, never for high severity
OD-09	Late-arriving offline logs that no longer validate	Decided — retained and surfaced, never discarded
OD-10	Should unconfirmed placements time out?	Decided — no, flagged for human follow-up
OD-11	Early completion — Coordinator notified or consulted?	Decided — notified
OD-12	Does the research evaluation require sex-disaggregated reporting?	Open — asked of JKUAT, 30 Jul 2026

ID	Question	Status
OD-13	Adopt Postgres column-level grants so escalation content is database-restricted, not serializer-restricted?	Recommended yes before pilot go-live (Stage 5 §6.3)
OD-14	Retention period for escalation description / action_taken ?	Open — needs a governance answer rather than defaulting to forever
OD-15	Does the evaluation need a stable pseudonymous student identifier across cohorts?	Open — if yes, model it explicitly rather than re-purposing UUIDs in exports
OD-16	Add a token auth path now for a possible future native app?	No — the Concept Note defers native until the PWA is tested (Stage 6 §4.1)
OD-17	Deliver large exports by emailed link rather than in-app download?	Revisit after the first cohort export is measured
OD-18	May Coordinators read session free text on a placement with an open escalation?	Recommend no for the pilot — confirm with JKUAT (Stage 6 §10)
OD-19	Do queued (unsynced) sessions count toward the mentor's "days since last session"?	Yes locally and labelled; server projections never count them (Stage 7 §6.3)
OD-20	Does a student see the status of a concern she raised, and at what granularity?	Recommend state only, no reviewer notes — needs JKUAT confirmation
OD-21	English-only pilot UI with Kiswahili after usability testing?	Yes per Concept Note §19; write copy for translation now

Consent and pilot data collection are no longer blocked by us. OD-03 and OD-06 are settled, so the consent wording can be drafted. What remains is the governance sign-off itself, which is JKUAT's and AfyaVentures' step, and it must include the residual free-text patient-identifier risk as accepted rather than solved (Stage 3.5 §11).

End of Document Reconciliation Record — Sinaps Technology / JHUB Africa. Confidential.