

Accessibility audit overview

Application / product name	
Date	From:
Conformance target	WCAG 2.2 Level A & AA
Audit conducted by	

Scope of audit

Number	Page type
1	Home page
2	Landing page
3	Landing page
4	Landing page
5	Sub-landing page
6	Sub-landing page
7	Sub-landing page
8	Detail page
9	Detail page
10	Detail page
11	Functional page
12	Functional page
13	Functional page
14	Functional page

15	Functional page
16	Functional page
17	Functional page

Summary

Severity	Definition
Blocker	Prevents task completion entirely
Serious	Severely hinders use or understanding
Moderate	Causes usability issues or confusion
Minor	Cosmetic or low impact issue.
Total	Sum of all issues identified.

Tools and assistive technologies used



Category	Tools / details
Manual methods	Keyboard navigation, focus order
Automated tools	Axe DevTools
Assistive technologies	

OS, browsers and devices tested

Category	Version
Browsers	Chrome, Mozilla, Safari
OS	
Devices	
Assistive technologies	Screen reader

To:



[illegible]






ely for some users (e.g., keyboard trap, missing form labels)

tanding, limited workarounds available.

usion for some users, but task still possible.



der, landmarks, forms, error handling, zoom/reflow, text spacing



Number of issues
0
0
0
0
0

Accessibility


Principle

Perceivable



Operable

Understandable



/ audit findings

Success Criteria
<u>1.1.1 Text Alternatives</u>
<u>1.2.1 Audio-only and Video-only (Pre-recorded)</u>
<u>1.2.2 Captions (Pre-recorded)</u>
<u>1.2.3 Audio Description or Media Alternative (Pre-recorded)</u>
<u>1.2.4 Captions (Live)</u>
<u>1.2.5 Audio Description (Pre-recorded)</u>
<u>1.3.1 Info and Relationships</u>
<u>1.3.2 Meaningful Sequence</u>
<u>1.3.3 Sensory Characteristics</u>
<u>1.3.4 Orientation</u>
<u>1.3.5 Identify Input Purpose</u>
<u>1.4.1 Use of Color</u>

1.4.2 Audio Control

1.4.3 Contrast (Minimum)

1.4.4 Resize Text

1.4.5 Images of Text

1.4.10 Reflow

1.4.11 Non-text Contrast

1.4.12 Text Spacing

1.4.13 Content on Hover or Focus

2.1.1 Keyboard

2.1.2 No Keyboard Trap

2.1.4 Character Key Shortcuts

2.2.1 Timing Adjustable

2.2.2 Pause, Stop, Hide

2.3.1 Three Flashes or Below Threshold

2.4.1 Bypass Blocks

2.4.2 Page Titled

2.4.3 Focus Order

2.4.4 Link Purpose (In Context)

2.4.5 Multiple Ways

2.4.6 Headings and Labels

2.4.7 Focus Visible

2.5.1 Pointer Gestures

2.5.2 Pointer Cancellation

2.5.3 Label in Name

2.5.4 Motion Actuation

2.4.11 Focus Not Obscured (Minimum) – New in 2.2

2.5.7 Dragging Movements – New in 2.2

2.5.8 Target Size (Minimum) – New in 2.2

3.1.1 Language of Page

3.1.2 Language of Parts

3.2.1 On Focus

3.2.2 On Input

3.2.3 Consistent Navigation

3.2.4 Consistent Identification

3.3.1 Error Identification

3.3.2 Labels or Instructions

3.3.3 Error Suggestion

3.3.4 Error Prevention (Legal, Financial, Data)

3.2.6 Consistent Help – New in 2.2

3.3.7 Redundant Entry – New in 2.2

3.3.8 Accessible Authentication (Minimum) – New in 2.2

4.1.2 Name, Role, Value

4.1.3 Status Messages

Pass condition
All meaningful images have accurate alt text; decorative images have no alt text and are ignored by screen reader.
Audio-only: text transcript provided. Video-only: text or audio description provided.
Captions are available for prerecorded videos with audio (unless the video itself is a text alternative).
An audio description or text alternative is provided for prerecorded videos with visual information (unless it's already a text alternative).
Live videos with speech include captions while the audio is playing.
Prerecorded videos include an audio track that describes key visual details, actions, scene changes, or text shown on screen.
Headings, lists, tables, and form labels are coded correctly so screen readers can understand the structure and relationships.
The reading order of the page (for example, when using a screen reader or keyboard navigation) follows a logical sequence that matches the visual order.
Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound.
Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.
Form fields for personal info (like name, email, phone) include proper autocomplete tags so browsers and assistive tech know what each field is for.
Information or actions are also shown with text, icons, or patterns, not just color.

If audio plays automatically for more than 3 seconds, users can pause, stop, or adjust its volume separately from the system volume
Text and images of text have at least 4.5:1 contrast with the background. Large text (18pt or 14pt bold) needs at least 3:1. Decorative or logo text is excluded.
Except for captions and images of text, text can be resized without assistive technology up to 200% without loss of content or functionality.
Information is presented using real text rather than images of text, except when a specific visual style is essential (e.g logo) or the image can be customized by the user.
Content reflows correctly when zoomed in up to 400% or viewed on a small screen, without requiring both horizontal and vertical scrolling. Exceptions apply to content that needs two-dimensional layout, e.g maps or data tables.
Visual elements such as icons, form fields, and focus indicators have at least a 3:1 contrast ratio against adjacent colors. This also applies to essential parts of graphics that convey meaning, but not to decorative or inactive elements.
Text remains readable and functional when spacing is increased. Line height 1.5×, paragraph spacing 2×, letter spacing 0.12×, and word spacing 0.16×. No text overlap, truncation, or loss of content occurs.
When extra content appears on hover or focus (like tooltips, menus, or popovers), users can move the pointer over it without it disappearing. The content stays visible until the user dismisses it, moves focus away, or the information is no longer valid. A way to close it is available without moving focus or the pointer.
All functions on the page can be used with a keyboard alone, without needing a mouse or special timing between key presses. Every interactive element can be reached and activated using keys like Tab, Enter, or Space.
Users can move focus to and away from any element using only the keyboard. If special keys are needed to exit, clear instructions are provided.
If single-key shortcuts are used, users can turn them off, remap them, or they only work when the related element is focused.

If content has a time limit, users can turn it off, get a warning, or extend the time. Exceptions: real-time events, essential timing, or very long sessions.
Any moving or auto-updating content (like animations, carousels, or videos) that starts automatically and runs for more than 5 seconds must have a way to pause, stop, or hide it, unless the motion is essential.
Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.
A mechanism is available to bypass blocks of content that are repeated on multiple web pages. "Skip to main content" or "Skip navigation".
Web pages have titles that describe topic or purpose.
When navigating with a keyboard, focus moves in a logical order that matches the visual layout and preserves meaning and usability.
Each link's purpose is clear from its text or nearby context, so users know where it leads without guessing.
Provide at least two ways to find each page (e.g., navigation menu, search, sitemap, or links). Not required for pages that are part of a process.
Headings and labels describe topic or purpose.
Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.
All functions using multipoint or path-based gestures must also be operable with a single pointer, unless such gestures are essential.
Actions triggered by a single pointer (like mouse or touch) should only complete on release, not on press, so users can cancel or undo mistakes.
For user interface components with labels that include text or images of text, the name contains the text that is presented visually.
If a feature works by device or user motion (like shaking or tilting), it must also be operable through a standard control, and motion activation can be turned off to avoid accidental triggers. Exceptions: when motion uses an accessibility-supported interface or is essential to the activity.

When a user interface component receives keyboard focus, no part of the component is hidden by author-created content.
If an action requires dragging (like moving sliders or items), users must also be able to perform it with a simple click or tap instead of drag gestures.
Pointer targets (like buttons or icons) must be at least 24×24 CSS pixels, or spaced so users can easily select them without hitting nearby elements. Exceptions: Targets are well spaced from each other. The same function is available elsewhere with a larger control. The target is inline with text or controlled by the browser. The small size is essential or legally required.
The default human language of each web page can be programmatically determined.
Each passage or phrase in a different language must be programmatically identified, except for proper names, technical terms, or common foreign words used in the surrounding language.
When any user interface component receives focus, it does not initiate a change of context.
Changing a form field or control should not automatically trigger a major change (like submitting a form or moving to a new page) unless the user is warned beforehand.
Navigation menus and other repeated elements must appear in the same order on every page, unless the user intentionally changes it.
Interactive elements that serve the same purpose must be labeled and identified in the same way across all pages.
When a user makes a mistake in a form, the specific field with the error must be clearly identified, and the problem explained in text.
Labels or instructions are provided when content requires user input.
If a form error is found and a fix is known, show a suggestion to help the user correct it, unless it would affect security or purpose.

For pages where users make legal, financial, or data-changing actions, at least one of these must apply:

Users can undo or reverse their submission.
The system checks for errors and lets users fix them.
Users can review and confirm their input before final submission.


If help options (like contact details, chat, or help links) appear on multiple pages, they must always be in the same place and order unless the user changes it.

Users should not have to re-enter the same information within a single process. Data should be auto-filled or selectable unless re-entering it is necessary for security, accuracy, or validity.

Users must be able to log in or verify their identity without relying only on memory or puzzles. If a cognitive test is required, an easier alternative or assistive option must be available.

Every interactive element must tell assistive technology what it is, what it does, and what its current state is. When something changes, that change must be announced.

Status messages must be announced by screen readers automatically, without moving focus, so users know when something has changed.



Page & component	Method	Level
		Level A
		Level A
		Level AA
		Level A
ng.		Level AA
		Level AA
		Level A
		Level A
		Level A
		Level AA
		Level AA
		Level A

		Level A
		Level AA
		Level AA
		Level AA
		Level AA
		Level AA
		Level AA
		Level AA
		Level AA
		Level A
		Level A
		Level A

		Level A
		Level A
		Level A
		Level A
		Level A
		Level A
		Level A
		Level AA
		Level AA
		Level AA
		Level A
		Level A
		Level A
		Level A

		Level AA
		Level AA
		Level AA
		Level AA
		Level AA
		Level AA
		Level A
		Level A
		Level AA
		Level AA
		Level A
		Level A
		Level AA

		Level AA
		Level A
		Level A
		Level AA
		Level A
		Level AA

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Notes / screenshots

[illegible]

[illegible]

[illegible]

Accessibility audit overview

Metric	Value
Passed	0
Failed	0
Not applicable	0

Severity	Count
Blocker	0
Serious	0
Moderate	0
Minor	0

W


Description
Criterion fully meets requirements on all tested platforms
Fails on one or more platforms
Not relevant to this product

Definition
Prevents task completion entirely for some users (e.g., keyboard trap, missing form labels)
Severely hinders use or understanding, limited workarounds available
Causes usability issues or confusion for some users, but task still possible
Cosmetic or low impact issue


C

☐ Passe


S



Blocker



Overall conformance



Legend: ☐ Failed ☐ Not applicable

Severity distribution

Serious Moderate Minor

Accessibility audit methodology

List page types

Identify main page types (e.g., Home, Landing, Sub-landing, Detail, Functional)
Add a few sample URLs for each in the *Scope of audit* table in *Overview sheet*.

Select test pages

Pick 1–3 pages per type to cover different layouts and components.

Open the template

In the *Audit findings* table in *Overview sheet*, go through each WCAG Success C

Test page by page

Open a selected page in each browser you are auditing for.

Work **criterion by criterion** (e.g., 1.1.1, 1.2.1, 1.3.1...) and check if the page me

**!!! If an issue occurs on multiple pages, insert a new row directly under the sa
component, method, severity, recommendations and screenshot. Do not marl
“Fail” once per issue.**

Test across devices

Use the relevant columns (Windows, Android, iOS, Mac) to record results for y

Document findings

Record results under the correct criterion.

Include screenshots or notes where needed.

Recommendations for fixing the issue.

Mark conformance

Pass = fully compliant.

Fail = not compliant.

N/A = not relevant for this page or component.

Repeat for each page

Continue until all selected pages and criteria have been reviewed.

Review summary

Check the summary sheet for overall counts and ensure all findings are filled c

l.

riterion listed in column B.

eets the condition.

ame criterion and fill page &
k it as **"Fail."** We only mark

our assigned platforms.

orrectly.